

IN SESSION

AI GENERALIST ACCELERATOR PROGRAM
AI AUTOMATIONS AND AGENTS
USE CASE – WEBSITE LEAD SPAM CHECKER

Demo video for reference: 📺 Day 3- Workbook Demo.mp4

What you will do — At a Glance

What you build: A website enquiry workflow in n8n that validates a project brief, uses an OpenAI model to classify the enquiry, and stores it in the correct Google Sheets tab.

The stack: n8n + OpenAI + Google Sheets.


Optional extension: An AI Agent that decides which Google Sheets tool to use. This method is included for self-practice and is not solved during the breakout room.

You will need: An active n8n workspace, OpenAI API credentials, and a Google account that can edit the practice sheet.

API key: To be added

Your Final Workflow Will Look Like This

the exact workflow taught in the live session and built in the breakout room.



Pre-setup: Create your Google Sheet or make a copy of the attached sheet.

1. Open Google Sheets and create a blank spreadsheet named **Lead Enquiry Automation Sheet**.
2. Rename the first tab **Genuine**.
3. Duplicate that tab and rename the copy **Spam**.
4. In both tabs, add these headers in row 1: **Name, Email, Company, Project Brief**.

OR


Make a copy of this: 📄 Lead Enquiry Automation Sheet

Keep the headers exact: Spelling, spacing, and capitalisation must match so n8n can map the form fields correctly.

OPTION 1: BASIC AI CHAT MODEL METHOD

Step 0: Create and Name the Workflow

1. Log in to your [n8n workspace](#) and click **Create workflow**.




On the Workflows overview, click Create workflow in the upper-right area.

2. Click the default workflow name at the top and rename it **Website Lead Spam Checker**.
3. Keep the workflow **unpublished** while building and testing.

A new workflow opens on a blank canvas. Click Add first step.


Step 1: Add the n8n Form Trigger

1. On the blank canvas, click **Add first step**.




Click the highlighted Add first step tile.

2. In the search box, type **form**.
3. Under the search results, click **n8n Form**.



Search for “form” and select the highlighted n8n Form app.

4. In the n8n Form panel, click **On new n8n Form event**.



Select the new n8n Form event. The node created on the canvas will be named On form submission.

5. Set **Authentication** to **None**.
6. In **Form Title**, enter **Project Enquiry**.
7. In **Form Description**, copy and paste the text below.

Form description — copy and paste

Tell us briefly what you would like to build, the problem you want to solve, and any important requirements. This will help us understand whether we are the right fit for your project.

On form submission

Parameters Settings Execute step

Test URL Production URL

https://outskill-gef.app.n8n.cloud/form-test/ca2d8276-75d3-48c9-85df-7170c68fa8ec

Authentication

Form Title Project Enquiry

Form Description Tell us briefly what you would like to build, the problem you want to solve, and any important requirements. This will help us understand whether we

Form Elements

+ Add Form Element

Respond When Form Is Submitted

Build multi-step forms by adding a form page later in your workflow

Options

Pull in a test form submission

Execute step

Publish this workflow to have it also run automatically for new form submissions created via the Production URL. [More info](#)

When will this node trigger my flow? ▾

OUTPUT

No trigger output

Test this trigger

or set mock data

Authentication, title, and description must match the highlighted configuration.

8. Under **Form Elements**, add the following four elements in this exact order.

- **Name** – Text Input
- **Email** – Email
- **Company** – Text Input
- **Project Brief** – Textarea

On form submission

Parameters Settings Execute step

Form Description Tell us briefly what you would like to build, the problem you want to solve, and any important requirements. This will help us understand whether we

Form Elements

Text Input

Label Name

Element Type Text Input

+ Add Attributes

Email

Label Email

Element Type Email

+ Add Attributes

Pull in a test form submission

Execute step

Publish this workflow to have it also run automatically for new form submissions created via the Production URL. [More info](#)

When will this node trigger my flow? ▾

OUTPUT

No trigger output

Test this trigger

or set mock data

Add Name as Text Input and Email as Email.

On form submission

6 Add Company and Project Brief

Pull in a test form submission

Execute step

Publish this workflow to have it also run automatically for new form submissions created via the Production URL. [More info](#)

When will this node trigger my flow? ▾

Parameters Settings Execute step

Company

Element Type
Text Input

+ Add Attributes

Textarea

Label
Project Brief

Element Type ⓘ Fixed Expression
Textarea

+ Add Attributes

+ Add Form Element

Respond When
Form Is Submitted

Build multi-step forms by adding a form page later in your workflow

Options +

OUTPUT

No trigger output


Test this trigger

or [set mock data](#)

Add Company as Text Input and Project Brief as Textarea.


Step 2: Test the Form and Pin Sample Data

1. Open the **On form submission** node and click **Execute step** or **Test this trigger**.



Click **Execute step** to start listening for a test form submission.

2. Open the **test form** and submit a realistic enquiry, for example: **“We need a new e-commerce website for our clothing brand.”**
3. Return to n8n and confirm that **Name**, **Email**, **Company**, and **Project Brief** appear in the **output panel**.




4. **Pin the test data** so you can configure downstream nodes without resubmitting the form each time.

Why pin data?: Pinned data gives every later node a stable sample input while you build and test the workflow.

Step 3: Add the IF Node


Purpose: Stop empty project briefs before spending tokens on AI classification.

1. From the **Form Trigger** output, click + and search for **IF**.



Search for IF and select the highlighted If flow node.

2. In the left value, switch to **Expression** and paste the exact expression below.



3. Drag the **Project Brief** from the input panel into the left value, or use the **expression** shown below.

INPUT

Field	Value
Name	Shasti
Email	shasti@gmail.com
Company	shasti@cpm.com
Project Brief	We need a new e-commerce website for our clothing brand.
submittedAt	2026-08-12T03:18:27.067+05:30
formMode	test

Parameters

Conditions

fx {{ \$json['Project Brief'] }} T is equal to

Result

We need a new e-commerce website for our clothing brand.

Options

+ Add option

Expression

```
{{ $json['Project Brief'] }}
```

4. Choose the **String** operation that **is not empty**.

Parameters

Conditions

fx {{ \$json['Project Brief'] }} T is not empty

+ Add condition

☐ Convert types where required

Options

+ Add option

String


- exists
- does not exist
- is empty
- is not empty** ✓
- is equal to
- is not equal to
- contains

The IF node checks that Project Brief is not empty. The condition remains fully visible.

Step 4: Add AI Spam Classification


Node type: OpenAI — Message a Model

1. From the **IF node's true output**, click +, type **OpenAI** in the search box, and select **OpenAI**.



The screenshot shows only the nodes built so far: On form submission and If.

2. Under **Text Actions**, select **Message a model**.



Select Message a model from the OpenAI action list.

3. Click the dropdown next to "**Credential to connect with**" > Click "+ **Create New Credential**" > Paste your **API key** (Shared above) and click on **save**.

4. Confirm Resource is **Text** and Operation is **Message a Model**.
5. Choose the model **GPT-4.1-MINI** (select from dropdown)

The screenshot shows a configuration window with two tabs: 'Parameters' (active) and 'Settings'. An 'Execute step' button is in the top right. Under 'Parameters', there are dropdowns for 'Credential' (OpenAI account 6), 'Resource' (Text), 'Operation' (Message a Model), and 'Model' (GPT-4.1-MINI). Below these is a 'Messages' section with a '+' icon. It contains 'Message 1' with 'Type' (Text), 'Role' (User), and a 'Prompt' field. The prompt text is: 'Do not include any explanation, punctuation, markdown, or additional text.'

6. Paste the below **prompt**

Classifier prompt — copy and paste

=You are a spam classifier for an agency contact form.

You will receive:

- Name : {{ \$json.Name }}
- Email : {{ \$json.Email }}
- Company : {{ \$json.Company }}
- Project Brief : {{ \$json['Project Brief'] }}

Determine whether the inquiry is spam.

Respond with:

- "yes" - if the inquiry is spam, fake, promotional, phishing, irrelevant, AI-generated nonsense, test submissions, gibberish, or clearly not a genuine business inquiry.
- "no" - if the inquiry appears to be a legitimate business inquiry, even if it is brief, lacks details, or comes from a personal email address.

Treat the following as genuine:

- Requests for website development
- SaaS or software development
- Automation or AI solutions
- Corporate training
- Consulting
- Partnerships
- Requests for quotes, demos, or discovery calls

Only return one word:

yes
or
no

Do not include any explanation, punctuation, markdown, or additional text.


7. Scroll down and keep **Simplify Output** switched on.

Output contract: The model must return exactly one lowercase word: yes for spam and no for a genuine enquiry. The Switch node depends on this exact output.

Step 5: Route the Result with a Switch Node

Node type: Switch

1. From **Message a Model**, click + and add a **Switch** node.




Search for Switch and select the highlighted Switch flow node.

2. Set Mode to **Rules**.
3. In **Routing Rule 1**, switch the first value to **Expression** and paste the exact expression below. Set is equal to **no**. Turn on **Rename Output** and enter **Genuine**.


Routing Rule 1 — copy this expression

```
{{ $json.output[0].content[0].text }}
```

4. Add **Routing Rule 2**. Paste the **same expression**, set is equal to **yes**, turn on **Rename Output**, and enter **Spam**.



Rule 1 routes “no” to Genuine; Rule 2 routes “yes” to Spam.




Rename the second output Spam so the canvas remains easy to read.

Do not reverse the logic: In this prompt, yes means “this is spam”; no means “this appears genuine.”

Step 6: Connect the Genuine Google Sheet

Node type: Google Sheets

1. From the **Genuine** output of the **Switch** node, add **Google Sheets** and select **Append Row**.



Search for Google Sheets. For Option 1, select the regular Google Sheets node—not Google Sheets Tool.

2. Click the dropdown next to “**Credential to connect with**” Click “+ **Create New Credential**” > Follow the **Google authentication flow** and click “**Save**”
3. Set Resource to **Sheet Within Document** and Operation to **Append Row**.
4. Select **Lead Enquiry Automation Sheet** in the document and the **Genuine** tab in sheet.

- Set Mapping Column Mode to **Map Each Column Manually**.
- For each sheet column, switch the value to **Expression** and drag the inputs from **if1** node or paste the **matching expression** below.

Google Sheets column expressions — copy and paste one per field


```
Name: {{ $('If').item.json.Name }}
Email: {{ $('If').item.json.Email }}
Company: {{ $('If').item.json.Company }}
Project Brief: {{ $('If').item.json['Project Brief'] }}
```

All four fields are mapped from the validated form item.

Step 7: Add the Spam Google Sheet

- Copy and paste the **Genuine Google Sheets** node to duplicate it.

2. Connect the copy to the **Spam output** of the **Switch** node.



3. Open the copy and change only the **Sheet selection** from **Genuine** to **Spam**.

Parameters Settings Execute step

Credential
Google Sheets account 14

Resource
Sheet Within Document

Operation
Append Row

Document
From list Lead Enquiry Automation Sheet

Sheet
From list Spam

Spam
Genuine

4. Keep the same **four-column mappings**.

Append row in sheet3

INPUT

Switch1

No fields - node executed, but no items were sent on this branch

Message a model2 1 item

If1 1 item

Name Shasti

Email shasti@gmail.com

Company shasti@cpm.com

Project Brief We need a new e-commerce website for our clothing brand.

submittedAt 2026-08-12T03:18:27.067+05:30

formMode test

On form submission1 1 item

Variables and context

Parameters

From list Spam

Mapping Column Mode

Map Each Column Manually

Values to Send

Name

fx {{ \$('If1').item.json.Name }}

Shasti

Email

fx {{ \$('If1').item.json.Email }}

shasti@gmail.com

Company

fx {{ \$('If1').item.json.Company }}

shasti@cpm.com

Project Brief

fx {{ \$('If1').item.json['Project Brief'] }}

We need a new e-commerce website for our clothi...

Options +


Execute step

Step 8: Test the Complete Workflow

1. **Unpin** the form test data before an **end-to-end test**.
2. **PUBLISH** the workflow.
3. Click **Execute workflow**, then open the **test form**.
4. Submit each test case below and verify the **destination tab**. Then check both **Google Sheets tabs** and confirm that each saved row contains the correct **Name, Email, Company, and Project Brief**.

Test	Project Brief	Expected result
Genuine	We need a new ecommerce website for our clothing brand.	Genuine
Spam	Buy guaranteed SEO backlinks and crypto leads today!	Spam
Gibberish	asdf qwer zxcv test test	Spam
Empty Project Brief	(Leave Project Brief blank.)	Stops at IF

Final Workflow and Outputs:



Lead Enquiry Automation Sheet

File Edit View Insert Format Data Tools Gemini Extensions Help

100% | \$ % .0 .00 123 | Default... | - 10 + | B I A

E6

	A	B	C	D
1	Name	Email	Company	Project Brief
2	Shasti	shasti@gmail.com	shasti@cpm.com	We need a new e-commerce website for our clothing brand.
3	Shree	abc@gmail.com	abc	We need a new ecommerce website for our clothing brand.
4				
5				
6				

Lead Enquiry Automation Sheet

File Edit View Insert Format Data Tools Gemini Extensions Help

100% | \$ % .0 .00 123 | Default... | - 10 + | B I A

D18

	A	B	C	D	E	F	G
1	Name	Email	Company	Project Brief			
2	IDK	idh@gmail.com	IDK	Buy guaranteed SEO backlinks and crypto leads today!			
3							
4							

Breakout-room completion checklist

- ☐ The form contains **all four taught fields**.
- ☐ The **IF node** checks **Project Brief** is **not empty**.
- ☐ The **AI prompt** returns only **yes** or **no**.
- ☐ The **Switch** has correctly named **Genuine** and **Spam** routes.
- ☐ Both **Google Sheets nodes** append **all four fields**.
- ☐ At least one **genuine** and one **spam** test reach the **correct tabs**.

Common Mistakes & Troubleshooting

The form opens but later nodes have no data – Run the Form Trigger, submit the test form, and pin the resulting item while configuring downstream nodes.

Empty enquiries still reach OpenAI – Check that Message a Model or AI Agent is connected to the IF node's true output, not its false output.

Everything goes to the wrong tab – Confirm the prompt contract: yes = spam, no = genuine. Then confirm the Switch output names and connections.

The Switch does not match the answer – Keep Simplify Output on and use the exact response expression shown in Step 5. Also instruct the model to return only yes or no.

The spreadsheet is missing from the dropdown – Authenticate with the same Google account that owns or can edit the spreadsheet. Refresh the list after connecting.

Column not found or values are blank — Make the two tab headers exactly Name, Email, Company, Project Brief and remap all four fields.


Credential or model error — Open the n8n credential, verify the API key and billing/usage status, then select a model available to that credential.

Agent writes to both tabs or neither tab — Use distinct tool names, describe when each tool must be used, and instruct the agent to call exactly one tool.

You are done when: A genuine enquiry reaches Genuine, a spam or gibberish enquiry reaches Spam, and an empty Project Brief stops at the IF node.

Optional(POST SESSION)


OPTION 2: AI AGENT METHOD – OPTIONAL SELF-PRACTICE




Example AI Agent structure: trigger → AI Agent, with a Chat Model and Google Sheets tools connected below.

Step A1: Build the Trigger and IF Validation

1. Create a new workflow and click **Add first step**.
2. Search for **form**, select **n8n Form**, and then select **On new n8n Form event**.




Select n8n Form—not a similarly named third-party form trigger.



Select On new n8n Form event. The canvas node will be named On form submission.

3. Set **Authentication** to **None**, **Form Title** to **Project Enquiry**, and paste the same **Form Description** from **Option 1**.
4. Add **Name (Text Input)**, **Email (Email)**, **Company (Text Input)**, and **Project Brief (Textarea)**.
5. From **On form submission**, click +, search for **IF**, and select **IF**.




Add the same IF validation before the optional agent.

6. Set the left value to **Project Brief** and choose **String** → **is not empty**.


IF expression — copy and paste

```
{{ $json['Project Brief'] }}
```




Only non-empty project briefs should continue to the AI Agent.

7. From the **IF** node's true output, click +, search for **AI Agent**, and select **AI Agent**.




Search for AI Agent and select the highlighted AI Agent node for the optional method.



The AI Agent exposes connection points for Chat Model, Memory, Tool, and Output Parser.


Step A2: Add the OpenAI Chat Model

1. Click the + under **Chat Model** and select **OpenAI Chat Model**.



Search for OpenAI. When adding from the Chat Model connector, choose OpenAI Chat Model.


2. Select your **OpenAI credential** and the **cohort-approved mini model**.
3. Leave the **remaining settings** at their **defaults**.



Example OpenAI Chat Model configuration from the current-style reference workbook.

Step A3: Add Two Google Sheets Tools

1. Under **Tool**, add a **Google Sheets Tool** for the **Genuine** tab.



For Option 2, select Google Sheets Tool—not the regular Google Sheets node.

2. Set Resource to **Sheet Within Document** and Operation to **Append Row**.
3. Select **Lead Enquiry Automation Sheet** → **Genuine**.
4. For **Name**, **Email**, **Company**, and **Project Brief**, choose **Let the model define this parameter** / **Filled by AI**.
5. Duplicate the tool, change the tab to **Spam**, and rename the tools **Genuine enquiries** and **Spam enquiries**.

Parameters

Settings

Execute step

Credential

Google Sheets OAuth2 API

Tool Description

Set Automatically

Resource

Sheet Within Document

Operation

Append Row

Document

From list

Customer Feedback T...

Sheet

From list

Sheet1

Mapping Column Mode

Map Each Column Manually

Configure each Google Sheets Tool to append a row to the correct tab.

Parameters

Settings

Execute step

Date

Defined automatically by the model

+ Add a description

Customer Name

Defined automatically by the model

+ Add a description

Customer Email

Defined automatically by the model

+ Add a description

Feedback Summary

Defined automatically by the model

+ Add a description

Category

Defined automatically by the model

+ Add a description

Urgency

Defined automatically by the model

+ Add a description

Status

Defined automatically by the model

+ Add a description

Let the agent fill the four sheet values from the form submission.

Step A4: Configure the Agent Prompt

1. Open the **AI Agent** and set **Prompt Source** to **Define below**.
2. Add **System Message** under **Options** and paste the **prompt** below.

AI Agent system message — copy and paste

You are a Lead-enquiry triage agent for a website development and automation agency.

Read the Name, Email, Company, and Project Brief from the form submission.

Use the Genuine enquiries tool when the submission expresses a plausible need for website development, software, SaaS, automation, AI solutions, consulting, training, partnerships, quotes, demos, or discovery calls.

Use the Spam enquiries tool when the submission is promotional, phishing, irrelevant, gibberish, a test submission, AI-generated nonsense, or clearly not a genuine request for the agency's services.

Always call exactly one tool. Pass Name, Email, Company, and Project Brief to that tool. Do not invent missing values.

Why no Switch?: The AI Agent chooses one of the two named Google Sheets tools directly, so a separate Switch node is unnecessary in Option 2.

Step A5: Test the Agent Method

1. Run the same **genuine**, **spam**, and **gibberish** test submissions used in **Option 1**.
2. Confirm that the agent calls **exactly one tool** for each **non-empty submission**.
3. Confirm that the **correct Google Sheets tab** receives **all four form fields**.