



Day 8 Live Session

00:05 - 12:59

Audio shared by Sumedha: [Pre-session music played; lyrics not transcribed.]

13:33 - 13:41

Shasti: Hello, everybody. A very, very warm welcome to Day 8 of your Axelator program. How are you guys doing?

13:43 - 13:48

Shasti: Good evening, good morning, good afternoon, whichever part of the world you guys are joining from.

13:51 - 14:01

Shasti: How are you guys doing after the two intense days we had yesterday and day before? Do we still have the energy left for week 2 of our program?

14:05 - 14:07

Shasti: Okay, sleep deprived.

14:07 - 14:09

Shasti: Ready? Exhausted.

14:13 - 14:23

Shasti: Somebody says, Outskills playlist makes me join the class early. I think then, we are on the right path with the objective on why we choose this music.

14:25 - 14:37

Shasti: Questions about if we get the playlist? Yes, folks, you will get the playlist on day 14 of your program, so make sure that you're attending till day 14 to get the playlist that you all like so much.

14:38 - 14:42

Shasti: I am doing good, thank you so much for asking.

14:42 - 14:45

Shasti: And yes, the music is AI-generated.

14:48 - 14:57

Shasti: Perfect. I still see a lot of, the folks of this cohort have not yet joined. Maybe we will give them a couple of minutes to join.

14:58 - 15:02

Shasti: In the meantime, let me see if there are any questions in the chat.

15:09 - 15:10

Shasti: Perfect.

15:11 - 15:23

Shasti: Folks, anything about tools, or non-content related, write to support at the rateoutskill.com. I'm gonna drop the email ID again in the chat.

15:24 - 15:36

Shasti: If you have queries about the bonus tools, or if you're not able to activate any coupon codes, please do write to support, and our team will look into it. Anything that is content-related, if you have doubts.

15:36 - 15:44

Shasti: One, put it on the Q&A box here in the session. If not, go ahead on your LMS and put it on the Asked Out channel.

15:50 - 16:05

Shasti: Praveen, as we mentioned earlier, these 14 days, we only have a short span of time to cover everything that we would want to cover. Do understand that it might be overwhelming and intense, but... yeah.

16:05 - 16:09

Shasti: Let's make sure that we still have that energy left.

16:12 - 16:13

Shasti: Perfect.

16:13 - 16:38

Shasti: With that said, we will quickly get into the agenda for today's session, and I'm assuming that most of you have already gone through the schedule or the pre-reads. So today's session is on how you can go ahead and connect your NATN backend to a lovable front-end. Now, most of us have already built multiple workflows in NATN on our Day 3 of the program, Day 4, and also yesterday when

16:38 - 16:46

Shasti: we built our first ever multi-agent system, right? But these are the workflows that you have to trigger on your NATN,

16:46 - 16:58

Shasti: NA10 workflow itself. You cannot share it with somebody to use or get triggers from them. So, if you want to share this particular workflow with anybody that you would want to use, you need to build a front-end for it.

16:58 - 17:16

Shasti: And that is exactly what we are going to cover in today's session. You will build a front-end for the workflow that you want to build on your antenn, so that you'll be able to share the link of that particular workflow with anybody that you would want. And also, you will get introduced to a topic called GitHub.

17:16 - 17:41

Shasti: I'm not sure how many of you are aware about it, and how many of you are not aware about it, but if you are not aware about it, please do pay attention to today's session, because starting on day 11 of your program, your hackathon will get started, and if you would want to collaborate with your teammates, or share the codebase that you are going to work on with your other teammates, github is a very important topic, and it plays a very

17:41 - 17:51

Shasti: huge role, so make sure you have your notes with you, or your AI companions, or note-takers turned on for the session, so that you get the most out of it.

17:52 - 18:16

Shasti: And once the teaching part is done, again, do not follow along with the mentor when the learning is happening for the first 2.5 to 3 hours, right? We have a breakout room activity plan where you are exactly going to build what you are going to learn in the first 2.5 hours. You will have the co-mentors and the workbook to help you all. So for the first 2.5 to 3 hours, focus on the learnings

18:16 - 18:19

Shasti: Take notes, and then in the breakout room, we will do the hands-on.

18:21 - 18:27

Shasti: Is this clear, folks? The agenda for today's session? Drop a clear in the chat if you guys are clear.

18:31 - 18:37

Shasti: Yes, I see all those messages in the chat, and also the thumbs up reactions on my screen.

18:37 - 19:02

Shasti: Perfect! With that, let's quickly talk about the mentor for today, right? So, we have a very amazing mentor in the room already. Most of you would have met him in one of your breakout rooms in the week one of our program. If not, we have Robert here, who is an NAT ambassador and also an AI consultant himself, right? And he will be here with us today to walk through us

19:02 - 19:19

Shasti: on how you can go ahead and connect your nitin backend to front-end, and also to help you get an understanding of how GitHub works. With that said, let's give a very, very warm welcome to Robert in the chat, and Robert, welcome back again. Over to you for the next couple of hours.

19:20 - 19:23

Robert Breen_Outskill: Alright, thank you, Shasti. How is everyone doing?

19:24 - 19:27

Robert Breen_Outskill: Thank you for the welcomes! Hi, everybody!

19:28 - 19:31

Robert Breen_Outskill: Everyone's doing good, someone's doing cool, that's good.

19:34 - 19:39

Robert Breen_Outskill: Alright, I'm really excited to be here. My name is Robert Breen, let me get my...

19:40 - 19:43

Robert Breen_Outskill: Screen shared really quick here.

19:50 - 19:51

Robert Breen_Outskill: Let's see...

19:55 - 19:59

Robert Breen_Outskill: I only share a portion of my screen, so it always takes me a minute.

20:00 - 20:01

Robert Breen_Outskill: Alright.

20:04 - 20:13

Robert Breen_Outskill: Alright, so let me introduce myself. My name is Robert Breen, I am an ann Ambassador and a, AI consultant.

20:14 - 20:24

Robert Breen_Outskill: I've been in data science for, 15 years or so. I'm an NNN ambassador, I've been a Tableau ambassador before. You all used the NNN tool.

20:25 - 20:41

Robert Breen_Outskill: It's a really good tool, and I help promote the tool around the world, and teach people how to use it. I also run a company called Interactive. We don't say the Y in the name, it's Interactive, just like the word Interactive.

20:41 - 20:45

Robert Breen_Outskill: We do AI automation training and,

20:46 - 20:49

Robert Breen_Outskill: Data science. For small, medium-sized companies.

20:50 - 20:54

Robert Breen_Outskill: So, I am excited to show you all

20:55 - 21:00

Robert Breen_Outskill: a project. I'm gonna share my LinkedIn and then get this closed out.

21:01 - 21:05

Robert Breen_Outskill: And we can get going. Feel free to,

21:05 - 21:23

Robert Breen_Outskill: drop anything in notes, add me on LinkedIn, I'd love to connect, and put your questions into the chat if you have any questions, want to interact. There's a question in the chat about what is Tableau. Tableau is a data visualization tool. Came out a long, long time ago. I've been using that for a long time.

21:26 - 21:38

Robert Breen_Outskill: Alright, so what are we going to be doing today? We're going to be building an end-to-end product. You've already started to use tools like NNN,

21:40 - 21:41

Robert Breen_Outskill: And lovable.

21:44 - 21:50

Robert Breen_Outskill: We're going to use those tools today because, you know, there were a lot of questions during the sessions

21:51 - 21:52

Robert Breen_Outskill: How do we...

21:53 - 22:02

Robert Breen_Outskill: production analyze this. We've learned how to build Ann, we've learned how to build, applications in Lovable. Okay, now how can I,

22:02 - 22:06

Robert Breen_Outskill: use these tools, In real life.

22:13 - 22:32

Robert Breen_Outskill: Okay, so I'm gonna be taking about 2 hours of your time. It's really valuable information. You're gonna have a working product at the end of today, after the breakouts, so make sure you're paying attention. You don't need to follow along on the exact example. The example that I'm going to go through today

22:32 - 22:42

Robert Breen_Outskill: we're all doing together in the breakouts after this, so you don't have to follow along. This part, the next 2 hours, is just for listening. Just for listening.

22:47 - 22:52

Robert Breen_Outskill: Oh, good. And there's a question about, Bolt. Bolt is similar as well.

22:56 - 23:00

Robert Breen_Outskill: Alright, so let's start with a question.

23:03 - 23:07

Robert Breen_Outskill: Have you heard of... an API.

23:08 - 23:11

Robert Breen_Outskill: Has anyone heard of an API? What is an API?

23:13 - 23:16

Robert Breen_Outskill: Some people have heard of it. What is it? What is an API?

23:19 - 23:30

Robert Breen_Outskill: A key. So someone said a key, a connector, connections, somebody said the actual, definition, application programming interface, good, good.

23:31 - 23:38

Robert Breen_Outskill: I see a lot of connectors in the chat. That is definitely true. Let me write down some of these answers.

23:39 - 23:42

Robert Breen_Outskill: But what is an API? Somewhere say in connector.

23:43 - 23:48

Robert Breen_Outskill: Some are saying key... some... somebody said application... Programming.

23:49 - 23:52

Robert Breen_Outskill: What, interface.

23:53 - 23:56

Robert Breen_Outskill: Which is the... textbook definition.

23:57 - 24:00

Robert Breen_Outskill: And you guys are on the right track.

24:01 - 24:03

Robert Breen_Outskill: A tool to connect to apps. Yeah.

24:04 - 24:08

Robert Breen_Outskill: That's what an API is. Don't be too afraid of...

24:09 - 24:17

Robert Breen_Outskill: this word here. So the true meaning of API is... Application Programming Interface.

24:18 - 24:29

Robert Breen_Outskill: You are doing programming because you're using AI. You don't need to be a programmer anymore to program, so don't be afraid by this term. API is Application Programming Interface.

24:30 - 24:39

Robert Breen_Outskill: And to keep it simple, it doesn't need to be complex, it's not, you know, it doesn't need to be terribly complex. What it does is connects multiple applications.

24:41 - 24:50

Robert Breen_Outskill: So, application number one, Needs information, from another application.

24:51 - 24:55

Robert Breen_Outskill: Application 1 is going to talk to Application 2.

25:03 - 25:11

Robert Breen_Outskill: API 1 can talk to... App 1 can talk to App 2 using... an API.

25:14 - 25:19

Robert Breen_Outskill: Simple as that. It's a way for applications to talk.

25:19 - 25:29

Robert Breen_Outskill: Years and years ago, before AI, you had to be a developer, and you had to know programming to go to use these things, but today, you know, you're learning AI, and it is very accessible.

25:32 - 25:39

Robert Breen_Outskill: The question in the chat about, is an API... what's the difference between an API and an MCP?

25:39 - 25:46

Robert Breen_Outskill: MCPs use APIs, so they're, an MCP uses an API, so good question in the chat.

25:46 - 25:53

Robert Breen_Outskill: A bridge. I like this term. Somebody said a bridge. Yeah. This is a bridge from one app to another.

25:54 - 26:00

Robert Breen_Outskill: Does that make sense? Does everyone get conceptually what an API is?

26:04 - 26:05

Robert Breen_Outskill: Lot of yeses.

26:06 - 26:14

Robert Breen_Outskill: Don't need to know exactly how it works, but conceptually, it's just, how applications talk with each other.

26:18 - 26:26

Robert Breen_Outskill: Let's use an example of a Google search, just to kind of put the information in a little deeper.

26:29 - 26:31

Robert Breen_Outskill: on Google, you search.

26:35 - 26:36

Robert Breen_Outskill: For some information.

26:37 - 26:40

Robert Breen_Outskill: You go onto Google, you ask.

26:40 - 26:45

Robert Breen_Outskill: you know, is there a plum... plumber near me? Is there a plum? Is there... there a plumber?

26:47 - 26:48

Robert Breen_Outskill: Near me.

26:50 - 26:59

Robert Breen_Outskill: You ask Google something. What Google does, Google... uses API, To get that information.

27:02 - 27:04

Robert Breen_Outskill: And then returns it back to you.

27:09 - 27:22

Robert Breen_Outskill: Virtually all applications you use, all day, any app on your phone, any website, they're all simply using APIs to get information from one place to another.

27:24 - 27:27

Robert Breen_Outskill: And, like I said, they're very accessible.

27:32 - 27:44

Robert Breen_Outskill: Let's move from, kind of, the conceptual, the high level, into a real-world problem. So we're gonna... we did a high level, we're gonna go into a real-world problem, conceptualize that.

27:44 - 27:54

Robert Breen_Outskill: and then, actually do a real-world example. So, move from high level here into a real problem that could exist in the world.

27:56 - 28:01

Robert Breen_Outskill: Imagine... A world.

28:02 - 28:07

Robert Breen_Outskill: without food delivery apps. World.

28:07 - 28:13

Robert Breen_Outskill: without... Delivery apps. Food delivery apps.

28:15 - 28:22

Robert Breen_Outskill: Anyone here have used, Uber Eats? And I forget the other names, I don't really use them. Who's used Uber Eats and food delivery apps?

28:24 - 28:29

Robert Breen_Outskill: Some people. Good. DoorDash. That's the one that I've been missing. DoorDash.

28:30 - 28:37

Robert Breen_Outskill: So DoorDash and Uber Eats, they don't exist. Which, there was a time, not very long ago, that

28:37 - 28:39

Robert Breen_Outskill: These apps did not exist.

28:40 - 28:46

Robert Breen_Outskill: What did you do? What do you do? I want to order a pizza.

28:48 - 28:50

Robert Breen_Outskill: Food delivery app doesn't exist.

28:50 - 28:51

Robert Breen_Outskill: What do you do?

28:53 - 28:58

Robert Breen_Outskill: Okay, good. Call on the phone. Call the restaurant. Call the business directly. Yeah.

28:59 - 29:08

Robert Breen_Outskill: And, you know, I'm sure, you know, some are old enough that you did this before, food delivery apps. Yeah. We're going to...

29:10 - 29:12

Robert Breen_Outskill: Call the restaurant.

29:13 - 29:17

Robert Breen_Outskill: Call the pizza... Restaurant.

29:22 - 29:32

Robert Breen_Outskill: Go there directly. We don't want to go there directly. We want to... we don't want to leave our couch. We're sitting on a couch watching a sports event, and we don't want to leave.

29:32 - 29:35

Robert Breen_Outskill: So we're gonna call the restaurant.

29:40 - 29:41

Robert Breen_Outskill: Right?

29:44 - 29:47

Robert Breen_Outskill: Imagine yourself as an application.

29:47 - 29:58

Robert Breen_Outskill: You... So U... are calling... The restaurant.

30:03 - 30:06

Robert Breen_Outskill: Via phone, you have their phone number.

30:08 - 30:13

Robert Breen_Outskill: And you're gonna get on the phone and say, I want, to order

30:13 - 30:19

Robert Breen_Outskill: 15 pizzas. For my party, for my sports team. So you're gonna call... the restaurant.

30:22 - 30:23

Robert Breen_Outskill: Okay?

30:27 - 30:31

Robert Breen_Outskill: You called the restaurant, you're ordering your pizza, What's next?

30:32 - 30:41

Robert Breen_Outskill: you wait for it to arrive to you, and an hour goes by, which is way too long for food, I would be really hungry by then.

30:42 - 30:43

Robert Breen_Outskill: Your pizza hasn't arrived.

30:44 - 30:48

Robert Breen_Outskill: What do you do next? An hour later, No food.

30:49 - 30:50

Robert Breen_Outskill: What are you gonna do?

30:53 - 30:59

Robert Breen_Outskill: Complain. I like that one. Good, good. I would complain. Hours was way too long. Call again.

31:01 - 31:03

Robert Breen_Outskill: Call again, follow up.

31:04 - 31:04

Robert Breen_Outskill: Yeah.

31:05 - 31:06

Robert Breen_Outskill: Exactly.

31:09 - 31:11

Robert Breen_Outskill: No pizza.

31:11 - 31:12

Robert Breen_Outskill: No food.

31:13 - 31:15

Robert Breen_Outskill: So, we're gonna call again.

31:16 - 31:17

Robert Breen_Outskill: And ask.

31:22 - 31:28

Robert Breen_Outskill: Cancel order. I see some cancel. I would like to cancel, but we're really hungry. We're really hungry.

31:28 - 31:30

Robert Breen_Outskill: Order something else.

31:32 - 31:36

Robert Breen_Outskill: Okay, so... Again, you are still the application.

31:37 - 31:46

Robert Breen_Outskill: You are... I... you are still hungry. You... We'll call the restaurant, Again.

31:53 - 31:56

Robert Breen_Outskill: You're calling the restaurant again.

31:58 - 32:14

Robert Breen_Outskill: And then, if it doesn't come in 15 minutes, 20 minutes again, what are you gonna do? You're gonna call again. And you're just going to keep calling until you get your pizza, right? Or until you, are overwhelmed and you want to get something else, right?

32:17 - 32:20

Robert Breen_Outskill: So, can anybody think of a better way

32:21 - 32:25

Robert Breen_Outskill: to get the information. We've already ordered our pizza.

32:25 - 32:34

Robert Breen_Outskill: But can you guys think of a way, a better way, instead of calling over and over and over, how can we get the information from the restaurant if the food is ready?

32:38 - 32:39

Robert Breen_Outskill: Get there.

32:40 - 32:43

Robert Breen_Outskill: I, I see they call you. They call you.

32:43 - 32:44

Robert Breen_Outskill: Yep.

32:46 - 32:49

Robert Breen_Outskill: That's it. So this scenario up here...

32:51 - 32:55

Robert Breen_Outskill: Call the pizza restaurant is Scenario 1.

33:00 - 33:03

Robert Breen_Outskill: Scenario 1 is call the restaurant.

33:05 - 33:15

Robert Breen_Outskill: You know, a better way... I don't know about you, but I don't want to have to call the restaurant over and over and over, right? So, a better way...

33:16 - 33:25

Robert Breen_Outskill: Like some of you said in the chat, Is to have... The restaurant call you.

33:29 - 33:34

Robert Breen_Outskill: Scenario 2... is... They call you.

33:38 - 33:39

Robert Breen_Outskill: So, it's the other way around.

33:42 - 33:44

Robert Breen_Outskill: You are still here.

33:47 - 33:49

Robert Breen_Outskill: Restaurant is still here.

33:50 - 33:54

Robert Breen_Outskill: But the arrow is going in the other direction.

34:00 - 34:02

Robert Breen_Outskill: Okay, Arrow is going in the other direction.

34:02 - 34:04

Robert Breen_Outskill: They are calling you.

34:05 - 34:08

Robert Breen_Outskill: And they're giving you information.

34:12 - 34:13

Robert Breen_Outskill: This is better.

34:14 - 34:28

Robert Breen_Outskill: This is much better, you know? You know, and imagine you're not doing this for yourself. You're calling restaurants for other people, so maybe you can't just call over and over and over asking, so this is ideal.

34:33 - 34:33

Robert Breen_Outskill: Alright.

34:39 - 34:50

Robert Breen_Outskill: So, on this side, The ideal... excuse me... the ideal way This is a passive way.

34:51 - 34:52

Robert Breen_Outskill: of getting information.

34:54 - 34:57

Robert Breen_Outskill: Passing... passive way of getting information.

34:59 - 35:03

Robert Breen_Outskill: Waiting for them to call you. And over here is an active.

35:04 - 35:06

Robert Breen_Outskill: Way. Of.

35:06 - 35:07

Robert Breen_Outskill: getting information.

35:11 - 35:13

Robert Breen_Outskill: Now, we talked about one term already.

35:14 - 35:15

Robert Breen_Outskill: An API.

35:16 - 35:23

Robert Breen_Outskill: API like Google, where Google... you search Google, and they are getting information, is... is which one of these

35:24 - 35:29

Robert Breen_Outskill: is like an API. This side, Scenario 1, or this side, Scenario 2.

35:33 - 35:40

Robert Breen_Outskill: I'm getting a little bit split, and I'm getting some both. Okay, so we will... we will clarify here. So, it is...

35:41 - 35:42

Robert Breen_Outskill: 1.

35:42 - 35:46

Robert Breen_Outskill: An active way of getting information.

35:47 - 35:49

Robert Breen_Outskill: is an API.

35:49 - 35:51

Robert Breen_Outskill: Remember, you search Google.

35:52 - 36:00

Robert Breen_Outskill: And Google is getting information. No one's calling Google. If I ask Google, is there a plumber near me?

36:00 - 36:17

Robert Breen_Outskill: Or is there a pizza restaurant near me? Nobody is calling Google and saying, oh, hey, did you have someone ask for a plumber near me? Oh yeah, I'm near them. No, they're not calling Google. Google is calling, the API to get the information.

36:20 - 36:28

Robert Breen_Outskill: So, what Google is doing is using an API. So, an active way of getting information is an API.

36:30 - 36:31

Robert Breen_Outskill: A new term here.

36:32 - 36:38

Robert Breen_Outskill: The passive way of getting information Is a webhook.

36:38 - 36:43

Robert Breen_Outskill: And I just saw that in the chat. Just saw that in the chat. Somebody got it before I,

36:43 - 36:45

Robert Breen_Outskill: set it.

36:46 - 36:51

Robert Breen_Outskill: A passive way of getting information is a webhook.

36:52 - 37:07

Robert Breen_Outskill: So they're both doing the same thing. They're both... both an API and a webhook are getting information. One is getting information actively, and one is sitting there waiting for information to be said to it.

37:09 - 37:11

Robert Breen_Outskill: Does that make sense?

37:11 - 37:14

Robert Breen_Outskill: How's everyone doing? Put a 100 in the chat, if it makes sense.

37:18 - 37:19

Robert Breen_Outskill: Lots of hundreds.

37:25 - 37:26

Robert Breen_Outskill: Good, good, good.

37:27 - 37:29

Robert Breen_Outskill: Lots and lots of hundreds.

37:30 - 37:36

Robert Breen_Outskill: Good, and this is what we're going to be using here. So... so again here, we started with a high level.

37:37 - 37:56

Robert Breen_Outskill: And kind of moved to a real hypothetical. You know, this scenario existed, not even that long ago. I don't know when DoorDash came out, but probably within the last 10 years, it's not that long ago that we had to do this. And there was no application to do it for us.

37:56 - 37:58

Robert Breen_Outskill: Somebody said 10 years, maybe it's 10 years.

38:03 - 38:03

Robert Breen_Outskill: Okay.

38:04 - 38:14

Robert Breen_Outskill: So here's a question about webhooks, and we did say this is ideal. It's ideal that we use a webhook because we don't want to keep calling the restaurant.

38:17 - 38:20

Robert Breen_Outskill: What does the restaurant need?

38:25 - 38:26

Robert Breen_Outskill: from you.

38:28 - 38:29

Robert Breen_Outskill: Or a webhook.

38:32 - 38:38

Robert Breen_Outskill: Do they need an order? But we already have... this is, we're asking for information about the order.

38:38 - 38:43

Robert Breen_Outskill: Good, good, I'm seeing it come in. We need... they need a phone number.

38:48 - 38:51

Robert Breen_Outskill: Need... Phone number.

38:55 - 39:04

Robert Breen_Outskill: The webhook, the between restaurant and you, is that they're gonna call, they need your phone number.

39:05 - 39:07

Robert Breen_Outskill: To be able to call.

39:09 - 39:21

Robert Breen_Outskill: And how that looks in the real world. Let's move from hypothetical example of a restaurant calling you. How does this look? What does...

39:22 - 39:25

Robert Breen_Outskill: The restaurant need here.

39:26 - 39:29

Robert Breen_Outskill: So they need a way to contact you.

39:30 - 39:32

Robert Breen_Outskill: The phone number? They need 3 things.

39:32 - 39:35

Robert Breen_Outskill: Let me put up here 3 things.

39:35 - 39:36

Robert Breen_Outskill: One is optional.

39:38 - 39:45

Robert Breen_Outskill: To use a webhook, One thing. Two are necessary, and one thing is optional.

39:46 - 39:49

Robert Breen_Outskill: We already talked about the first thing.

39:49 - 39:50

Robert Breen_Outskill: Phone number.

39:53 - 39:55

Robert Breen_Outskill: In programming, this is a URL.

39:57 - 39:59

Robert Breen_Outskill: need a URL.

40:01 - 40:07

Robert Breen_Outskill: So our webhook is going to call a URL, just like a phone number. Just like a phone number.

40:09 - 40:22

Robert Breen_Outskill: Now, I know there's people in a lot of different countries, and laws vary, but is it legal to just call anybody, any time of day in a lot of countries? Can you just call?

40:22 - 40:24

Robert Breen_Outskill: And just solicit.

40:24 - 40:26

Robert Breen_Outskill: No. No.

40:27 - 40:34

Robert Breen_Outskill: In some places, it probably is, but it's not, you know, we don't want to call people in the middle of the night, right? So...

40:35 - 40:39

Robert Breen_Outskill: A webhook also needs authorization.

40:41 - 40:42

Robert Breen_Outskill: This is optional.

40:43 - 40:44

Robert Breen_Outskill: You can skip it.

40:44 - 40:47

Robert Breen_Outskill: If... if you want to.

40:47 - 40:53

Robert Breen_Outskill: But, you know, referring to the example with the phone number, you know.

40:53 - 41:02

Robert Breen_Outskill: We're telling the restaurant, you're allowed to call me, right? So, the application is allowed to call this URL.

41:07 - 41:12

Robert Breen_Outskill: And the last thing... The webhook needs.

41:14 - 41:21

Robert Breen_Outskill: is going to be... and we're just gonna kind of define terms here, and then look at it later, more in detail. They need the method.

41:23 - 41:28

Robert Breen_Outskill: I'm gonna put two terms here, don't get too caught up here. It needs either a post.

41:29 - 41:31

Robert Breen_Outskill: Or, a GIP.

41:32 - 41:40

Robert Breen_Outskill: Wrote that down, we're gonna go into POST and Git later. Don't worry too much about, about this right now.

41:40 - 41:45

Robert Breen_Outskill: So a webhook needs 3 things to be able to work.

41:47 - 41:51

Robert Breen_Outskill: Most important one is a phone number, is a URL.

41:59 - 41:59

Robert Breen_Outskill: Perfect.

41:59 - 42:12

Robert Breen_Outskill: So, we have gone through the high level, we've done a hypothetical, where we've moved into a hypothetical, what application could be built.

42:13 - 42:17

Robert Breen_Outskill: Now we're going to start talking about actual applications.

42:18 - 42:20

Robert Breen_Outskill: Actual... programs.

42:25 - 42:31

Robert Breen_Outskill: All programs, all applications, need two... two things.

42:32 - 42:34

Robert Breen_Outskill: a front end...

42:41 - 42:43

Robert Breen_Outskill: And... a backend.

42:48 - 42:52

Robert Breen_Outskill: I see in the chat, database. Database is a backend.

42:53 - 42:54

Robert Breen_Outskill: Part of a backend.

42:55 - 43:03

Robert Breen_Outskill: what programs... Have you all learned, or know about, that can create backends or frontends?

43:06 - 43:08

Robert Breen_Outskill: Somebody said database, that was good.

43:11 - 43:15

Robert Breen_Outskill: Okay, I see... In the chat, I see N8N.

43:17 - 43:29

Robert Breen_Outskill: Those are... that is a tool to create a backend. I see SQL. Sql is part of a backend. We're not gonna do it... use it today, but that is part of a backend.

43:30 - 43:32

Robert Breen_Outskill: I see lovable.

43:34 - 43:37

Robert Breen_Outskill: Lovable is a front end.

43:38 - 43:44

Robert Breen_Outskill: Bolt, I have not used. I see that in the chat, too. I believe Lovable is a, Bolt is a front-end.

43:46 - 43:51

Robert Breen_Outskill: So there's all kinds of applications here that build front ends and back ends.

43:52 - 43:56

Robert Breen_Outskill: And I see, I see Node.js, I see all kinds of things.

43:57 - 44:01

Robert Breen_Outskill: When you're learning this type of technology.

44:01 - 44:05

Robert Breen_Outskill: Don't worry about the specific tool. There's...

44:05 - 44:23

Robert Breen_Outskill: 1,000 applications that can create front-end, there's 1,000 applications that can create backends. You could use LaDCode, you could use Ann, you could use Levable, you can use Replit. There's all kinds of tools that we can use. And know that the concepts are all the same.

44:25 - 44:29

Robert Breen_Outskill: We're going to build a front end and connect it to the back end.

44:32 - 44:38

Robert Breen_Outskill: Now, here's... I'm gonna tee up the example of what we're going to build today.

44:39 - 44:42

Robert Breen_Outskill: We're gonna build a front end, Support form.

44:49 - 44:52

Robert Breen_Outskill: Support... form.

44:54 - 44:55

Robert Breen_Outskill: Alright?

45:00 - 45:05

Robert Breen_Outskill: Let's build a... just a form here. We're going to build...

45:06 - 45:11

Robert Breen_Outskill: A form where somebody has to enter their name, Meh.

45:17 - 45:22

Robert Breen_Outskill: Somebody has to enter... an email?

45:27 - 45:29

Robert Breen_Outskill: You have to put in some feedback.

45:40 - 45:41

Robert Breen_Outskill: Okay?

45:42 - 45:45

Robert Breen_Outskill: And... there's going to be a submit button.

45:50 - 45:51

Robert Breen_Outskill: Submit.

45:59 - 46:02

Robert Breen_Outskill: So we have a submit button at the bottom.

46:03 - 46:04

Robert Breen_Outskill: Make sense?

46:08 - 46:10

Robert Breen_Outskill: What has to happen?

46:11 - 46:12

Robert Breen_Outskill: When a submit button.

46:12 - 46:17

Robert Breen_Outskill: is... Clicked. What has to happen?

46:20 - 46:23

Robert Breen_Outskill: Data is recorded. Trigger.

46:25 - 46:30

Robert Breen_Outskill: Yep, it should push data to the backend, store in backend, calls API,

46:30 - 46:33

Robert Breen_Outskill: Somebody said calls API, that's perfect.

46:36 - 46:53

Robert Breen_Outskill: Good. Actions. I'm seeing a lot of things that have to happen, when the submit button is clicked. And it doesn't have to be one thing. This could... multiple things could happen. You know, maybe we want this information stored in Google Sheets.

46:53 - 47:03

Robert Breen_Outskill: Maybe we want to, send an email. Maybe we want to, put this information into another tool.

47:03 - 47:09

Robert Breen_Outskill: All kinds of things can happen, so don't think this one thing happens when the submit button is clicked.

47:10 - 47:11

Robert Breen_Outskill: But it can be multiple.

47:15 - 47:20

Robert Breen_Outskill: When the submit button is clicked, we need to move information

47:20 - 47:37

Robert Breen_Outskill: to, the backend. And to do something in the backend. Front ends are pretty, we like Lovable, it makes very pretty websites for us, but they don't do a whole lot a lot of the time. They can. The backend does the work. Front-end is pretty, and the back end does the work.

47:43 - 47:44

Robert Breen_Outskill: Okay.

47:44 - 47:46

Robert Breen_Outskill: Now, Trivia question.

47:48 - 47:55

Robert Breen_Outskill: The front end... is... Sending information.

47:57 - 48:04

Robert Breen_Outskill: Actually, we'll do a question later, but let me, let me just put a... Note here.

48:07 - 48:08

Robert Breen_Outskill: trouble with.

48:09 - 48:15

Robert Breen_Outskill: these boxes. So... The front end is going to use a webhook.

48:18 - 48:21

Robert Breen_Outskill: So it's gonna use a webhook in the middle.

48:21 - 48:24

Robert Breen_Outskill: And that's what connects the front end to a back end.

48:25 - 48:35

Robert Breen_Outskill: The submit button is sending information, so it's moving information from the front end to the back end, sending name, email, feedback, and submit.

48:36 - 48:40

Robert Breen_Outskill: What information Do webhooks need?

48:41 - 48:46

Robert Breen_Outskill: So there's a trivia question. What information does this webhook need

48:47 - 48:48

Robert Breen_Outskill: To be able to send the information.

48:50 - 48:51

Robert Breen_Outskill: Excuse me.

48:53 - 48:59

Robert Breen_Outskill: Okay, perfect. URL, I see a lot of URLs. Not API key, I saw that come through.

49:01 - 49:04

Robert Breen_Outskill: needs a URL, Authorization...

49:09 - 49:14

Robert Breen_Outskill: Good, and I see a lot of people putting posts and GETS in here. That's your method.

49:15 - 49:20

Robert Breen_Outskill: And we will, choose later what kind of method we're going to use.

49:22 - 49:25

Robert Breen_Outskill: But it needs a phone number. The phone... the... the...

49:25 - 49:28

Robert Breen_Outskill: Front-end needs to call the backend.

49:29 - 49:38

Robert Breen_Outskill: Imagine they're calling it on the phone, saying, hey, we have a feedback form coming in. This is what it is. So they're using the webhook to send the information.

49:44 - 49:47

Robert Breen_Outskill: Let's go over this method here for a minute.

49:50 - 49:52

Robert Breen_Outskill: I'm gonna go through a couple examples.

49:54 - 49:55

Robert Breen_Outskill: So, methods.

49:58 - 50:12

Robert Breen_Outskill: There are... there are more than two types here. If there's any, you know, more technical people, it's not just GET and POST, they're just the most common. So we have GET methods that we're gonna go through today.

50:13 - 50:15

Robert Breen_Outskill: and post.

50:15 - 50:16

Robert Breen_Outskill: Methods.

50:18 - 50:20

Robert Breen_Outskill: Git makes the most sense here.

50:21 - 50:23

Robert Breen_Outskill: It's going to get information.

50:25 - 50:29

Robert Breen_Outskill: If we use a... GET method.

50:29 - 50:32

Robert Breen_Outskill: In a webhook, we're getting information from somewhere.

50:34 - 50:39

Robert Breen_Outskill: post, really wish they would have just called this send, but it's called POST.

50:40 - 50:42

Robert Breen_Outskill: is sending information.

50:46 - 50:47

Robert Breen_Outskill: And apologize for one second.

50:51 - 50:56

Robert Breen_Outskill: Just getting over a cold from the weekend. So, a post sends information.

50:59 - 51:02

Robert Breen_Outskill: I see there's a delete, an update.

51:03 - 51:07

Robert Breen_Outskill: There are other types of methods as well, but we're going to talk about GET and POST.

51:11 - 51:12

Robert Breen_Outskill: Here's a question for you.

51:17 - 51:18

Robert Breen_Outskill: What type is a Google search?

51:19 - 51:25

Robert Breen_Outskill: does... so, let me clarify here. What type does Google do.

51:25 - 51:30

Robert Breen_Outskill: To find information.

51:36 - 51:39

Robert Breen_Outskill: They are getting information.

51:41 - 51:43

Robert Breen_Outskill: So, it's a Git.

51:48 - 51:50

Robert Breen_Outskill: So Google can get information.

51:53 - 51:55

Robert Breen_Outskill: How about reading an email?

51:56 - 51:59

Robert Breen_Outskill: If an application has to read an email.

52:00 - 52:04

Robert Breen_Outskill: You're giving an application access to read all of your emails.

52:05 - 52:09

Robert Breen_Outskill: The application has to GET your email.

52:10 - 52:11

Robert Breen_Outskill: So it's a Git.

52:13 - 52:15

Robert Breen_Outskill: How about send an email?

52:16 - 52:19

Robert Breen_Outskill: Application has to send an email.

52:21 - 52:22

Robert Breen_Outskill: Post.

52:23 - 52:25

Robert Breen_Outskill: So we're sending information.

52:31 - 52:33

Robert Breen_Outskill: How about our example?

52:35 - 52:36

Robert Breen_Outskill: Make a copy of this.

52:37 - 52:41

Robert Breen_Outskill: Is our example a Git or a POST?

52:47 - 52:51

Robert Breen_Outskill: Okay, good. I'm getting some both. I have some gets in here.

52:53 - 52:56

Robert Breen_Outskill: The answer is... Post.

53:02 - 53:05

Robert Breen_Outskill: Because... The form isn't getting anything.

53:06 - 53:09

Robert Breen_Outskill: The form is sending information.

53:10 - 53:17

Robert Breen_Outskill: So the... when you click submit, name, email, and feedback are sent to the backend.

53:26 - 53:27

Robert Breen_Outskill: So it's a post.

53:30 - 53:34

Robert Breen_Outskill: Sending information is a post. Posting to the backend.

53:41 - 53:47

Robert Breen_Outskill: Give me 100 if this makes sense. Front-end talking to back-end with a post webhook.

53:51 - 53:53

Robert Breen_Outskill: Good, good. Guys are all getting it.

53:53 - 53:58

Robert Breen_Outskill: You're gonna pick up this real example. I see a 50. See a 50. We'll get you to 100.

54:04 - 54:04

Robert Breen_Outskill: Okay.

54:06 - 54:18

Robert Breen_Outskill: And I'll repeat this part one, so I'm gonna send a repeat, so... and so I'm gonna put a 200. I'll repeat this one more time. The front end is sending information, and remember, sending is a post.

54:19 - 54:26

Robert Breen_Outskill: So, a front-end is using a webhook to post information to the backend, to send information to the backend.

54:27 - 54:30

Robert Breen_Outskill: via a URL and a method. Well, the method is post.

54:31 - 54:33

Robert Breen_Outskill: And it might need authorization as well.

54:45 - 54:51

Robert Breen_Outskill: So we teed up the example here of what we're going to build, and we're going to actually build this application.

54:53 - 55:00

Robert Breen_Outskill: And someone said to repeat the method types again, GET and POST. GET is GET information, POST is POST to send information.

55:06 - 55:09

Robert Breen_Outskill: And what is a webhook? Someone put that in the chat as well.

55:10 - 55:14

Robert Breen_Outskill: A webhook, Is like a restaurant calling you.

55:15 - 55:20

Robert Breen_Outskill: So we're gonna be using a webhook, restaurant's gonna call you, To give you information.

55:27 - 55:28

Robert Breen_Outskill: Okay.

55:30 - 55:33

Robert Breen_Outskill: Let's do a live example.

55:35 - 55:42

Robert Breen_Outskill: Make sure you're just watching here. You don't need to follow along, we're gonna be doing this together.

55:42 - 55:44

Robert Breen_Outskill: At the end of the session.

55:51 - 55:53

Robert Breen_Outskill: It's a live example.

55:56 - 56:01

Robert Breen_Outskill: Do any of these workflows Looks similar to you.

56:03 - 56:08

Robert Breen_Outskill: A form submission, And a chat agent.

56:18 - 56:21

Robert Breen_Outskill: The top one. Some people say yes, some people say just the top one.

56:22 - 56:24

Robert Breen_Outskill: Little bit of a recap here.

56:25 - 56:33

Robert Breen_Outskill: You should have built both of these, but these days are different. I believe, if I remember, it's day 3 and 4.

56:34 - 56:38

Robert Breen_Outskill: You built a form submission, That checked if it was spam.

56:39 - 56:41

Robert Breen_Outskill: And then put the information in a Google Sheet.

56:44 - 56:47

Robert Breen_Outskill: And you built a chat function.

56:48 - 56:53

Robert Breen_Outskill: Where you chatted with an AI agent about support information.

56:54 - 56:57

Robert Breen_Outskill: All of these use OpenAI as the brain.

56:58 - 57:04

Robert Breen_Outskill: And... this AI agent, put information in Google Sheets, and send emails.

57:11 - 57:13

Robert Breen_Outskill: Let's take a picture of these.

57:14 - 57:15

Robert Breen_Outskill: And put them in our board.

57:23 - 57:24

Robert Breen_Outskill: Support agent.

57:27 - 57:29

Robert Breen_Outskill: That needs to go a lot bigger.

57:31 - 57:33

Robert Breen_Outskill: Here's one workflow.

57:40 - 57:41

Robert Breen_Outskill: And here's another one.

57:47 - 57:50

Robert Breen_Outskill: Now, remind me, are the... is this... are these...

57:50 - 57:52

Robert Breen_Outskill: And then workflows a front-end or a back-end.

58:02 - 58:03

Robert Breen_Outskill: Back end.

58:04 - 58:07

Robert Breen_Outskill: Couple front-end. Front-end is what the consumer sees.

58:08 - 58:12

Robert Breen_Outskill: So these are backend. This is doing the work in the backend behind the scenes.

58:14 - 58:17

Robert Breen_Outskill: A lot of people ask questions.

58:17 - 58:22

Robert Breen_Outskill: about, okay, these are cool. I have a chat agent on nitin.

58:23 - 58:24

Robert Breen_Outskill: I have a form.

58:24 - 58:31

Robert Breen_Outskill: But I don't want to have my customers log into NAN every time they want to talk to me.

58:31 - 58:35

Robert Breen_Outskill: That doesn't make sense. We don't give access to our customers to our backend.

58:37 - 58:38

Robert Breen_Outskill: How?

58:39 - 58:47

Robert Breen_Outskill: Do I... And this was a question from you all. How... You asked... How?

58:48 - 58:52

Robert Breen_Outskill: Can I put this... on a website.

58:54 - 58:55

Robert Breen_Outskill: How can we put this on a website?

59:02 - 59:04

Robert Breen_Outskill: We need a front end.

59:14 - 59:17

Robert Breen_Outskill: For both of these, we need a front end.

59:26 - 59:28

Robert Breen_Outskill: So how are we gonna do this?

59:29 - 59:32

Robert Breen_Outskill: Let's, you know, take this from the top again.

59:33 - 59:35

Robert Breen_Outskill: And start connecting these guys.

59:35 - 59:42

Robert Breen_Outskill: How do I get this front end that we just talked about building into... the back end.

59:45 - 59:46

Robert Breen_Outskill: How do I connect these two?

59:50 - 59:51

Robert Breen_Outskill: Some are getting it right.

59:53 - 59:56

Robert Breen_Outskill: Sumed API, it's kind of backwards API.

59:58 - [01:00:04]

Robert Breen_Outskill: And a backwards API is called a... webhook.

[01:00:07] - [01:00:11]

Robert Breen_Outskill: So we're gonna connect these two with a webhook.

[01:00:22] - [01:00:26]

Robert Breen_Outskill: Somebody clicks on the submit button, it goes to webhook.

[01:00:26] - [01:00:31]

Robert Breen_Outskill: and Webhope goes directly to the AI agent.

[01:00:34] - [01:00:35]

Robert Breen_Outskill: Move this down a little bit.

[01:00:42] - [01:00:46]

Robert Breen_Outskill: the webhook... It's going to bypass this chat message.

[01:00:48] - [01:00:50]

Robert Breen_Outskill: and go directly to the AI agent.

[01:00:53] - [01:00:56]

Robert Breen_Outskill: We're not going to need chat message anymore.

[01:00:58] - [01:01:01]

Robert Breen_Outskill: Webhook is going to talk directly to the AI agent.

[01:01:11] - [01:01:12]

Robert Breen_Outskill: *****

[01:01:21] - [01:01:23]

Robert Breen_Outskill: Where we at? How's everyone doing?

[01:01:23] - [01:01:28]

Robert Breen_Outskill: You understand conceptually, how to connect a front end to a back end.

[01:01:42] - [01:01:46]

Robert Breen_Outskill: Awesome. So let's start actually building this.

[01:01:54] - [01:01:57]

Robert Breen_Outskill: Let's go into nitin. And again, don't follow along here.

[01:01:57] - [01:02:00]

Robert Breen_Outskill: We're gonna do this exact same thing here.

[01:02:01] - [01:02:02]

Robert Breen_Outskill: Later today.

[01:02:05] - [01:02:06]

Robert Breen_Outskill: Together.

[01:02:06] - [01:02:09]

Robert Breen_Outskill: Alright, one thing I like to do...

[01:02:10] - [01:02:13]

Robert Breen_Outskill: in NNN, and all kinds of other tools.

[01:02:13] - [01:02:21]

Robert Breen_Outskill: When I'm gonna modify something, I like to keep the original. We're gonna be modifying this, and...

[01:02:22] - [01:02:25]

Robert Breen_Outskill: Doing it together,

[01:02:25] - [01:02:29]

Robert Breen_Outskill: A little bit differently. So we're modifying this. I like to take a copy of it.

[01:02:29] - [01:02:33]

Robert Breen_Outskill: So you can CTRL-C to copy this entire thing.

[01:02:35] - [01:02:37]

Robert Breen_Outskill: and CTRL-V,

[01:02:37] - [01:02:44]

Robert Breen_Outskill: To paste it. And again, you don't have to follow along here, but all I want to do here, I want to maintain the original.

[01:02:45] - [01:02:47]

Robert Breen_Outskill: And... build a new one.

[01:02:49] - [01:02:56]

Robert Breen_Outskill: You don't have to do that, we could modify the original if you want, but... what if I make a mistake? I can always start over.

[01:03:00] - [01:03:06]

Robert Breen_Outskill: One thing that happens when you copy anything with a chat message attached to it.

[01:03:06] - [01:03:12]

Robert Breen_Outskill: The chat message does not come with it. You can only ever have one chat message.

[01:03:18] - [01:03:23]

Robert Breen_Outskill: Okay? So we have our entire workflow, and just to remember what this is doing.

[01:03:23] - [01:03:29]

Robert Breen_Outskill: This AI agent is connected to OpenAI as its brain.

[01:03:30] - [01:03:32]

Robert Breen_Outskill: Via API key.

[01:03:33] - [01:03:39]

Robert Breen_Outskill: When a support message comes through, it's putting the information in a Google Sheet.

[01:03:39] - [01:03:42]

Robert Breen_Outskill: this Google Sheet, if you remember from day 4,

[01:03:43] - [01:03:45]

Robert Breen_Outskill: Puts the information in this Google Sheet.

[01:03:50] - [01:03:55]

Robert Breen_Outskill: And, if it was urgent, It sends a message to the admin.

[01:03:57] - [01:04:01]

Robert Breen_Outskill: In addition to sending an email to the person who is

[01:04:01] - [01:04:05]

Robert Breen_Outskill: requesting support. So we have a support form.

[01:04:06] - [01:04:12]

Robert Breen_Outskill: Where someone can put their name, email, and say, your application is broken, because... whatever reason.

[01:04:19] - [01:04:22]

Robert Breen_Outskill: So that's what this does. I see a couple questions about memory.

[01:04:23] - [01:04:25]

Robert Breen_Outskill: Memory could be added here.

[01:04:25] - [01:04:26]

Robert Breen_Outskill: Not necessary.

[01:04:27] - [01:04:34]

Robert Breen_Outskill: Remember, memory is not knowledge. Memory is not intelligence. Memory is remembering the last thing that you said to the agent.

[01:04:35] - [01:04:40]

Robert Breen_Outskill: So, you could add it Or you couldn't, it wouldn't make too much difference.

[01:04:46] - [01:04:46]

Robert Breen_Outskill: Okay.

[01:04:47] - [01:04:49]

Robert Breen_Outskill: So, we need a node here.

[01:04:50] - [01:04:58]

Robert Breen_Outskill: What do we need? Anyone know what kind of node we need to trigger the... Workflow to start.

[01:04:59] - [01:05:00]

Robert Breen_Outskill: We're booked.

[01:05:04] - [01:05:06]

Robert Breen_Outskill: We need a webhook.

[01:05:07] - [01:05:08]

Robert Breen_Outskill: It looks like this.

[01:05:15] - [01:05:17]

Robert Breen_Outskill: A webhook trigger.

[01:05:19] - [01:05:22]

Robert Breen_Outskill: This right here is the phone number.

[01:05:24] - [01:05:31]

Robert Breen_Outskill: We have a test phone number, and we have a production phone number. We're gonna use both of them, you'll see exactly why we have each.

[01:05:35] - [01:05:37]

Robert Breen_Outskill: So this is the phone number. It's a URL.

[01:05:38] - [01:05:42]

Robert Breen_Outskill: You can change it, to say something that makes sense.

[01:05:42] - [01:05:45]

Robert Breen_Outskill: Like, feedback.

[01:05:46] - [01:05:48]

Robert Breen_Outskill: Something like that, if you want.

[01:05:57] - [01:06:11]

Robert Breen_Outskill: So that's our phone number. We have authentication. Authorization. We're not going to use that here. You can. You can add authorization and have only certain applications be able to call this webhook. Like I said, it was optional.

[01:06:12] - [01:06:14]

Robert Breen_Outskill: So, let's not add authentication right now.

[01:06:17] - [01:06:20]

Robert Breen_Outskill: And remember, what was this? A GET or a post?

[01:06:21] - [01:06:24]

Robert Breen_Outskill: We are sending information from one place to another.

[01:06:27] - [01:06:28]

Robert Breen_Outskill: Post.

[01:06:29] - [01:06:32]

Robert Breen_Outskill: And I don't know how many times.

[01:06:32] - [01:06:44]

Robert Breen_Outskill: In even the last couple months, I left this as a Git, just completely missed a step, and I spent an hour trying to figure out why my application didn't work. It's because I didn't change it to a post.

[01:06:46] - [01:06:48]

Robert Breen_Outskill: So change it to a post.

[01:06:50] - [01:06:52]

Robert Breen_Outskill: This webhook is not getting any information.

[01:06:53] - [01:06:55]

Robert Breen_Outskill: I see, someone said Git.

[01:06:56] - [01:06:57]

Robert Breen_Outskill: This webhook?

[01:06:58] - [01:07:02]

Robert Breen_Outskill: This front end is sending information.

[01:07:03] - [01:07:08]

Robert Breen_Outskill: So the webhook here is in the middle, is sending information to the AI agent.

[01:07:13] - [01:07:14]

Robert Breen_Outskill: So that's why it's a post.

[01:07:16] - [01:07:22]

Robert Breen_Outskill: Alright, so we have a URL here, And it's a post.

[01:07:24] - [01:07:28]

Robert Breen_Outskill: I added it twice, let me make sure I get rid of the one I don't need.

[01:07:29] - [01:07:30]

Robert Breen_Outskill: All we have to do is connect it.

[01:07:31] - [01:07:35]

Robert Breen_Outskill: To get started, we're going to make some updates here in a little bit.

[01:07:35] - [01:07:39]

Robert Breen_Outskill: But, we swapped out Chat message.

[01:07:39] - [01:07:41]

Robert Breen_Outskill: For a webhook.

[01:07:48] - [01:07:49]

Robert Breen_Outskill: Alright.

[01:07:59] - [01:08:00]

Robert Breen_Outskill: Good.

[01:08:00] - [01:08:02]

Robert Breen_Outskill: So, our backend's done.

[01:08:02] - [01:08:05]

Robert Breen_Outskill: This is it on the backend.

[01:08:06] - [01:08:12]

Robert Breen_Outskill: We are ready. And someone said how to add that webhook again. I'll show you one more time. It's just webhook.

[01:08:12] - [01:08:16]

Robert Breen_Outskill: We're gonna do this together, so don't, don't worry about following along.

[01:08:20] - [01:08:21]

Robert Breen_Outskill: So it's just a webhook over here.

[01:08:23] - [01:08:26]

Robert Breen_Outskill: So we built our backend. Our backend is done.

[01:08:27] - [01:08:33]

Robert Breen_Outskill: What tool do we want to use... To build a front end.

[01:08:33] - [01:08:37]

Robert Breen_Outskill: To build this, Front-end form.

[01:08:37] - [01:08:38]

Robert Breen_Outskill: What do you guys want to use?

[01:08:40] - [01:08:41]

Robert Breen_Outskill: Lovable.

[01:08:42] - [01:08:47]

Robert Breen_Outskill: Lovable. BALT, I see some Bolts, I see some Google Forms, which is... which works too.

[01:08:48] - [01:08:54]

Robert Breen_Outskill: Cloud Code. You could use Cloud Code. You could use HTML. 100%, you could use HTML to do this.

[01:08:55] - [01:09:08]

Robert Breen_Outskill: Cursor. I see lots of... lots of answers. All those answers are right. We can put this form in any front end we want. We could build it from scratch, have Claude build it for us, we could have Levable.

[01:09:08] - [01:09:13]

Robert Breen_Outskill: We could hire a developer. All kinds of things we could do. I see a cold fusion.

[01:09:14] - [01:09:16]

Robert Breen_Outskill: I don't know about that. Maybe.

[01:09:21] - [01:09:24]

Robert Breen_Outskill: We are... well, let's make sure we don't close the tab.

[01:09:25] - [01:09:29]

Robert Breen_Outskill: We are going to build this in Level.

[01:09:30] - [01:09:32]

Robert Breen_Outskill: A very simple application.

[01:09:33] - [01:09:39]

Robert Breen_Outskill: All we want it to look like is this. A form with name, email, feedback, and submit.

[01:09:41] - [01:09:46]

Robert Breen_Outskill: You don't need a ton of credits to do this. It's gonna be very quick.

[01:09:51] - [01:09:53]

Robert Breen_Outskill: Let me copy my prompt.

[01:09:55] - [01:09:56]

Robert Breen_Outskill: And put it in here.

[01:09:56] - [01:09:58]

Robert Breen_Outskill: And, let's go through it.

[01:09:58] - [01:10:06]

Robert Breen_Outskill: And I think some... some said you had used Lovable in a previous session, some said you hadn't. All Lovable is, is a...

[01:10:07] - [01:10:11]

Robert Breen_Outskill: Like an AI agent that will help you build websites.

[01:10:12] - [01:10:13]

Robert Breen_Outskill: with natural language.

[01:10:16] - [01:10:22]

Robert Breen_Outskill: So my prompt here is going to be, build me a clean, modern, customer support feedback form

[01:10:23] - [01:10:25]

Robert Breen_Outskill: As a single landing page.

[01:10:27] - [01:10:29]

Robert Breen_Outskill: It's a Vivek coding tool, yes.

[01:10:30] - [01:10:37]

Robert Breen_Outskill: This form should have these fields. Name, email, feedback field, A submit button.

[01:10:39] - [01:10:47]

Robert Breen_Outskill: When the user clicks the submit button, it should send the data via post, to the webhook URL.

[01:10:49] - [01:10:53]

Robert Breen_Outskill: This part is important. Make sure everybody is listening here.

[01:10:54] - [01:10:57]

Robert Breen_Outskill: Very important security question here.

[01:10:59] - [01:11:01]

Robert Breen_Outskill: Should you give your password?

[01:11:01] - [01:11:02]

Robert Breen_Outskill: Too lovable.

[01:11:04] - [01:11:06]

Robert Breen_Outskill: Should I just type a password in, lovable?

[01:11:07] - [01:11:08]

Robert Breen_Outskill: No.

[01:11:09] - [01:11:13]

Robert Breen_Outskill: Nope, nope. Would you put your phone number on a billboard?

[01:11:17] - [01:11:21]

Robert Breen_Outskill: Probably not. You would get a thousand calls, right?

[01:11:21] - [01:11:25]

Robert Breen_Outskill: Hmm. So a webhook is like... and so, I think someone...

[01:11:25] - [01:11:28]

Robert Breen_Outskill: A webhook is like a phone number.

[01:11:29] - [01:11:33]

Robert Breen_Outskill: We don't want to share it with everybody. It's like a password. Don't give it to Lovable.

[01:11:34] - [01:11:38]

Robert Breen_Outskill: Or any other AI for that week... that... reason.

[01:11:45] - [01:11:50]

Robert Breen_Outskill: So we're telling Mobile, the webhook URL will be added under a secret config.

[01:11:51] - [01:11:55]

Robert Breen_Outskill: Whenever the webhook is called, Show a loading state.

[01:11:55] - [01:12:04]

Robert Breen_Outskill: And after the webhook is a success, show a thank you message. So we're not giving our password, our phone number, to Lovable directly.

[01:12:08] - [01:12:09]

Robert Breen_Outskill: Alright.

[01:12:09] - [01:12:15]

Robert Breen_Outskill: This takes a little while, so I'm going to click on Submit, and actually I'm going to move my

[01:12:17] - [01:12:20]

Robert Breen_Outskill: screen a little bit, so I can monitor this.

[01:12:22] - [01:12:24]

Robert Breen_Outskill: Sometimes it takes longer than others.

[01:12:25] - [01:12:28]

Robert Breen_Outskill: And sometimes it asks me questions, so...

[01:12:29] - [01:12:34]

Robert Breen_Outskill: Just make sure I don't lose track of... lovable.

[01:12:37] - [01:12:39]

Robert Breen_Outskill: It's working, it's building me a website.

[01:12:42] - [01:12:47]

Robert Breen_Outskill: And we're gonna go into config, and you'll see how exactly we do it.

[01:12:51] - [01:12:55]

Robert Breen_Outskill: Okay? And someone is asking for the prompt, you're gonna see this prompt.

[01:12:55] - [01:12:56]

Robert Breen_Outskill: Later.

[01:12:58] - [01:13:04]

Robert Breen_Outskill: I'm gonna skip this part, I don't want it to build a fancy form. I just want a simple form, and I want it to go faster.

[01:13:05] - [01:13:12]

Robert Breen_Outskill: So we'll go through a... Secret config here. Config here.

[01:13:14] - [01:13:18]

Robert Breen_Outskill: Okay, and I see other questions about why are we using secret config?

[01:13:19] - [01:13:23]

Robert Breen_Outskill: We... should we give passwords and phone numbers?

[01:13:23] - [01:13:25]

Robert Breen_Outskill: to... AI.

[01:13:33] - [01:13:34]

Robert Breen_Outskill: No, right?

[01:13:37] - [01:13:40]

Robert Breen_Outskill: So a secret configconfig is...

[01:13:40] - [01:13:44]

Robert Breen_Outskill: Making sure we're not giving it to the AI. We have to give it to the application.

[01:13:44] - [01:13:49]

Robert Breen_Outskill: The application has to know what the URL is.

[01:13:54] - [01:14:01]

Robert Breen_Outskill: So we're gonna give it to the application via secret config. This is sometimes also called an ENV file.

[01:14:02] - [01:14:04]

Robert Breen_Outskill: And somebody had put that in the chat.

[01:14:05] - [01:14:08]

Robert Breen_Outskill: This is EMV file. Same thing.

[01:14:13] - [01:14:13]

Robert Breen_Outskill: Huh.

[01:14:19] - [01:14:23]

Robert Breen_Outskill: Good. Now our lovable is... Almost ready.

[01:14:24] - [01:14:28]

Robert Breen_Outskill: Let me go back to n and describe one more time.

[01:14:28] - [01:14:30]

Robert Breen_Outskill: Where?

[01:14:30] - [01:14:35]

Robert Breen_Outskill: the... phone number is, where the URL is.

[01:14:36] - [01:14:38]

Robert Breen_Outskill: In the webhook.

[01:14:38] - [01:14:49]

Robert Breen_Outskill: We have a test URL and a production URL. This is the phone number. This is the phone number that Lovable needs to send the information to.

[01:14:55] - [01:14:56]

Robert Breen_Outskill: Okay?

[01:14:58] - [01:15:07]

Robert Breen_Outskill: Let's see, it's asking for approval needed. This looks fine. That's... okay, good. So now it's... Lubbable is asking me for my feedback URL.

[01:15:08] - [01:15:14]

Robert Breen_Outskill: It's this one. We're gonna use the test URL. We're gonna go through, a little bit later, what test in production is.

[01:15:15] - [01:15:20]

Robert Breen_Outskill: And this is our secret config. This part here is never going to the AI.

[01:15:21] - [01:15:26]

Robert Breen_Outskill: the secret? It's, you know, grayed out here.

[01:15:26] - [01:15:31]

Robert Breen_Outskill: and secure, this will never go to the AI portion of Lovable.

[01:15:32] - [01:15:34]

Robert Breen_Outskill: It, again, it has to be part of...

[01:15:35] - [01:15:43]

Robert Breen_Outskill: the application, the application has to know the phone number, but the AI agent behind LevelBook does not need to know the phone number. So we're gonna add the secret here.

[01:15:45] - [01:15:58]

Robert Breen_Outskill: And just like an API key, yep. You would do the same thing here for API keys. Any passwords, maybe you need to log into an application, you would put your password like this as well.

[01:16:01] - [01:16:02]

Robert Breen_Outskill: Okay?

[01:16:02] - [01:16:12]

Robert Breen_Outskill: I see this show again, someone's asking the show again. It's hard to show this part again because I'm in the middle of Lovable, but we will be doing this together here in about an hour.

[01:16:13] - [01:16:15]

Robert Breen_Outskill: For the, for the workbook.

[01:16:20] - [01:16:20]

Robert Breen_Outskill: *****

[01:16:25] - [01:16:33]

Robert Breen_Outskill: Let me just start writing down a couple things while this finishes. This is the part where it... sometimes it takes longer, so I have to kinda...

[01:16:33] - [01:16:36]

Robert Breen_Outskill: Fill the space here, because level won't take too long.

[01:16:36] - [01:16:40]

Robert Breen_Outskill: So... Let's just start teeing up what is...

[01:16:44] - [01:16:45]

Robert Breen_Outskill: the test URL,

[01:16:49] - [01:16:50]

Robert Breen_Outskill: Test.

[01:16:54] - [01:16:56]

Robert Breen_Outskill: bigger. Test URL.

[01:16:59] - [01:17:01]

Robert Breen_Outskill: and production URL.

[01:17:08] - [01:17:11]

Robert Breen_Outskill: Test URL, production URL.

[01:17:11] - [01:17:14]

Robert Breen_Outskill: And that's these in level. Test URL production.

[01:17:22] - [01:17:23]

Robert Breen_Outskill: A test URL...

[01:17:31] - [01:17:33]

Robert Breen_Outskill: Needs to be turned on.

[01:17:36] - [01:17:38]

Robert Breen_Outskill: Needs to be turned on.

[01:17:44] - [01:17:45]

Robert Breen_Outskill: For testing.

[01:17:46] - [01:17:53]

Robert Breen_Outskill: So we're only going to be using this when... We're testing our application.

[01:17:53] - [01:17:56]

Robert Breen_Outskill: A production URL is always on.

[01:17:59] - [01:18:01]

Robert Breen_Outskill: You know, what if somebody...

[01:18:02] - [01:18:12]

Robert Breen_Outskill: sends a form in like this to you at midnight. Are you going to, turn your... turn your workflow on? No, we want it to be on already.

[01:18:18] - [01:18:19]

Robert Breen_Outskill: Prep.

[01:18:20] - [01:18:25]

Robert Breen_Outskill: Now, I want to give you guys a little more space. I see the comment in the chat, now that lovable...

[01:18:25] - [01:18:27]

Robert Breen_Outskill: is done.

[01:18:28] - [01:18:29]

Robert Breen_Outskill: Let me put that back in here.

[01:18:30] - [01:18:33]

Robert Breen_Outskill: Just wanted to monitor that as it was working.

[01:18:34] - [01:18:35]

Robert Breen_Outskill: Hmm.

[01:18:38] - [01:18:41]

Robert Breen_Outskill: So, test URL needs to be turned on.

[01:18:41] - [01:18:46]

Robert Breen_Outskill: And just for testing, production URL is always on, always waiting.

[01:18:46] - [01:18:51]

Robert Breen_Outskill: Now, in Lovable, it... It tried.

[01:18:51] - [01:18:56]

Robert Breen_Outskill: to use that URL, and it got a little bit stuck here. It was,

[01:18:58] - [01:19:01]

Robert Breen_Outskill: I was saying that the URL is getting a 404 error.

[01:19:02] - [01:19:09]

Robert Breen_Outskill: Anyone know why this... Test URL is not working. Lovable tried it. Why is the test URL not working?

[01:19:14] - [01:19:17]

Robert Breen_Outskill: So I see about published, it's not about publishing.

[01:19:18] - [01:19:24]

Robert Breen_Outskill: But it needs to be turned on. If I send a feedback here.

[01:19:25] - [01:19:30]

Robert Breen_Outskill: Put my name, website is not working.

[01:19:35] - [01:19:37]

Robert Breen_Outskill: I get an error. Something went wrong.

[01:19:39] - [01:19:41]

Robert Breen_Outskill: It needs to be turned on.

[01:19:42] - [01:19:47]

Robert Breen_Outskill: Our test URL, which we gave it earlier, needs to be turned on to be able to work.

[01:19:48] - [01:19:53]

Robert Breen_Outskill: And all we have to do here is... Click, into our webhook.

[01:19:55] - [01:19:57]

Robert Breen_Outskill: and Listen for Test Event.

[01:19:58] - [01:20:00]

Robert Breen_Outskill: This turns it on.

[01:20:00] - [01:20:05]

Robert Breen_Outskill: We're just testing. We're... this is a webhook here, interactive.app.

[01:20:05] - [01:20:11]

Robert Breen_Outskill: slash feedback. This is what Lovable is going to send the information to.

[01:20:14] - [01:20:16]

Robert Breen_Outskill: Now, let's go into Lovable.

[01:20:16] - [01:20:18]

Robert Breen_Outskill: Try again.

[01:20:19] - [01:20:20]

Robert Breen_Outskill: And we get a thank you.

[01:20:24] - [01:20:25]

Robert Breen_Outskill: Okay.

[01:20:25] - [01:20:27]

Robert Breen_Outskill: Let's check in it, Ann?

[01:20:28] - [01:20:30]

Robert Breen_Outskill: We have information coming through.

[01:20:33] - [01:20:36]

Robert Breen_Outskill: Here's my name, here's my email.

[01:20:37] - [01:20:38]

Robert Breen_Outskill: Feedback?

[01:20:39] - [01:20:41]

Robert Breen_Outskill: And time that it was submitted.

[01:20:42] - [01:20:52]

Robert Breen_Outskill: I do see some comments about you're not following, just watch for now. You'll get pieces and parts of how everything works, and we'll do it all together.

[01:20:52] - [01:21:00]

Robert Breen_Outskill: In the next hour, so about 4... maybe an hour, 45 minutes from now, we're gonna do this together. Even if you're not following, write some notes.

[01:21:00] - [01:21:02]

Robert Breen_Outskill: And, we'll do it together later.

[01:21:05] - [01:21:06]

Robert Breen_Outskill: Okay.

[01:21:08] - [01:21:10]

Robert Breen_Outskill: There's a couple things here.

[01:21:11] - [01:21:15]

Robert Breen_Outskill: In our previous... workflow.

[01:21:15] - [01:21:18]

Robert Breen_Outskill: We had it connected to a chat message.

[01:21:18] - [01:21:19]

Robert Breen_Outskill: Not a webhook.

[01:21:21] - [01:21:23]

Robert Breen_Outskill: So we need to make one update here.

[01:21:24] - [01:21:28]

Robert Breen_Outskill: Just one. This is... The only change we need to make for this to work...

[01:21:30] - [01:21:37]

Robert Breen_Outskill: In the AI agent step, it's looking for a chat input. There is no longer any chat input.

[01:21:40] - [01:21:49]

Robert Breen_Outskill: All we have to do is delete chat input, And pass in... Feedback...

[01:21:49] - [01:21:54]

Robert Breen_Outskill: Well, it needs feedback, it needs, email.

[01:21:54] - [01:22:01]

Robert Breen_Outskill: And it needs name. And I'm gonna do this one more time as well, since I stumbled a little bit through that. So...

[01:22:02] - [01:22:07]

Robert Breen_Outskill: Our AI agent no longer has a chatbot.

[01:22:07] - [01:22:10]

Robert Breen_Outskill: Chat input, it needs the feedback that was sent.

[01:22:13] - [01:22:20]

Robert Breen_Outskill: It needs the person's email, And it needs the person's name.

[01:22:21] - [01:22:29]

Robert Breen_Outskill: In any order. You don't even need spaces. AI agents don't... don't care about formatting.

[01:22:29] - [01:22:31]

Robert Breen_Outskill: You can do this in any order.

[01:22:32] - [01:22:38]

Robert Breen_Outskill: So... Giving the agent the feedback, Email, and the name.

[01:22:40] - [01:22:45]

Robert Breen_Outskill: Let's see if it will let me go back here to what it was before. I'll show you one more time.

[01:22:45] - [01:22:49]

Robert Breen_Outskill: And just to clarify, We used to have a chat message.

[01:22:50] - [01:22:53]

Robert Breen_Outskill: We no longer have a chat message.

[01:22:54] - [01:23:01]

Robert Breen_Outskill: So, chat input no longer exists. Anytime you see in NNN a red

[01:23:01] - [01:23:06]

Robert Breen_Outskill: Red font like this, it means that field doesn't exist anymore.

[01:23:08] - [01:23:11]

Robert Breen_Outskill: Chat input. Input no longer exists.

[01:23:12] - [01:23:21]

Robert Breen_Outskill: So we're gonna pass in name, Email... and feedback.

[01:23:23] - [01:23:25]

Robert Breen_Outskill: From the webhook.

[01:23:28] - [01:23:28]

Robert Breen_Outskill: Name.

[01:23:30] - [01:23:33]

Robert Breen_Outskill: Email... Feedback.

[01:23:37] - [01:23:39]

Robert Breen_Outskill: So you see that it's Robert Breen.

[01:23:40] - [01:23:44]

Robert Breen_Outskill: my email address, and I'm telling them the website is not working.

[01:23:46] - [01:23:51]

Robert Breen_Outskill: There's a question about, fixed, or expression.

[01:23:52] - [01:23:54]

Robert Breen_Outskill: It should be expression.

[01:23:54] - [01:23:58]

Robert Breen_Outskill: Anytime you're passing in fields like this, it's expression.

[01:23:59] - [01:24:11]

Robert Breen_Outskill: it should have defaulted to expression, you shouldn't have had to, change it. Anyway, that's it for this step, and for anyone not following, you'll be able to follow on the breakout, but, all we did was change

[01:24:12] - [01:24:13]

Robert Breen_Outskill: A couple things.

[01:24:17] - [01:24:23]

Robert Breen_Outskill: Now... I'm gonna have to, click Execute Workflow to run this guy again.

[01:24:26] - [01:24:28]

Robert Breen_Outskill: I'm gonna click on Execute Workflow.

[01:24:28] - [01:24:32]

Robert Breen_Outskill: Execute workflow, Hopefully it's on.

[01:24:32] - [01:24:34]

Robert Breen_Outskill: Yeah, it's on.

[01:24:34] - [01:24:36]

Robert Breen_Outskill: And I'm gonna send another feedback.

[01:24:38] - [01:24:39]

Robert Breen_Outskill: Oh, come on.

[01:24:43] - [01:24:47]

Robert Breen_Outskill: Let's put my name... And say, your site.

[01:24:51] - [01:24:56]

Robert Breen_Outskill: Doesn't... a dark mode.

[01:25:00] - [01:25:01]

Robert Breen_Outskill: Submit the feedback.

[01:25:04] - [01:25:12]

Robert Breen_Outskill: And it started. It started pretty quickly. So, our agent is running. It's using OpenAI, It's using Google Sheets.

[01:25:14] - [01:25:16]

Robert Breen_Outskill: And it used our Gmail node.

[01:25:18] - [01:25:19]

Robert Breen_Outskill: Okay?

[01:25:20] - [01:25:23]

Robert Breen_Outskill: So one small change in N8N.

[01:25:24] - [01:25:28]

Robert Breen_Outskill: And it now works in... Real life. For Unlovable.

[01:25:28] - [01:25:31]

Robert Breen_Outskill: Here's my request.

[01:25:31] - [01:25:33]

Robert Breen_Outskill: Request for dark mode?

[01:25:35] - [01:25:38]

Robert Breen_Outskill: And... to make sure I have the right email here...

[01:25:39] - [01:25:42]

Robert Breen_Outskill: Yep, I should have sent myself an email.

[01:25:45] - [01:25:48]

Robert Breen_Outskill: saying, thank you for your suggestion.

[01:25:48] - [01:25:50]

Robert Breen_Outskill: How about, our website?

[01:25:51] - [01:25:55]

Robert Breen_Outskill: about adding dark mode. And this email was sent automatically with N8N.

[01:25:56] - [01:26:02]

Robert Breen_Outskill: So we have a working application. Or almost, I guess. We've tested our application.

[01:26:11] - [01:26:12]

Robert Breen_Outskill: *****

[01:26:15] - [01:26:19]

Robert Breen_Outskill: I see some thumbs up, awesome. Hopefully you guys liked that.

[01:26:19] - [01:26:23]

Robert Breen_Outskill: We, have connected our application.

[01:26:25] - [01:26:32]

Robert Breen_Outskill: Now, let's do one other thing. I don't want to sit here and have to click Execute workflow every time.

[01:26:34] - [01:26:35]

Robert Breen_Outskill: A form comes in.

[01:26:36] - [01:26:37]

Robert Breen_Outskill: Right?

[01:26:37] - [01:26:39]

Robert Breen_Outskill: I wanted to just run.

[01:26:40] - [01:26:41]

Robert Breen_Outskill: What do I need to do here?

[01:26:46] - [01:26:49]

Robert Breen_Outskill: what do I need to do to get the...

[01:26:49] - [01:26:52]

Robert Breen_Outskill: change. I need a production URL.

[01:26:56] - [01:27:00]

Robert Breen_Outskill: which is here. Production URL is here.

[01:27:06] - [01:27:07]

Robert Breen_Outskill: Okay?

[01:27:07] - [01:27:14]

Robert Breen_Outskill: So we're gonna use this production URL. Let me put it over in the application. The production URL is here.

[01:27:17] - [01:27:19]

Robert Breen_Outskill: That's the production URL.

[01:27:21] - [01:27:23]

Robert Breen_Outskill: And this is the test URL.

[01:27:29] - [01:27:32]

Robert Breen_Outskill: So I need to switch it to the production URL, right?

[01:27:36] - [01:27:39]

Robert Breen_Outskill: You need to switch it to the production URL.

[01:27:41] - [01:27:43]

Robert Breen_Outskill: First things first, let's publish.

[01:27:44] - [01:27:49]

Robert Breen_Outskill: If we click on Publish here in the top right corner, don't confuse this with Save.

[01:27:50] - [01:27:52]

Robert Breen_Outskill: And it then auto-saves everything.

[01:27:53] - [01:27:57]

Robert Breen_Outskill: To publish this guy, I just need to click publish.

[01:27:58] - [01:28:02]

Robert Breen_Outskill: And this makes the webhook accessible to the live internet.

[01:28:06] - [01:28:10]

Robert Breen_Outskill: Couple questions in here. Is this only underpaid? Nope, this is not only underpaid.

[01:28:10] - [01:28:14]

Robert Breen_Outskill: You can do this with free applications as well.

[01:28:16] - [01:28:17]

Robert Breen_Outskill: So all we have to do is publish.

[01:28:19] - [01:28:21]

Robert Breen_Outskill: I don't know...

[01:28:22] - [01:28:27]

Robert Breen_Outskill: The, the, the problem here? Let's, let's see, my, my workflow's off, let's send another form.

[01:28:27] - [01:28:29]

Robert Breen_Outskill: Does this work?

[01:28:35] - [01:28:37]

Robert Breen_Outskill: Doesn't work. I, I published it.

[01:28:40] - [01:28:44]

Robert Breen_Outskill: Okay, it's not listening, yeah. It's no longer listening, but it's published, right?

[01:28:46] - [01:28:50]

Robert Breen_Outskill: I'm getting some... some of you are seeing the answer.

[01:28:51] - [01:28:52]

Robert Breen_Outskill: Switch the URL.

[01:28:53] - [01:28:59]

Robert Breen_Outskill: So I published, and this is a problem that does happen in the real world, you forget to change your URL.

[01:28:59] - [01:29:07]

Robert Breen_Outskill: Right now, Lovable has this URL, which, is the test URL.

[01:29:07] - [01:29:10]

Robert Breen_Outskill: We want it to have the production URL.

[01:29:14] - [01:29:21]

Robert Breen_Outskill: And just so you know the difference, you don't need to copy and paste every time. The only difference is this slash test.

[01:29:21] - [01:29:31]

Robert Breen_Outskill: Webhook test here. The production URL says webhook, the test URL says webhook dash test. So, they're not very different.

[01:29:32] - [01:29:34]

Robert Breen_Outskill: But let's copy the production URL.

[01:29:35] - [01:29:40]

Robert Breen_Outskill: And... let's give the production URL directly to our AI agent, right?

[01:29:43] - [01:29:47]

Robert Breen_Outskill: Should I give... No, someone, someone yell.

[01:29:47] - [01:29:49]

Robert Breen_Outskill: No, right?

[01:29:50] - [01:29:54]

Robert Breen_Outskill: No, I do not want to send.

[01:29:54] - [01:29:56]

Robert Breen_Outskill: my production URL.

[01:29:58] - [01:30:07]

Robert Breen_Outskill: to an AI agent. Even though it's easy, right? I mean, it's, it's, okay, agent, just change this. Here's my new password. Here's my new phone number.

[01:30:08] - [01:30:09]

Robert Breen_Outskill: Let me just give it to you, right?

[01:30:10] - [01:30:11]

Robert Breen_Outskill: No.

[01:30:12] - [01:30:18]

Robert Breen_Outskill: Let me write down the steps before we do it. Lovable doesn't really make it too easy.

[01:30:19] - [01:30:23]

Robert Breen_Outskill: to change these URLs. So let me write down the steps here.

[01:30:25] - [01:30:29]

Robert Breen_Outskill: So we need to go in lovable to Settings.

[01:30:36] - [01:30:41]

Robert Breen_Outskill: And then to... Cloud?

[01:30:44] - [01:30:46]

Robert Breen_Outskill: Evin changed the secret there.

[01:30:50] - [01:30:51]

Robert Breen_Outskill: Okay?

[01:30:53] - [01:30:55]

Robert Breen_Outskill: We're gonna go to Settings in Lovable.

[01:30:56] - [01:30:59]

Robert Breen_Outskill: Go to Cloud, and then change the secret.

[01:31:04] - [01:31:07]

Robert Breen_Outskill: In Lovable, settings are up here in More.

[01:31:12] - [01:31:21]

Robert Breen_Outskill: So I was on this page here, this preview page, I went to More, Cloud.

[01:31:23] - [01:31:25]

Robert Breen_Outskill: And then secrets.

[01:31:25] - [01:31:28]

Robert Breen_Outskill: More cloud secrets.

[01:31:33] - [01:31:39]

Robert Breen_Outskill: Be careful here when you do this, I know you're not following along, and I know you're gonna do this later, but we cannot edit this.

[01:31:39] - [01:31:47]

Robert Breen_Outskill: Of course, Lovable doesn't know what the feedback URL is, so I can't just click an edit button. It doesn't know what the URL is.

[01:31:48] - [01:31:53]

Robert Breen_Outskill: We did it via secret config, right? So remember this name.

[01:31:55] - [01:32:05]

Robert Breen_Outskill: It's called Feedback Webhook URL. Lovable chose that, so when you do this, it could choose something different. But my webhook name is Feedback Webhook URL.

[01:32:07] - [01:32:08]

Robert Breen_Outskill: Okay?

[01:32:08] - [01:32:12]

Robert Breen_Outskill: Let's delete it. I'm gonna copy this. Feedback webhook URL.

[01:32:13] - [01:32:19]

Robert Breen_Outskill: I feel like I'm gonna forget it. So I'm gonna delete this after I pasted it into chat really quick.

[01:32:20] - [01:32:24]

Robert Breen_Outskill: Delete the secret that exists today.

[01:32:26] - [01:32:29]

Robert Breen_Outskill: And then add a new secret.

[01:32:30] - [01:32:34]

Robert Breen_Outskill: Same name. Have to keep it the same name. Feedback Webhook URL.

[01:32:36] - [01:32:40]

Robert Breen_Outskill: And I'm gonna get my production URL from here.

[01:32:42] - [01:32:45]

Robert Breen_Outskill: And put the value in here.

[01:32:49] - [01:32:53]

Robert Breen_Outskill: Of course, I do not want to save... Anything.

[01:32:53] - [01:32:55]

Robert Breen_Outskill: in, Windows.

[01:32:57] - [01:33:01]

Robert Breen_Outskill: So, it does have to be the same name.

[01:33:01] - [01:33:04]

Robert Breen_Outskill: Because lovable is using that as a variable.

[01:33:04] - [01:33:09]

Robert Breen_Outskill: If you named it differently, you would have to tell Lovable that you renamed the variable.

[01:33:10] - [01:33:14]

Robert Breen_Outskill: Alright, let's... Try it out.

[01:33:16] - [01:33:18]

Robert Breen_Outskill: Let's see, let's cross our fingers here.

[01:33:19] - [01:33:21]

Robert Breen_Outskill: no dark mode.

[01:33:25] - [01:33:27]

Robert Breen_Outskill: No dark mode.

[01:33:28] - [01:33:30]

Robert Breen_Outskill: Looks like it worked.

[01:33:36] - [01:33:43]

Robert Breen_Outskill: First, I'm gonna check the... information here. So, we have a new message, no dark mode.

[01:33:47] - [01:33:50]

Robert Breen_Outskill: And a new email has gone through. Let's see what time it is.

[01:33:57] - [01:34:00]

Robert Breen_Outskill: It may not have gone through, let me check.

[01:34:03] - [01:34:06]

Robert Breen_Outskill: Yeah, 1125. It did go through...

[01:34:06] - [01:34:10]

Robert Breen_Outskill: I'm gonna show you how to do this as well. I just wanna make sure my message gets sent.

[01:34:12] - [01:34:13]

Robert Breen_Outskill: at 11.25.

[01:34:15] - [01:34:20]

Robert Breen_Outskill: Yeah, here it is, here it is. 1125, the... I should have done a different, error.

[01:34:22] - [01:34:24]

Robert Breen_Outskill: So I could tell the difference. So, my email went out.

[01:34:26] - [01:34:31]

Robert Breen_Outskill: Okay, so pretty cool, right? I mean, we have a working application.

[01:34:36] - [01:34:43]

Robert Breen_Outskill: One more thing before we make a couple more changes, I want to show you how to test

[01:34:43] - [01:34:48]

Robert Breen_Outskill: If these things worked. Because you don't see the actual work going through.

[01:34:49] - [01:34:52]

Robert Breen_Outskill: Under Executions here on the top.

[01:34:53] - [01:34:56]

Robert Breen_Outskill: These that have the little, symbol here.

[01:34:57] - [01:35:12]

Robert Breen_Outskill: test. This was a test run. This was a test run. This is from yesterday, or a couple days ago. This was a, production run. Anything without the symbol is a production, form coming through.

[01:35:12] - [01:35:28]

Robert Breen_Outskill: So this one happened at 11.25. You can actually look at it and see what happened. You can open the webhook, see that I said no dark mode, and see that, the information was coming through. So every time somebody sends a form.

[01:35:28] - [01:35:30]

Robert Breen_Outskill: Do lovable.

[01:35:30] - [01:35:32]

Robert Breen_Outskill: It comes through here.

[01:35:33] - [01:35:34]

Robert Breen_Outskill: in an event.

[01:35:36] - [01:35:44]

Robert Breen_Outskill: And, you know, exciting part here, we are live. This is done. We're gonna make another change, but we are live.

[01:35:48] - [01:35:56]

Robert Breen_Outskill: We are live. You made, and you... well, I made an application, but you will make the same application later. We are live. It's deployed.

[01:35:56] - [01:36:01]

Robert Breen_Outskill: You know, somebody asked, in the chat, how do you deploy it? It's deployed, this is done. We're done.

[01:36:06] - [01:36:07]

Robert Breen_Outskill: Okay?

[01:36:10] - [01:36:15]

Robert Breen_Outskill: Cool. And you guys are gonna be able to... we're gonna do one more change before the break.

[01:36:15] - [01:36:20]

Robert Breen_Outskill: And you'll be able to test it yourself, and see if you can break my application.

[01:36:22] - [01:36:29]

Robert Breen_Outskill: But let's make one more change. There's one part of the app that I, you know, I don't really like. We're using

[01:36:29] - [01:36:31]

Robert Breen_Outskill: generative AI here.

[01:36:32] - [01:36:45]

Robert Breen_Outskill: but my form coming back says, thank you, your feedback has been submitted, right? We can do better than that. We can have a better answer come back to,

[01:36:45] - [01:36:46]

Robert Breen_Outskill: our form.

[01:36:47] - [01:36:50]

Robert Breen_Outskill: So I'm gonna make one more update.

[01:36:56] - [01:36:59]

Robert Breen_Outskill: Can't get out of here, give me... editor, there we go.

[01:37:00] - [01:37:02]

Robert Breen_Outskill: I want to make one more update.

[01:37:06] - [01:37:09]

Robert Breen_Outskill: I want the form to respond back.

[01:37:09] - [01:37:12]

Robert Breen_Outskill: Based on what I said to the form.

[01:37:14] - [01:37:19]

Robert Breen_Outskill: So I want to add a... what's called a respond to webhook.

[01:37:22] - [01:37:27]

Robert Breen_Outskill: I don't have the prompt on this, so I will wing it and make sure it works.
So...

[01:37:28] - [01:37:30]

Robert Breen_Outskill: I want to change this webhook.

[01:37:30] - [01:37:41]

Robert Breen_Outskill: to respond immediately, which means every... the second that the webhook gets information, it sends information back to lovable.

[01:37:42] - [01:37:48]

Robert Breen_Outskill: But instead, I want it to respond using a respond to webhook node.

[01:37:52] - [01:37:53]

Robert Breen_Outskill: Okay?

[01:37:53] - [01:38:02]

Robert Breen_Outskill: like a thank you page. I see it in the chat, just like a thank you page. So we're gonna be sending kind of like a thank you page to our form user.

[01:38:03] - [01:38:05]

Robert Breen_Outskill: So we respond with webhook node.

[01:38:10] - [01:38:14]

Robert Breen_Outskill: And I'm gonna add a respond to webhook node at the end.

[01:38:17] - [01:38:20]

Robert Breen_Outskill: Respond to webhook. So, webhook starts...

[01:38:20] - [01:38:26]

Robert Breen_Outskill: the trigger, and respond to webhook Is your response.

[01:38:28] - [01:38:31]

Robert Breen_Outskill: Easiest node in the world. We're not gonna change anything.

[01:38:33] - [01:38:40]

Robert Breen_Outskill: We're just gonna have our webhook respond at the end. After the AI agent has run.

[01:38:42] - [01:38:44]

Robert Breen_Outskill: We're gonna have our agent respond.

[01:38:44] - [01:38:53]

Robert Breen_Outskill: There are a couple notes in the chat about redoing. This part is really quick, so let me put it back to where it was, and, redo it.

[01:38:53] - [01:38:55]

Robert Breen_Outskill: Just so you get this part.

[01:38:55] - [01:39:03]

Robert Breen_Outskill: It's pretty easy, but I just want to make sure that everyone gets it. All I did was change the original webhook.

[01:39:04] - [01:39:08]

Robert Breen_Outskill: Changed it from immediately to using webhook node.

[01:39:12] - [01:39:17]

Robert Breen_Outskill: And then... Added a respond, to webhook.

[01:39:18] - [01:39:19]

Robert Breen_Outskill: node.

[01:39:19] - [01:39:20]

Robert Breen_Outskill: And that's it.

[01:39:20] - [01:39:24]

Robert Breen_Outskill: So we're just telling n and n to respond differently.

[01:39:24] - [01:39:30]

Robert Breen_Outskill: Respond after you're done with this, instead of responding immediately.

[01:39:31] - [01:39:38]

Robert Breen_Outskill: And again, think of this like a phone number. So, the webhook is the phone number, And it then...

[01:39:39] - [01:39:44]

Robert Breen_Outskill: Answers the phone and says, Thank you, I got your message. And then drops the phone.

[01:39:44] - [01:39:45]

Robert Breen_Outskill: The first way.

[01:39:46] - [01:39:53]

Robert Breen_Outskill: This second way, NNN says, answers the phone, says, hey, I got your message, give me one second.

[01:39:53] - [01:40:01]

Robert Breen_Outskill: and then does its job, and then says, okay, here's my output for you. So it's just waiting to respond on the phone.

[01:40:03] - [01:40:07]

Robert Breen_Outskill: Let's publish this. Nothing's gonna work unless we don't publish it.

[01:40:08] - [01:40:10]

Robert Breen_Outskill: And...

[01:40:10] - [01:40:21]

Robert Breen_Outskill: I should have done this the other way, so we're gonna have a little bit of time for some... some questions, possibly, because Lovable's gonna take longer to do this. But let's tell Lovable the change that we made.

[01:40:21] - [01:40:31]

Robert Breen_Outskill: I'm gonna say, instead, of... the webhook... Responding... Immediately.

[01:40:35] - [01:40:38]

Robert Breen_Outskill: It will... Respond.

[01:40:40] - [01:40:44]

Robert Breen_Outskill: with... a custom... Response.

[01:40:46] - [01:40:49]

Robert Breen_Outskill: Show the custom... Response.

[01:40:50] - [01:40:54]

Robert Breen_Outskill: to the user, after the form.

[01:40:56] - [01:40:57]

Robert Breen_Outskill: Has been.

[01:40:58] - [01:40:59]

Robert Breen_Outskill: Submitted.

[01:41:01] - [01:41:07]

Robert Breen_Outskill: after you receive... the, message.

[01:41:07] - [01:41:11]

Robert Breen_Outskill: And, you know, as you're building these applications in real life.

[01:41:11] - [01:41:22]

Robert Breen_Outskill: you might have to write... go back and forth with Levable a couple times if you don't know exactly what to give it, but that's fine. You're gonna chat with Levable like it's your personal assistant.

[01:41:24] - [01:41:31]

Robert Breen_Outskill: So, instead of responding immediately, it will respond with a custom response, show the custom response to the user after it's been submitted.

[01:41:35] - [01:41:43]

Robert Breen_Outskill: And that is going to take a minute, but let's, and again, I'm gonna move this over so we can watch it.

[01:41:44] - [01:41:46]

Robert Breen_Outskill: To know when it's ready.

[01:41:48] - [01:41:50]

Robert Breen_Outskill: Hopefully soon.

[01:41:50] - [01:41:59]

Robert Breen_Outskill: And let's, you know, kind of recap here. We have a live application that is doing... Exactly this.

[01:42:01] - [01:42:05]

Robert Breen_Outskill: We have a front end, NNN is doing the backend.

[01:42:07] - [01:42:08]

Robert Breen_Outskill: Front end is lovable.

[01:42:09] - [01:42:10]

Robert Breen_Outskill: I have a webhook in the middle.

[01:42:14] - [01:42:25]

Robert Breen_Outskill: And Nadin is... answering, is putting information in the Google Sheet and email, and then...

[01:42:25] - [01:42:28]

Robert Breen_Outskill: Sending us back a response.

[01:42:28] - [01:42:36]

Robert Breen_Outskill: So that's the difference that it's working on now. NNN will be sending a response At the end.

[01:42:37] - [01:42:40]

Robert Breen_Outskill: Wanted this guy instead. Response.

[01:42:41] - [01:42:44]

Robert Breen_Outskill: Respond to webhook.

[01:42:48] - [01:42:57]

Robert Breen_Outskill: I see another question in the chat, how about how do you put the form on the website? This is the website, right here. Lovable is the website.

[01:42:57] - [01:42:59]

Robert Breen_Outskill: We just put the forum on the website.

[01:43:01] - [01:43:03]

Robert Breen_Outskill: This is the website.

[01:43:07] - [01:43:16]

Robert Breen_Outskill: Oh, let's see, so it looks like it is done, the form is ready, so let's make this bigger. We already published, hopefully I did everything right. Let's check.

[01:43:18] - [01:43:25]

Robert Breen_Outskill: Well, it's another error I can say? I can't... Log into the website.

[01:43:25] - [01:43:27]

Robert Breen_Outskill: That's my issue that I'm having.

[01:43:27] - [01:43:29]

Robert Breen_Outskill: I can't log into the website.

[01:43:30] - [01:43:31]

Robert Breen_Outskill: Let's send that feedback.

[01:43:34] - [01:43:39]

Robert Breen_Outskill: Now, it's waiting, so you see, it has not immediately responded to me.

[01:43:44] - [01:43:54]

Robert Breen_Outskill: Okay, and now it responded with customer name, email, feedback summary, actions taken. Your feedback has been logged into our system.

[01:43:55] - [01:43:58]

Robert Breen_Outskill: Acknowledgement email has been sent to Robert.

[01:43:59] - [01:44:00]

Robert Breen_Outskill: And it responded.

[01:44:01] - [01:44:05]

Robert Breen_Outskill: Let's look... Really quick at our execution.

[01:44:13] - [01:44:21]

Robert Breen_Outskill: 11.35. I'm on Eastern. I know you're all on different time zones. 11.35 Eastern.

[01:44:21] - [01:44:23]

Robert Breen_Outskill: We had our information come in.

[01:44:26] - [01:44:33]

Robert Breen_Outskill: our AI agent took care of it, and then our respond to webhook responded to Levable. Cool, so...

[01:44:34] - [01:44:41]

Robert Breen_Outskill: How we doing? Where's everyone at? Give me 100 if... You... at least conceptually understand.

[01:44:44] - [01:44:48]

Robert Breen_Outskill: And you will all get this, in the next hour as we do it together.

[01:44:49] - [01:44:54]

Robert Breen_Outskill: Lots of hundreds, some 55s. I saw a 75 in there. You'll get there.

[01:44:57] - [01:44:58]

Robert Breen_Outskill: Haha.

[01:44:59] - [01:45:01]

Robert Breen_Outskill: Good, good. Awesome.

[01:45:04] - [01:45:16]

Robert Breen_Outskill: Alright, so really cool, you know, we've been on the call for, what, an hour and a half or something, right? And we've built a full application. Before AI, you know, something like this could have taken a day.

[01:45:16] - [01:45:20]

Robert Breen_Outskill: for a developer, right? And we just built it on a call in an hour.

[01:45:20] - [01:45:28]

Robert Breen_Outskill: So really cool what we can build with Lovable and Naden together. And know that you can swap out these tools.

[01:45:28] - [01:45:37]

Robert Breen_Outskill: If you don't want any of them, you want a different tool, use it. If you don't want lovable, you want to use Replit instead, same thing. Same exact concept.

[01:45:38] - [01:45:43]

Robert Breen_Outskill: Now, before our break here, I'm gonna publish this.

[01:45:43] - [01:45:46]

Robert Breen_Outskill: So here's how unlovable you make this live.

[01:45:47] - [01:45:55]

Robert Breen_Outskill: I'm gonna publish the link, It's gonna be FeedbackJoy84. I love lovable links, they...

[01:45:56] - [01:45:59]

Robert Breen_Outskill: They make these applications sound so nice.

[01:46:03] - [01:46:05]

Robert Breen_Outskill: And publish that up.

[01:46:10] - [01:46:12]

Robert Breen_Outskill: Let's wait for this guy to publish.

[01:46:16] - [01:46:25]

Robert Breen_Outskill: I see some questions in the chat I'd like to throw out there. Someone asked about voice agent, same thing. Same exact process for a voice agent.

[01:46:27] - [01:46:29]

Robert Breen_Outskill: You can rename it, yep, you can rename it.

[01:46:32] - [01:46:45]

Robert Breen_Outskill: You can change the name of the website, you can host it on your website. A lot of times, I see a question about hosting it on our website. A lot of times, my website is interactive.com. You could put this as, like, form.interactive.com.

[01:46:46] - [01:46:52]

Robert Breen_Outskill: It could live somewhere like that, so a lot of places where you can keep your site.

[01:46:53] - [01:46:55]

Robert Breen_Outskill: Let me just make sure this works...

[01:46:56] - [01:47:00]

Robert Breen_Outskill: Let's test it from here, cause I'm gonna give this to you guys.

[01:47:01] - [01:47:06]

Robert Breen_Outskill: I... let's see. I can't think of any errors. There's errors on your website.

[01:47:08] - [01:47:09]

Robert Breen_Outskill: Send some feedback.

[01:47:10] - [01:47:11]

Robert Breen_Outskill: Cool. Looks like it works.

[01:47:13] - [01:47:16]

Robert Breen_Outskill: Okay, team, let's,

[01:47:16] - [01:47:19]

Robert Breen_Outskill: I don't know how long we should do a break, but let's do a break.

[01:47:20] - [01:47:21]

Shasti: Yes, Robert.

[01:47:21] - [01:47:22]

Robert Breen_Outskill: Aval Share.

[01:47:26] - [01:47:36]

Robert Breen_Outskill: And anyone can go to feedback-joy-84.lovable.app, and, you can test it while we're on our break. See if you can break it.

[01:47:37] - [01:47:42]

Shasti: Yeah, we'll quickly take a 5-minute break, folks. I think that should be good enough.

[01:47:44] - [01:47:48]

Shasti: Team, we can quickly share a timer for 5 minutes.

[01:47:52] - [01:47:56]

Shasti: Okay, I see all those 10 minutes in the chat. Okay, let's do 7 minutes, folks.

[01:47:56] - [01:48:00]

Shasti: No 10 minutes or 5 minutes, we'll do a 7 minutes break.

[01:48:24] - [01:55:09]

Audio shared by Sumedha: [Break music played; lyrics not transcribed.]

[01:55:16] - [01:55:17]

Robert Breen_Outskill: Alright.

[01:55:17] - [01:55:21]

Robert Breen_Outskill: Let me share again, and we can get started again.

[01:55:23] - [01:55:25]

Robert Breen_Outskill: How was break? Did we get enough time?

[01:55:32] - [01:55:35]

Robert Breen_Outskill: Move this guy back over so we can see. Alright.

[01:55:36] - [01:55:47]

Robert Breen_Outskill: Cool, so I have... it looks like you guys were all using my application. It doesn't look like it broke, so hopefully you all got responses.

[01:55:47] - [01:55:52]

Robert Breen_Outskill: And emails, and looks like someone just sent one just now.

[01:55:52] - [01:55:57]

Robert Breen_Outskill: You guys are still sending responses to my app, so... So pretty cool.

[01:55:58] - [01:56:04]

Robert Breen_Outskill: One thing I do want to show you, Ann has a limit for how many,

[01:56:04] - [01:56:07]

Robert Breen_Outskill: runs per month, so I don't want to leave this on forever.

[01:56:08] - [01:56:11]

Robert Breen_Outskill: You can turn your application off.

[01:56:11] - [01:56:18]

Robert Breen_Outskill: by unpublishing it. So once I unpublish this, it's not gonna work anymore.

[01:56:18] - [01:56:26]

Robert Breen_Outskill: Click on Unpublish, and you shouldn't receive any more responses from that application.

[01:56:28] - [01:56:33]

Robert Breen_Outskill: But, you'll be able to create your own application here, in 30 minutes or so.

[01:56:34] - [01:56:36]

Robert Breen_Outskill: And you'll be able to test it yourself.

[01:56:39] - [01:56:40]

Robert Breen_Outskill: Hmm.

[01:56:40] - [01:56:43]

Robert Breen_Outskill: I see questions about concurrent limit. I'm actually...

[01:56:44] - [01:56:48]

Robert Breen_Outskill: I'm not sure about the concurrent limit. they can run concurrently.

[01:56:49] - [01:56:58]

Robert Breen_Outskill: So you'll notice that, you know, these were all running at 11.47. 10 of them or something. So a lot of them were running at 11.47 altogether.

[01:56:58] - [01:57:00]

Robert Breen_Outskill: So they can run concurrently.

[01:57:01] - [01:57:04]

Robert Breen_Outskill: So one form isn't waiting for another form to finish.

[01:57:10] - [01:57:11]

Robert Breen_Outskill: Alright.

[01:57:11] - [01:57:13]

Robert Breen_Outskill: So, what do we build?

[01:57:14] - [01:57:20]

Robert Breen_Outskill: You know, we built an application with a front end and a back end that responds to our webhook, right?

[01:57:20] - [01:57:29]

Robert Breen_Outskill: Companies build applications like this every day. You use applications like this every day. You use, Uber Eats, you use DoorDash.

[01:57:31] - [01:57:36]

Robert Breen_Outskill: What we're gonna talk about next is... a system...

[01:57:36] - [01:57:41]

Robert Breen_Outskill: Used commonly by all the large companies, most of the large companies in the world.

[01:57:41] - [01:57:43]

Robert Breen_Outskill: called GitHub.

[01:57:45] - [01:57:47]

Robert Breen_Outskill: Who has heard of GitHub?

[01:57:49] - [01:57:54]

Robert Breen_Outskill: Someone said they used Uber 2 hours ago. Maybe you're eating your Uber Eats right now.

[01:57:56] - [01:57:59]

Robert Breen_Outskill: So, some people have heard of GitHub.

[01:58:02] - [01:58:04]

Robert Breen_Outskill: Lots of people. Lots of people.

[01:58:05] - [01:58:06]

Robert Breen_Outskill: What is it?

[01:58:07] - [01:58:08]

Robert Breen_Outskill: What is GitHithub?

[01:58:15] - [01:58:18]

Robert Breen_Outskill: Some people saying a repo?

[01:58:21] - [01:58:22]

Robert Breen_Outskill: Store code.

[01:58:26] - [01:58:28]

Robert Breen_Outskill: version.

[01:58:29] - [01:58:31]

Robert Breen_Outskill: It's used for versions.

[01:58:31] - [01:58:35]

Robert Breen_Outskill: And this is just what everyone else is saying in the chat right now, and we will define this.

[01:58:36] - [01:58:44]

Robert Breen_Outskill: Code, cloud-based, Yeah, lot of good answers. Lot of good answers here.

[01:58:46] - [01:58:48]

Robert Breen_Outskill: So what is GitHub?

[01:58:49] - [01:58:51]

Robert Breen_Outskill: Let's go through...

[01:58:51] - [01:59:00]

Robert Breen_Outskill: Look, Github is an application that is used to store code. If you know about Google Drive, we're going to compare it to Google Drive as well.

[01:59:01] - [01:59:09]

Robert Breen_Outskill: So, a place to store code. We just coded. You might not know this, but this application is code.

[01:59:10] - [01:59:12]

Robert Breen_Outskill: Here's the code that we just wrote.

[01:59:13] - [01:59:22]

Robert Breen_Outskill: all kinds of code blocks that it was writing for you. It's not just doing magic on the internet, it's actually writing code for you.

[01:59:23] - [01:59:33]

Robert Breen_Outskill: So, we need a place to securely store our code, And do revisions, and

[01:59:34] - [01:59:37]

Robert Breen_Outskill: Changes, and maybe work together.

[01:59:39] - [01:59:43]

Robert Breen_Outskill: Give me a large application, an application that you guys use.

[01:59:44] - [01:59:47]

Robert Breen_Outskill: Daily or weekly, any application.

[01:59:54] - [01:59:58]

Robert Breen_Outskill: I see, let's see, I see Salesforce.

[02:00:01] - [02:00:07]

Robert Breen_Outskill: You could even put, Google in here, or something like that, right? I put, put two...

[02:00:07] - [02:00:12]

Robert Breen_Outskill: answers here. So, applications like Salesforce and Google.

[02:00:13] - [02:00:16]

Robert Breen_Outskill: Why that's behind? Give me a second...

[02:00:17] - [02:00:19]

Robert Breen_Outskill: We can get that... there we go.

[02:00:20] - [02:00:22]

Robert Breen_Outskill: So, Salesforce and Google.

[02:00:23] - [02:00:35]

Robert Breen_Outskill: they would use either GitHith or a tool like GitHub. I don't work there, I can't tell you exactly what tool, but they most likely use GitHithub or a tool like it to store their code.

[02:00:35] - [02:00:43]

Robert Breen_Outskill: They have hundreds of thousands, or millions, or billions of lines of code, right, that people work on together.

[02:00:44] - [02:00:48]

Robert Breen_Outskill: So, for one, they need a place to store their code.

[02:00:51] - [02:00:55]

Robert Breen_Outskill: So they're gonna store their code. So, here's a question.

[02:00:55] - [02:01:07]

Robert Breen_Outskill: How many people are working on Google code or Salesforce code at a time? One, maybe two? Maybe two people are coding? Maybe they've hired two coders at Google and Salesforce?

[02:01:10] - [02:01:19]

Robert Breen_Outskill: Hundreds, hundreds, or even thousands. I think there are software companies with hundreds, or thousands.

[02:01:21] - [02:01:22]

Robert Breen_Outskill: of employees.

[02:01:24] - [02:01:32]

Robert Breen_Outskill: Now, do they all live in the same office? Do they work from home? Do they live in different countries? Do they work on the same time zones?

[02:01:32] - [02:01:40]

Robert Breen_Outskill: The answer to all of that is no, right? So you need, for one, a place to store your code.

[02:01:40] - [02:01:56]

Robert Breen_Outskill: And two, how in the world can you have hundreds or thousands of people working on the exact same code at the exact same time across timelines, across time zones, and work from home, and all of that, right?

[02:01:57] - [02:02:01]

Robert Breen_Outskill: So what GitHub is, allows for collaborations.

[02:02:04] - [02:02:10]

Robert Breen_Outskill: Okay? So they're working on the same exact code at the exact same time.

[02:02:12] - [02:02:14]

Robert Breen_Outskill: using GitHub.

[02:02:15] - [02:02:20]

Robert Breen_Outskill: And it allows for versioning. Version... One. Version.

[02:02:21] - [02:02:24]

Robert Breen_Outskill: Version 2, etc.

[02:02:26] - [02:02:29]

Robert Breen_Outskill: So what if, the application... somebody made a mistake?

[02:02:30] - [02:02:34]

Robert Breen_Outskill: We're people. We make mistakes. AI is writing code today. AI makes mistakes.

[02:02:34] - [02:02:42]

Robert Breen_Outskill: How, you know, can we roll back to version 1 if version 2 broke, right?

So, GitHub allows for versioning.

[02:02:43] - [02:02:46]

Robert Breen_Outskill: And it's been around since around 2008.

[02:02:46] - [02:02:47]

Robert Breen_Outskill: This is not new.

[02:02:50] - [02:02:52]

Robert Breen_Outskill: So we want to use this as we're...

[02:02:52] - [02:03:00]

Robert Breen_Outskill: use the term Vibe coding. So this, in Lovable, was vibe coding. We are coding. We want to make sure that we are keeping our...

[02:03:01] - [02:03:07]

Robert Breen_Outskill: Code's secure, we can work together, and if version 2 breaks version 1, we can go back.

[02:03:09] - [02:03:11]

Robert Breen_Outskill: But it also has a backup.

[02:03:12] - [02:03:13]

Robert Breen_Outskill: of code.

[02:03:14] - [02:03:17]

Robert Breen_Outskill: Just in case, right? If we lose our code.

[02:03:21] - [02:03:22]

Robert Breen_Outskill: Okay.

[02:03:23] - [02:03:25]

Robert Breen_Outskill: So that is GitHub.

[02:03:26] - [02:03:35]

Robert Breen_Outskill: Let me compare it for a couple minutes to Google Drive. There are some here who know what GitHub is and are more comfortable with it. This is new to others.

[02:03:37] - [02:03:42]

Robert Breen_Outskill: So let's compare this github against Google Drive.

[02:03:43] - [02:03:45]

Robert Breen_Outskill: github on this side.

[02:03:47] - [02:03:49]

Robert Breen_Outskill: Google Drive.

[02:03:52] - [02:03:53]

Robert Breen_Outskill: Here.

[02:03:56] - [02:03:57]

Robert Breen_Outskill: And separate these guys.

[02:04:00] - [02:04:02]

Robert Breen_Outskill: On Google Drive.

[02:04:04] - [02:04:07]

Robert Breen_Outskill: We know that we can store files.

[02:04:11] - [02:04:13]

Robert Breen_Outskill: We can store files on GitHub.

[02:04:14] - [02:04:16]

Robert Breen_Outskill: I'm sorry, on Google Drive.

[02:04:16] - [02:04:18]

Robert Breen_Outskill: I was reading the chat.

[02:04:18] - [02:04:28]

Robert Breen_Outskill: So, this is a Google Drive of mine with lots of folders, lots of files, and you can store your files and folders on Google Drive.

[02:04:32] - [02:04:34]

Robert Breen_Outskill: It also has some versioning.

[02:04:39] - [02:04:43]

Robert Breen_Outskill: You might not know this, a lot of people don't know this about Google, but it does have versioning.

[02:04:46] - [02:04:50]

Robert Breen_Outskill: I have a... File here.

[02:04:51] - [02:04:57]

Robert Breen_Outskill: And I actually always forget how to get the versions, yep, that I created on the 14th. It was blank.

[02:04:58] - [02:05:00]

Robert Breen_Outskill: I made some edits on the 14th.

[02:05:00] - [02:05:02]

Robert Breen_Outskill: I added an agenda for today.

[02:05:03] - [02:05:07]

Robert Breen_Outskill: And, added some text.

[02:05:08] - [02:05:16]

Robert Breen_Outskill: And then, the 18th, I added some more numbers. So we've got versions of our Google Drive document.

[02:05:16] - [02:05:19]

Robert Breen_Outskill: One on September 14th, one on September 18th.

[02:05:19] - [02:05:26]

Robert Breen_Outskill: And if I make some changes here... Just write some gibberish.

[02:05:27] - [02:05:36]

Robert Breen_Outskill: you can see that the current version is on September 21st, with this that I added, this kind of gibberish that I added at the bottom of the screen.

[02:05:40] - [02:05:50]

Robert Breen_Outskill: And, you know, that's Google Drive. You know, we're not going to use Google Drive for code, because this is really, really basic, right? It's just saying what we added on each day.

[02:05:51] - [02:05:55]

Robert Breen_Outskill: So Google Drive is for storing files and for keeping versions.

[02:05:56] - [02:05:57]

Robert Breen_Outskill: and history.

[02:06:01] - [02:06:05]

Robert Breen_Outskill: github has just different terminology.

[02:06:10] - [02:06:12]

Robert Breen_Outskill: It is for storing code.

[02:06:15] - [02:06:17]

Robert Breen_Outskill: So instead of files, we're gonna store code.

[02:06:20] - [02:06:24]

Robert Breen_Outskill: And instead of files, They're called repositories.

[02:06:24] - [02:06:29]

Robert Breen_Outskill: Files are called repositories.

[02:06:32] - [02:06:39]

Robert Breen_Outskill: So, don't get too caught up on this, this term, it sounds complex, it's... it's a file. It's a folder. I'm sorry, folder.

[02:06:39] - [02:06:43]

Robert Breen_Outskill: Folders are called, repositories.

[02:06:44] - [02:06:46]

Robert Breen_Outskill: And it keeps versions.

[02:06:49] - [02:06:54]

Robert Breen_Outskill: Archives. Somebody said archives. Yep, so it keeps a history of everything that's happening.

[02:06:56] - [02:07:02]

Robert Breen_Outskill: So, one really cool part about NNN, I'm gonna show you their GitHub account.

[02:07:03] - [02:07:06]

Robert Breen_Outskill: NNN is open source.

[02:07:06] - [02:07:20]

Robert Breen_Outskill: Meaning, their code is public. You could... you can, look at Anoden's code, you could copy Anand's code if you wanted to. They make it, public, so you can see it.

[02:07:22] - [02:07:24]

Robert Breen_Outskill: This is what it looks like.

[02:07:24] - [02:07:30]

Robert Breen_Outskill: They have, nadin is the product, the repository.

[02:07:30] - [02:07:34]

Robert Breen_Outskill: And here's their code. Let's just see what they updated today.

[02:07:36] - [02:07:43]

Robert Breen_Outskill: 29 minutes ago, Somebody was working on pages in a browser.

[02:07:44] - [02:07:47]

Robert Breen_Outskill: Actually, you can have their name as well. Their name is in here.

[02:07:47] - [02:07:51]

Robert Breen_Outskill: So they took out this line, they added this line.

[02:07:52] - [02:07:58]

Robert Breen_Outskill: They added all this code here to somebody who works at N8M 26 minutes ago.

[02:07:58] - [02:08:01]

Robert Breen_Outskill: Made this change to the application.

[02:08:01] - [02:08:05]

Robert Breen_Outskill: And it is made publicly onto GitHub.

[02:08:07] - [02:08:14]

Robert Breen_Outskill: There's some questions about... Can you change their code? You can't change their code, that's theirs, but...

[02:08:14] - [02:08:16]

Robert Breen_Outskill: You can see what they did.

[02:08:18] - [02:08:22]

Robert Breen_Outskill: And they make it public, just so, people can use their code for free.

[02:08:27] - [02:08:28]

Robert Breen_Outskill: So that is GitHub.

[02:08:34] - [02:08:37]

Robert Breen_Outskill: Like I said, there's repositories.

[02:08:38] - [02:08:43]

Robert Breen_Outskill: Repositories are just applications, feedback, or, folders.

[02:08:44] - [02:08:57]

Robert Breen_Outskill: This is one application that I built, this is another one, this is another one, this is another one. So these are applications that I built, and you can see my code here as well. I don't make mine public, these are, private.

[02:08:58] - [02:09:01]

Robert Breen_Outskill: For companies, other companies, but...

[02:09:02] - [02:09:07]

Robert Breen_Outskill: We have repositories in GitHub to store your code.

[02:09:10] - [02:09:11]

Robert Breen_Outskill: Okay.

[02:09:11] - [02:09:16]

Robert Breen_Outskill: So that's all it is. Think of it like Google Drive, and when we start doing our example here.

[02:09:17] - [02:09:30]

Robert Breen_Outskill: it'll feel less intimidating. GitHub sounds like I need to have a software development background. You don't. Think of it like Google Drive. This is just Google Drive for code that you build with Vivek coding tools, like.

[02:09:31] - [02:09:32]

Robert Breen_Outskill: Lovable.

[02:09:36] - [02:09:37]

Robert Breen_Outskill: Okay.

[02:09:37] - [02:09:44]

Robert Breen_Outskill: That is GitHub. Everyone understand, put me 100 in the chat, if you conceptually understand GitHithub.

[02:09:48] - [02:09:51]

Robert Breen_Outskill: Lots of hundreds. Awesome.

[02:09:52] - [02:10:01]

Robert Breen_Outskill: Awesome, awesome. And now we're going to take a look at how to actually use it. And again, it's pretty easy. So don't, don't worry too much.

[02:10:04] - [02:10:16]

Robert Breen_Outskill: Okay, lots of hundreds. There's a why do we need it? Remember, we need it to store our code, if you want to work together with multiple people, and if you want to have versions.

[02:10:21] - [02:10:29]

Robert Breen_Outskill: All right. Now, any guesses on which part of the code I would store? The front end or the back end?

[02:10:34] - [02:10:50]

Robert Breen_Outskill: So in this case, it's actually the front end. N doesn't really store the, anything in GitHub. I think there are ways, but in our case, we're gonna store this code. Here's our code. In,

[02:10:50] - [02:10:53]

Robert Breen_Outskill: Lovable. This is real coat.

[02:10:54] - [02:10:57]

Robert Breen_Outskill: We want to store that real code on GitHub.

[02:11:01] - [02:11:05]

Robert Breen_Outskill: All we have to do... So this is our application.

[02:11:08] - [02:11:13]

Robert Breen_Outskill: All we have to do is click on this More button.

[02:11:13] - [02:11:18]

Robert Breen_Outskill: I'm gonna write this in the notes as well, but let me do the steps. So click on More.

[02:11:21] - [02:11:26]

Robert Breen_Outskill: Go to Settings, And then Git.

[02:11:27] - [02:11:31]

Robert Breen_Outskill: So, more... Settings, Git.

[02:11:32] - [02:11:38]

Robert Breen_Outskill: You can do this with other tools as well. There's a tool called GitLab, there's a tool called Bitbucket. Same idea.

[02:11:39] - [02:11:41]

Robert Breen_Outskill: But we're going to use GitHub.

[02:11:47] - [02:11:53]

Robert Breen_Outskill: The first time you do this, you won't have an account, you'll have to add a connection and log into your GitHub, but...

[02:11:54] - [02:11:56]

Robert Breen_Outskill: I can just connect with my...

[02:11:57] - [02:11:59]

Robert Breen_Outskill: github account that I already have connected.

[02:12:03] - [02:12:07]

Robert Breen_Outskill: And lovable makes it really easy, might take a minute. Okay.

[02:12:07] - [02:12:12]

Robert Breen_Outskill: Lovable created a repository for me.

[02:12:12] - [02:12:19]

Robert Breen_Outskill: Called FeedbackJoy84. I love their naming. These applications sound so happy. FeedbackJoy.

[02:12:23] - [02:12:24]

Robert Breen_Outskill: Okay?

[02:12:25] - [02:12:32]

Robert Breen_Outskill: And I'm gonna write down the steps again for GitHub. Again, don't have to follow along, but the steps to...

[02:12:35] - [02:12:46]

Robert Breen_Outskill: Go to GitHub, where more, And then... settings, github. Git.

[02:12:49] - [02:12:50]

Robert Breen_Outskill: That's how we got there.

[02:12:51] - [02:12:59]

Robert Breen_Outskill: And, on my GitHub account now, I have a new... repository.

[02:12:59] - [02:13:01]

Robert Breen_Outskill: FeedbackJoy84.

[02:13:05] - [02:13:06]

Robert Breen_Outskill: And you can see my actual code.

[02:13:07] - [02:13:12]

Robert Breen_Outskill: If you click on this commits button, Here?

[02:13:12] - [02:13:15]

Robert Breen_Outskill: You can see every change that Lubawable made.

[02:13:15] - [02:13:29]

Robert Breen_Outskill: You might not know this, you're just waiting for Lovable to do the work for you, but it's actually making small changes, and then, changing them. So one of the change was, build in a feedback form.

[02:13:30] - [02:13:39]

Robert Breen_Outskill: So when Lovable built the feedback form, it took out that, it added this, it took this part out, it added this.

[02:13:39] - [02:13:45]

Robert Breen_Outskill: So this was the code that NNN wrote When you told it to...

[02:13:46] - [02:13:49]

Robert Breen_Outskill: Add a feedback form. Add a, webhook.

[02:13:52] - [02:14:01]

Robert Breen_Outskill: But everything happens automatically, and again, you don't need to know how to read code, you don't need to know too much about GitHub, just know that Lovable did it for you.

[02:14:06] - [02:14:07]

Robert Breen_Outskill: Okay.

[02:14:09] - [02:14:16]

Robert Breen_Outskill: So, we're connected on Lovable. I want to show you, kind of, in the real world, How...

[02:14:18] - [02:14:27]

Robert Breen_Outskill: publishing to GitHub works. We don't just publish it to GitHub and we're done. We, are gonna do this in a more, kind of a more structured

[02:14:28] - [02:14:28]

Robert Breen_Outskill: way.

[02:14:31] - [02:14:34]

Robert Breen_Outskill: GitHub works through branches.

[02:14:37] - [02:14:46]

Robert Breen_Outskill: And I'm gonna draw a picture, and then show you something I made with Claude as well, to define, kind of show you what's happening behind the scenes in Claude.

[02:14:49] - [02:14:53]

Robert Breen_Outskill: So we have an application. Let's try to zoom in a little bit.

[02:14:58] - [02:15:03]

Robert Breen_Outskill: And say this is, google again.

[02:15:04] - [02:15:07]

Robert Breen_Outskill: Okay, this is Google's application.

[02:15:09] - [02:15:14]

Robert Breen_Outskill: At the beginning, or... they all run on a main branch.

[02:15:15] - [02:15:17]

Robert Breen_Outskill: Main or master.

[02:15:19] - [02:15:20]

Robert Breen_Outskill: Branch.

[02:15:21] - [02:15:28]

Robert Breen_Outskill: So this kind of line here, going all the way across, is our master branch. That's the version that we're on.

[02:15:30] - [02:15:38]

Robert Breen_Outskill: As changes are made, A change happens here, a change happens here, a change happens here.

[02:15:40] - [02:15:45]

Robert Breen_Outskill: But if we're working with multiple... People on our team.

[02:15:48] - [02:15:51]

Robert Breen_Outskill: See if I can get just a, drawing tool.

[02:15:52] - [02:15:53]

Robert Breen_Outskill: Make that blue.

[02:15:54] - [02:16:08]

Robert Breen_Outskill: So what a person does, instead of just changing the application, I mean, do you think people open Google, the developers open Google, and then just make a change on the whim, and just publish it, and now your change works?

[02:16:09] - [02:16:13]

Robert Breen_Outskill: No, right? Things are happening, differently than that.

[02:16:14] - [02:16:16]

Robert Breen_Outskill: Let me try to make this line blue, actually.

[02:16:18] - [02:16:24]

Robert Breen_Outskill: So how it works is we have branches. Our main application is working today.

[02:16:25] - [02:16:34]

Robert Breen_Outskill: But let's just say... a developer... Wants to make a change.

[02:16:35] - [02:16:37]

Robert Breen_Outskill: Jim wants to make a change.

[02:16:38] - [02:16:41]

Robert Breen_Outskill: They're gonna take a copy of the code.

[02:16:41] - [02:16:48]

Robert Breen_Outskill: So they're gonna take where the code is today, make a copy of it, every single line, they just made a copy of the code, right?

[02:16:51] - [02:16:54]

Robert Breen_Outskill: And then they're gonna make changes. Whatever changes that they want to make.

[02:16:58] - [02:17:03]

Robert Breen_Outskill: So they're gonna make this change, they're gonna make this change, they're gonna make this change, right? They're working.

[02:17:04] - [02:17:06]

Robert Breen_Outskill: Other people were working at the same time.

[02:17:07] - [02:17:10]

Robert Breen_Outskill: So maybe, someone else took a branch.

[02:17:10] - [02:17:13]

Robert Breen_Outskill: From here, and they're making changes as well, right?

[02:17:16] - [02:17:18]

Robert Breen_Outskill: When they're done with their changes.

[02:17:22] - [02:17:26]

Robert Breen_Outskill: They're gonna wanna get... Their copy of the code.

[02:17:26] - [02:17:28]

Robert Breen_Outskill: Back into the main branch.

[02:17:29] - [02:17:33]

Robert Breen_Outskill: That's done through something called... a pull request.

[02:17:37] - [02:17:39]

Robert Breen_Outskill: Think of this as, I'm done.

[02:17:40] - [02:17:43]

Robert Breen_Outskill: Pull request is, I'm done with my changes.

[02:17:46] - [02:17:52]

Robert Breen_Outskill: I've finished my changes, I'd like to publish them to the main application.

[02:17:54] - [02:17:56]

Robert Breen_Outskill: And they get merged.

[02:17:57] - [02:17:59]

Robert Breen_Outskill: With the main branch.

[02:18:02] - [02:18:06]

Robert Breen_Outskill: So we're gonna merge them with the main branch, and then everything is all together.

[02:18:07] - [02:18:15]

Robert Breen_Outskill: And then this guy down here, pardon my, drawing. This guy down here is gonna have a pull request, and everyone's gonna work together, right?

[02:18:16] - [02:18:23]

Robert Breen_Outskill: And I'm gonna... I see the comment about doing this again. I'm gonna do this with my little Claude application that I made as well.

[02:18:24] - [02:18:25]

Robert Breen_Outskill: If I can find it.

[02:18:28] - [02:18:40]

Robert Breen_Outskill: Here it is. So, my drawing is not as good, so let me... that's the idea. Every person is gonna take a copy, make their changes, and then pull it back into the main

[02:18:41] - [02:18:42]

Robert Breen_Outskill: Copy.

[02:18:43] - [02:18:48]

Robert Breen_Outskill: I'll show it one more time, and this is kind of a cool, Claude can make these little applications.

[02:18:48] - [02:18:50]

Robert Breen_Outskill: So we have our main branch.

[02:18:52] - [02:18:54]

Robert Breen_Outskill: Just to show it one more time.

[02:18:59] - [02:19:05]

Robert Breen_Outskill: Priya takes a copy of the application, A branch, he's branching out.

[02:19:05] - [02:19:11]

Robert Breen_Outskill: Making changes, Doing a pull request, I'm done with my changes.

[02:19:12] - [02:19:27]

Robert Breen_Outskill: And they're being merged back with the main application. Marco does the same thing, and merges back with the application. And hundreds, thousands of people can do this all at the same time.

[02:19:29] - [02:19:31]

Robert Breen_Outskill: Pull request means I'm done.

[02:19:31] - [02:19:44]

Robert Breen_Outskill: Pull... and again, another odd word, another odd term for this, but pull request means I've made my changes, and I am done. And I'm ready to commit my changes. Yeah, should be push, but it's... it's pull.

[02:19:48] - [02:19:48]

Robert Breen_Outskill: Okay.

[02:19:52] - [02:19:56]

Robert Breen_Outskill: To write down, kind of, the steps steps for this.

[02:19:58] - [02:20:06]

Robert Breen_Outskill: And who does what? Because you're going to be doing this on a project together as well in the next couple days,

[02:20:06] - [02:20:08]

Robert Breen_Outskill: Here's the steps.

[02:20:09] - [02:20:11]

Robert Breen_Outskill: For changes to applications.

[02:20:16] - [02:20:17]

Robert Breen_Outskill: So, step one.

[02:20:18] - [02:20:20]

Robert Breen_Outskill: Team leader.

[02:20:22] - [02:20:25]

Robert Breen_Outskill: creates... lovable app.

[02:20:28] - [02:20:29]

Robert Breen_Outskill: Okay.

[02:20:38] - [02:20:49]

Robert Breen_Outskill: Step 2... is... Team lead, gives access to Team.

[02:20:55] - [02:21:01]

Robert Breen_Outskill: Each team member branches.

[02:21:02] - [02:21:10]

Robert Breen_Outskill: And we're gonna do a branch here in a little bit on our lovable app, but each team member branches, so they're gonna take a copy of the code.

[02:21:20] - [02:21:21]

Robert Breen_Outskill: Team members make changes.

[02:21:27] - [02:21:34]

Robert Breen_Outskill: So, and the team leader is in charge here. So the team leader, maybe, like, a software development leader in a company.

[02:21:35] - [02:21:45]

Robert Breen_Outskill: is kind of controlling this process on timelines, and what's gonna happen, and who's changing what, right? So, each team member is making changes to their code.

[02:21:48] - [02:21:54]

Robert Breen_Outskill: They do a poll request when they're done, Poll. Request.

[02:21:54] - [02:22:02]

Robert Breen_Outskill: When done... Also, just called a PR. If you ever hear PR, it means Poll Request.

[02:22:05] - [02:22:08]

Robert Breen_Outskill: Now, before the... let me put one more note here.

[02:22:09] - [02:22:11]

Robert Breen_Outskill: Each team member should test changes.

[02:22:13] - [02:22:22]

Robert Breen_Outskill: So, the team members are making changes and testing that what they made is actually working, right? So you're not doing a pull request until you've

[02:22:23] - [02:22:25]

Robert Breen_Outskill: Tested that your code is actually working.

[02:22:28] - [02:22:32]

Robert Breen_Outskill: Okay, so the team member is going to test their changes.

[02:22:35] - [02:22:45]

Robert Breen_Outskill: And then Team Lead, Should... should take full request, and test.

[02:22:46] - [02:22:48]

Robert Breen_Outskill: So the team lead is ultimately in charge here.

[02:22:49] - [02:22:53]

Robert Breen_Outskill: They're gonna test the...

[02:22:53] - [02:23:01]

Robert Breen_Outskill: changes that each team ever made, and make sure all of this is working together. Make sure that there were 5 people making 5 different changes.

[02:23:01] - [02:23:05]

Robert Breen_Outskill: Kind of look at it all together and make sure it's all working.

[02:23:07] - [02:23:09]

Robert Breen_Outskill: And then, team lead.

[02:23:10] - [02:23:12]

Robert Breen_Outskill: merges.

[02:23:12] - [02:23:13]

Robert Breen_Outskill: Code.

[02:23:15] - [02:23:17]

Robert Breen_Outskill: The team lead is in charge.

[02:23:17] - [02:23:20]

Robert Breen_Outskill: They're gonna merge the code once they know that.

[02:23:21] - [02:23:22]

Robert Breen_Outskill: It's working.

[02:23:28] - [02:23:29]

Robert Breen_Outskill: Okay.

[02:23:30] - [02:23:48]

Robert Breen_Outskill: So that is the... kind of the process, how software teams work in real life, and it's... it's more than 9 steps. I mean, these are highly complex, applications that you have a lot of testing and a lot of things that you can do in between here, but this is the general step.

[02:23:48] - [02:23:50]

Robert Breen_Outskill: how things work.

[02:23:52] - [02:23:55]

Robert Breen_Outskill: Let's do it in Lovable.

[02:23:55] - [02:23:59]

Robert Breen_Outskill: And again, one more comment, don't follow along here, we're gonna do this together.

[02:24:02] - [02:24:11]

Robert Breen_Outskill: Inlovable, Let's create... Let's make some changes. I want a dark mode on this site, on this form.

[02:24:13] - [02:24:17]

Robert Breen_Outskill: Do I want to just say, hey, lovable, make dark mode?

[02:24:19] - [02:24:22]

Robert Breen_Outskill: Do I want to just modify the actual code?

[02:24:25] - [02:24:29]

Robert Breen_Outskill: No! This, this is working! The site is up. People can...

[02:24:29] - [02:24:34]

Robert Breen_Outskill: can see this site right now, I don't want to just edit it on the fly.

[02:24:35] - [02:24:38]

Robert Breen_Outskill: I want to make a copy. Somebody said that in the...

[02:24:38] - [02:24:41]

Robert Breen_Outskill: Comment. And what is a copy called?

[02:24:43] - [02:24:45]

Robert Breen_Outskill: I want to branch.

[02:24:46] - [02:24:50]

Robert Breen_Outskill: I want to branch the code, make a copy of the code.

[02:24:56] - [02:25:03]

Robert Breen_Outskill: We can do that under... our Git, So under More and Git.

[02:25:06] - [02:25:10]

Robert Breen_Outskill: Under GitHith, we only see a main branch.

[02:25:13] - [02:25:17]

Robert Breen_Outskill: Only a main branch. We don't have any other branches, we only have main.

[02:25:18] - [02:25:24]

Robert Breen_Outskill: And you can see in here, FeedbackJoy84, we only have a main branch. It's the only one that we have.

[02:25:25] - [02:25:30]

Robert Breen_Outskill: But, I want to make a change. My team leader told me that I need to add a dark mode.

[02:25:30] - [02:25:36]

Robert Breen_Outskill: So, in Lovable... I can click on Create Branch.

[02:25:40] - [02:25:43]

Robert Breen_Outskill: You create a branch for every change that you want to make.

[02:25:43] - [02:25:46]

Robert Breen_Outskill: You want to make a dark mode, you want to add a...

[02:25:46] - [02:25:50]

Robert Breen_Outskill: Form, you want to make a change to the webhook.

[02:25:50] - [02:25:55]

Robert Breen_Outskill: Any change that you want to make, you're going to create a branch, We'll call this Dark Mode.

[02:25:58] - [02:26:00]

Robert Breen_Outskill: We're gonna create the dark mode branch.

[02:26:07] - [02:26:10]

Robert Breen_Outskill: Let's give that one second, let's create.

[02:26:13] - [02:26:18]

Robert Breen_Outskill: Checking... Okay, so we have a dark mode and a main branch.

[02:26:19] - [02:26:22]

Robert Breen_Outskill: So make sure when you're collaborating with a team on Lovable.

[02:26:23] - [02:26:31]

Robert Breen_Outskill: you're not just on main. Make sure you're never on main, you never have to be on main. You should always be on a branch, so on dark mode.

[02:26:32] - [02:26:33]

Robert Breen_Outskill: In this case.

[02:26:35] - [02:26:42]

Robert Breen_Outskill: In GitHub, We now have a dark mode branch, with nothing in it.

[02:26:42] - [02:26:44]

Robert Breen_Outskill: There's... there's nothing here.

[02:26:48] - [02:26:50]

Robert Breen_Outskill: So, let's make our change.

[02:26:52] - [02:26:55]

Robert Breen_Outskill: Add a dark mode.

[02:26:59] - [02:27:00]

Robert Breen_Outskill: Add a dark mode.

[02:27:03] - [02:27:04]

Robert Breen_Outskill: Okay?

[02:27:08] - [02:27:17]

Robert Breen_Outskill: So as that, as that goes, there's some people asking to do it again, that's fine, we have time since Lovable is working. You click on this drop-down here.

[02:27:19] - [02:27:21]

Robert Breen_Outskill: Click on Create Branch.

[02:27:24] - [02:27:27]

Robert Breen_Outskill: Create whatever we want it to be called, this case is called Dark Mode.

[02:27:30] - [02:27:35]

Robert Breen_Outskill: And, it's gonna work on that. So, let's approve, this is fine.

[02:27:37] - [02:27:39]

Robert Breen_Outskill: Shouldn't take very long.

[02:27:45] - [02:27:47]

Robert Breen_Outskill: Let's see...

[02:27:49] - [02:27:59]

Robert Breen_Outskill: while that goes, let's make sure we look at the steps one more time here. My team leader has said, create a lovable app. Our team leader has created a lovable app.

[02:27:59] - [02:28:05]

Robert Breen_Outskill: They gave me access. I'm the team name member. I created a dark mode.

[02:28:06] - [02:28:07]

Robert Breen_Outskill: branch.

[02:28:08] - [02:28:10]

Robert Breen_Outskill: I made the dark mode branch.

[02:28:11] - [02:28:15]

Robert Breen_Outskill: Let's see if I can test it yet... Maybe.

[02:28:16] - [02:28:20]

Robert Breen_Outskill: Still working. Looks like it's making a dark mode here.

[02:28:32] - [02:28:33]

Robert Breen_Outskill: Still working.

[02:28:36] - [02:28:43]

Robert Breen_Outskill: There's some questions about pull requests. We have not done pull requests yet, but let's... Give that another minute.

[02:28:45] - [02:28:47]

Robert Breen_Outskill: So I'm here right now.

[02:28:48] - [02:28:52]

Robert Breen_Outskill: I've made a copy of the code, I'm making my changes.

[02:28:53] - [02:28:55]

Robert Breen_Outskill: Once I'm done, I'm gonna do a pull request.

[02:28:58] - [02:28:59]

Robert Breen_Outskill: Okay.

[02:28:59] - [02:29:00]

Robert Breen_Outskill: Good.

[02:29:00] - [02:29:02]

Robert Breen_Outskill: Still working. Actually, I think it's done.

[02:29:02] - [02:29:06]

Robert Breen_Outskill: So I'm testing that my dark mode looks good.

[02:29:06] - [02:29:08]

Robert Breen_Outskill: Hmm, looked good to me.

[02:29:08] - [02:29:14]

Robert Breen_Outskill: Maybe you would have some updates, but we can do that later. So we have a light mode and a dark mode.

[02:29:14] - [02:29:19]

Robert Breen_Outskill: Good. Looks good to me. What do I do? I'm done. It's tested. What do I do next?

[02:29:25] - [02:29:26]

Robert Breen_Outskill: Pull request.

[02:29:27] - [02:29:29]

Robert Breen_Outskill: Yep, pull request.

[02:29:32] - [02:29:37]

Robert Breen_Outskill: In GitHub, This came up now.

[02:29:39] - [02:29:48]

Robert Breen_Outskill: So this is for the team leader. I'm back on team leader mode. So, the team member made the changes, tested the changes.

[02:29:49] - [02:29:53]

Robert Breen_Outskill: And the team member is going to do a pull request next.

[02:29:53] - [02:29:56]

Robert Breen_Outskill: So, sorry, I misspoke there. I'm still the team member.

[02:29:59] - [02:30:02]

Robert Breen_Outskill: So my dark mode is done, I'm going to compare and pull request.

[02:30:13] - [02:30:21]

Robert Breen_Outskill: And I would give a description. Remember, this is for my team leader, so I'm gonna maybe say dark mode is done.

[02:30:22] - [02:30:25]

Robert Breen_Outskill: added... Dark mode.

[02:30:25] - [02:30:29]

Robert Breen_Outskill: In top corner, and tested.

[02:30:33] - [02:30:41]

Robert Breen_Outskill: So, all this pull request is really doing is sending the request to the team leader and saying, I'm done with my changes.

[02:30:42] - [02:30:45]

Robert Breen_Outskill: I'd like to push them back into the application.

[02:30:46] - [02:30:48]

Robert Breen_Outskill: So we're gonna create poll request.

[02:30:52] - [02:31:04]

Robert Breen_Outskill: Takes a little bit of time, no conflicts, all kinds of things in GitHub where you can look for conflicts and make sure nothing bad is happening. It's a very simple application, so there's no conflicts.

[02:31:07] - [02:31:10]

Robert Breen_Outskill: Now we're gonna move into team... I'm done as a team member.

[02:31:11] - [02:31:20]

Robert Breen_Outskill: Team member is done. Pull request, I'm going home for the day. Now, team leader's job is to test the changes.

[02:31:21] - [02:31:22]

Robert Breen_Outskill: So they're gonna test the changes.

[02:31:23] - [02:31:25]

Robert Breen_Outskill: And say, oh yeah, this looks good.

[02:31:26] - [02:31:30]

Robert Breen_Outskill: That looks exactly as my team member said it was supposed to look like.

[02:31:31] - [02:31:35]

Robert Breen_Outskill: And, and I'm good. So now I am team member.

[02:31:35] - [02:31:36]

Robert Breen_Outskill: Team leader.

[02:31:37] - [02:31:42]

Robert Breen_Outskill: I've tested it, and I'm gonna merge the pull request. So we... so we're here now.

[02:31:43] - [02:31:52]

Robert Breen_Outskill: Team leader pushed the, pulled the... did a PR, and the team leader is going to be merging them together.

[02:31:54] - [02:31:57]

Robert Breen_Outskill: All we have to do is click on Merge Poll Request.

[02:32:02] - [02:32:05]

Robert Breen_Outskill: You can add some notes, but just say dark mode is done.

[02:32:11] - [02:32:14]

Robert Breen_Outskill: And that's it! We've gone through the whole process.

[02:32:15] - [02:32:19]

Robert Breen_Outskill: What do you guys think? Where you at? Put 100 if you conceptually understand.

[02:32:25] - [02:32:25]

Robert Breen_Outskill: Awesome.

[02:32:30] - [02:32:34]

Robert Breen_Outskill: Perfect. Someone put an 82.5.

[02:32:38] - [02:32:39]

Robert Breen_Outskill: Good.

[02:32:42] - [02:32:43]

Robert Breen_Outskill: Okay.

[02:32:43] - [02:32:47]

Robert Breen_Outskill: So let's kind of, finish up here.

[02:32:48] - [02:32:56]

Robert Breen_Outskill: This is... A pretty simple example, but this is how software is built.

[02:33:01] - [02:33:02]

Robert Breen_Outskill: at...

[02:33:02] - [02:33:12]

Robert Breen_Outskill: virtually every company. I'm sure there are some outliers, but this is how software is built, and it's gotten a lot easier using Lovable and Ann.

[02:33:14] - [02:33:21]

Robert Breen_Outskill: And that is it from me, and I think we're gonna have some time to move into our, breakouts.

[02:33:21] - [02:33:37]

Robert Breen_Outskill: So thank you, everyone. I've really enjoyed the time with everyone. A lot of comments in the chat, so you're really engaged, and I hope you use this. I hope you build applications using Levable and NNN to automate tasks and build workflows.

[02:33:48] - [02:33:54]

Shasti: Perfect. Thank you so much, Robert. I think that was a wonderful session we had. How was it, folks?

[02:33:54] - [02:34:00]

Shasti: How confident are we now about all these technical jargons like github, Ranch?

[02:34:01] - [02:34:05]

Shasti: How comfortable are we now building a front-end for our workflows?

[02:34:08] - [02:34:22]

Shasti: There is also a poll that is launched in front of you. Please do take a minute and let us know how this session went for you guys. And yes, we will get into the breakout rooms. We do have workbook, so do not worry about it.

[02:34:28] - [02:34:42]

Shasti: Pretty overwhelming without technical background, yes, we completely get it, and that's why you will have the recordings, you will have the resources, and also breakout room activity, where you will be doing it hands-on, so that you feel confident

[02:34:42] - [02:34:44]

Shasti: And not overwhelmed.

[02:34:47] - [02:35:06]

Shasti: Perfect. With that said, we will get into the break. Yes, we will get into the break. Before we get into the break, I do have something to share with all of you. How many of you guys remember the skill graph that you all participated on day one of our program?

[02:35:09] - [02:35:18]

Shasti: Yes? Do you want to take a quick check again now with those questions that you answered on day one and see what is the progress so far?

[02:35:19] - [02:35:26]

Shasti: Drop a boom in the chat if you guys want to re-look into those questions and see where do you stand right now.

[02:35:27] - [02:35:29]

Shasti: Greater.

[02:35:31] - [02:35:41]

Shasti: Okay, let me quickly drop the link in the chat, and also showcase on how you can go ahead and access it, and then we take quick...

[02:35:42] - [02:35:46]

Shasti: 10 minutes break, and then we will get into the breakout room. Aligned?

[02:35:50] - [02:35:51]

Shasti: Yes.

[02:35:51] - [02:35:58]

Shasti: Yeah, I see all those reactions because I mentioned 10 minutes. Yes, you are getting the 10 minutes break for today.

[02:36:01] - [02:36:02]

Shasti: Perfect.

[02:36:03] - [02:36:07]

Shasti: Let me share my screen, and...

[02:36:08] - [02:36:13]

Shasti: Showcase on how you can go ahead and access your skill graph.

[02:36:15] - [02:36:23]

Shasti: Yes, before, we get into the break, we will also share the workbook link and the reflection link for the day, so team will drop that.

[02:36:28] - [02:36:31]

Shasti: I hope you guys can see my screen.

[02:36:32] - [02:36:35]

Shasti: A quick yes in the chat, if you guys can see my screen.

[02:36:40] - [02:37:03]

Shasti: Okay, perfect. I see all those confirmations in the chat. I will drop the link of this website in the chat, but first, pay attention on what I'm trying to do here, right? All you need to do is just enter your, registered email ID. When I say registered email ID, this should be the

email ID that you have given to Outskill, starting from day one, or from the time that you have enrolled into the cohort.

[02:37:03] - [02:37:05]

Shasti: And then just click on Find My Link.

[02:37:06] - [02:37:09]

Shasti: So, you will see your personalized link.

[02:37:09] - [02:37:26]

Shasti: just either copy link, you can bookmark it and open it later. I already see a couple of you saying that I see great Toro, sorry if I'm pronouncing your name wrong, saying that he already did his skill graph yesterday and checked. Great. You can also bookmark this link so that you can have a check again after some time.

[02:37:26] - [02:37:30]

Shasti: The link is not yet dropped in the chat, I will be dropping it very soon.

[02:37:30] - [02:37:33]

Shasti: And then click on Open My Portal.

[02:37:33] - [02:37:35]

Shasti: Alright?

[02:37:35] - [02:38:00]

Shasti: Yeah, and this is how the interface will look like. So, we did, take a check on day one, and now we will take a check on day 8 of your program. So, we have completed 7 days of our AI Ads Letter program, so let's quickly take a check on where do we stand. All you need to do is just click on this, and the same questions that we asked on day 1 will reflect here, and I'm sure that

[02:38:00] - [02:38:06]

Shasti: The answers that you have given on day one might not be the same today when you're trying to attempt this.

[02:38:06] - [02:38:11]

Shasti: And once you answer all the questions, you will be able to see your score as well.

[02:38:12] - [02:38:18]

Shasti: Yes, I hope this is clear, folks. Let me know in the chat if this is clear, then I'm going to drop the URL in the chat.

[02:38:21] - [02:38:28]

Shasti: Okay, thanks for all those confirmations. Let me quickly drop the link in the chat.

[02:38:33] - [02:38:35]

Shasti: Yep. There you go.

[02:38:36] - [02:38:39]

Shasti: I have dropped the link here in the chat.

[02:38:39] - [02:38:57]

Shasti: And with that, we will also take a quick 10-minute break. Team, we can drop the workbook link, reflection link for the day, and the webinar ID, and then we'll take a 10-minute break, come back, I'll give you a walkthrough of what we are going to do inside the breakout room, and then we get into the breakout rooms.

[02:39:08] - [02:39:18]

Shasti: If you are getting any error, do not try to refresh again and again, just refresh once and wait for it to load, and it will be, opening for you guys.

[02:39:24] - [02:39:36]

Shasti: Are we finishing early today? I'm assuming that you're not trying to jinx it. We still have the breakout rooms to be conducted, so whenever we'll be done with the breakout rooms, that's when we will wrap up for the day.

[02:39:40] - [02:39:45]

Shasti: Okay, I have dropped the webinar ID, reflection link, and the...

[02:39:45] - [02:39:49]

Shasti: Workbook link team, we can also drop the workbook link in the chat.

[02:39:55] - [02:40:01]

Shasti: Whoever is getting error also try to open it in incognito mode, that should work.

[02:40:01] - [02:40:08]

Shasti: If you're not able to access it at all, drop your email ID in the chat, and we will be able to look into it.

[02:40:25] - [02:40:30]

Shasti: I have dropped the workbook link and webinar ID and the reflection link.

[02:40:30] - [02:40:44]

Shasti: Go ahead, explore the workbook. Also, please do participate and check where do we stand as of today in your skill graph, because that is very important. And with that said, team, let's quickly take a 10-minute break, and then we'll come back.

[02:49:43] - [02:49:44]

Audio shared by Shasti: But in the other hand.

[02:49:51] - [02:49:52]

Audio shared by Shasti: Eddie A.

[02:51:54] - [02:52:00]

Shasti: Okay, folks, are we guys back from the break? I hope that 10 minutes was sufficient enough for all of you.

[02:52:04] - [02:52:05]

Shasti: Yes?

[02:52:08] - [02:52:09]

Shasti: Increate.

[02:52:10] - [02:52:15]

Shasti: Perfect. With that, let me quickly share my screen and give you a walkthrough of

[02:52:15] - [02:52:31]

Shasti: what we are going to do inside the breakout rooms, and for folks who are having issues with the skill graph, if you have dropped your email ID here in the chat, the team is looking into it. It will be sorted in the next couple of minutes, and we will let you know once that is sorted.

[02:52:36] - [02:52:43]

Shasti: Let me quickly share my screen. In the meantime, team, we can also drop the workbook link once again in the chat.

[02:53:00] - [02:53:03]

Shasti: I hope you guys can see my screen.

[02:53:08] - [02:53:09]

Shasti: Yes?

[02:53:09] - [02:53:25]

Shasti: Perfect. So this is the workbook that we are going to solve inside the breakout room today. The workflow is exactly same as what Robert just demonstrated, right? How many of you remember the customer support TriEdge bot we built on day 4 of our program?

[02:53:26] - [02:53:28]

Shasti: Which looks something like this.

[02:53:30] - [02:53:36]

Shasti: Is there anybody who has not solved this workbook, or has not yet built this customer support Raj bot on day 4?

[02:53:41] - [02:53:42]

Shasti: Okay.

[02:53:45] - [02:53:58]

Shasti: Okay. I see most of you have already built a workbook, I mean, built the workflow, but I also see a couple of you who mentioned that you have not yet, built a customer's TriageBot on Day 4, so...

[02:53:58] - [02:54:14]

Shasti: It doesn't matter if you have built it on day 4 or not. What we are going to do today is, first, we will be building this customer support Rage bot again, right? And then, we will be building the lovable interface for the same workflow that you did on day 4 of the program.

[02:54:15] - [02:54:20]

Shasti: How do you do... how do you do this? The help that you need? Everything you have in the workbook?

[02:54:21] - [02:54:27]

Shasti: Step-by-step guide is already there, and you will have the amazing commenters also in the breakout rooms to help you.

[02:54:28] - [02:54:31]

Shasti: If you are lovable says you have no credits, folks.

[02:54:31] - [02:54:56]

Shasti: Lovable, this workbook, if you are sticking to the given prompts and models, this workbook can be done using the free version of Lovable. But if you have already used the free credits of Lovable, please do log in with a different email ID. I'm sure that most of us would

have more than one email ID. We will have an alternate email ID. So try to log in with the alternate email ID that you have, so that you can use the free version of Lovable.

[02:54:56] - [02:54:58]

Shasti: to complete this workbook, because

[02:54:58] - [02:55:08]

Shasti: Credits is not something that we can solve for, right? You will have to try using a different email ID if you have already used the credits in one of your email IDs.

[02:55:08] - [02:55:27]

Shasti: And the API key is also given in the workbook. Again, let's be mindful about how we are using this API key. This will be open till tomorrow, 6pm IST. If you are missing, doing this workbook tonight, try to do... make use of this API key by tomorrow 6 p.m.

[02:55:27] - [02:55:34]

Shasti: IST, post that, you can go ahead, generate your own API key, and get the work done as well.

[02:55:36] - [02:55:41]

Shasti: I hope this is clear. Let me know in the chat if this is clear, or if you want me to repeat anything.

[02:55:45] - [02:55:47]

Shasti: Crystal clear. Great.

[02:55:51] - [02:55:57]

Shasti: Perfect. With that said, I'm gonna stop presenting my screen.

[02:55:59] - [02:56:02]

Shasti: Yes, the API key is for OpenAI.

[02:56:04] - [02:56:05]

Shasti: Perfect.

[02:56:05] - [02:56:09]

Shasti: We will have another 1.5 to 2 hours.

[02:56:09] - [02:56:28]

Shasti: inside the breakout rooms to get this workflow up and running, right? If you are somebody who will get it done quicker, you can go ahead and drop off. You already have

everything that you need. You have the reflection batch. You will also get the breakout room feedback form link in the breakout rooms once you're done with the workbook.

[02:56:28] - [02:56:48]

Shasti: And tomorrow, we are going to have a session on open source models and codecs. So, if you are done and dropping off, you already have the context of what we are going to cover tomorrow. So, with that said, team, we can drop the reflection and workbook link for one last time in the chat, and whenever we are ready, we can get started with the breakout rooms.

[02:57:08] - [02:57:20]

Shasti: The breakout rooms are open, folks. If you have joined from Zoom app, you will receive a pop-up on your screen. If you have joined from Zoom web, kindly, log out and log back in from Zoom app.

[02:57:42] - [02:57:50]

JiteshDugar: Hey, Shasti, my breakout room number, I think it was 4, right? I can see Robert has joined that one. Should I join 5?

[02:57:52] - [02:57:54]

Shasti: One second, this is checking.

[02:57:54] - [02:57:55]

JiteshDugar: Yeah, okay.

[02:58:52] - [02:58:54]

hansika sachdev: It's fifth for Jitesh.

[02:59:43] - [03:00:00]

Shasti: Folks, if you have joined from the Zoom app, you would have already received a pop-up on your screen to join your respective breakout room. Please do, join the loaded breakout room. If you have not seen the pop-up, click on the More option on your screen, and you'll be able to join the respective breakout room.

[03:00:02] - [03:00:11]

Shasti: Helen, if you have joined from Zoom web, unfortunately you cannot join the breakout room, so you have to log out and join back from Zoom desktop app.

[03:00:16] - [03:00:21]

Shasti: The meeting ID is already shared in the chat, let me drop it again.

[03:00:30] - [03:00:40]

Shasti: Helen, I cannot allow to your breakout room because I don't see you as a member here, because you have not joined from the desktop app. Please try to join from the desktop app.

[04:28:12] - [04:28:20]

Shasti: Hey folks, whoever is back here in the main room, if you guys are done with the feedback, and if you're done with the workbook.

[04:28:20] - [04:28:35]

Shasti: go ahead and drop off. We will see you guys tomorrow at 6pm IST if you are planning to join the breakout room, 7.30pm IST for the main session, where we are going to cover open source models and codecs.

[04:45:34] - [04:45:35]

Robert Breen_Outskill: Simple memory.

[04:45:38] - [04:45:50]

Shasti: Okay, everyone, we are back in the main room. How was it, folks? How many of you were able to build your first ever lovable interface and connect your Enn workflow?

[04:45:51] - [04:45:53]

Shasti: Let us know in the chat.

[04:45:57] - [04:45:58]

Shasti: Yes.

[04:45:59] - [04:46:03]

Shasti: It was amazing, excited, really cool.

[04:46:03] - [04:46:05]

Shasti: Good experience.

[04:46:06] - [04:46:09]

Shasti: I also see a couple of you saying that couldn't finish.

[04:46:10] - [04:46:12]

Shasti: Working on last steps...

[04:46:12] - [04:46:22]

Shasti: Great. We, I think, took more than 2 hours in the breakout rooms to get you guys, done with this particular workbook, so if there are

[04:46:23] - [04:46:33]

Shasti: If you guys are still stuck, go ahead and try it on later, put your questions on Asao channel, and a mentor will be able to look into it.

[04:46:33] - [04:46:49]

Shasti: Team, we can drop the reflection link, and also the... yeah, there you go. Sumedha has dropped the reflection link, and also the breakout room feedback form link. Go ahead, generate your batches, and also, drop your feedback on how this

[04:46:49] - [04:46:51]

Shasti: Particular activity was.

[04:46:54] - [04:46:57]

Shasti: Where do you put the questions asked out channel on LMS?

[04:46:59] - [04:47:05]

Shasti: And folks, I see that couple of you are trying to put your content-related questions

[04:47:05] - [04:47:27]

Shasti: to your POCs, or write to us on email. Let me clarify that this has been mentioned on day one of our program, even before we officially started. Anything that you have questions about content, asked out is where you go and put your questions. And there's a dedicated mentor looking into the channel, and he will get back to you in the next 24 hours.

[04:47:28] - [04:47:38]

Shasti: I hope that is clear. Please use the right support channels for the right kind of queries, so that you can also get response within the committed timeline.

[04:47:39] - [04:47:41]

Shasti: I hope this is clear.

[04:47:44] - [04:47:47]

Shasti: Yes, whoever is done, go ahead and drop off.

[04:47:47] - [04:48:10]

Shasti: Tomorrow, we will have a session on open source models, where Dilip is going to be back, and he will cover on local models, how you can set up and use your local models, and also we will do a setup from Codex as well. So go ahead, drop off if you're done, and I'll see you guys tomorrow at 7.30pm for our main session, if you're planning to join the office hours.

[04:48:11] - [04:48:13]

Shasti: We'll connect at 6pm IST.

[04:48:27] - [04:48:44]

Shasti: Folks, again, as I mentioned, if you're facing issues with workbook or content, support at the rateoutskill.com is not the right channel for you guys. This has been communicated enough number of times, I feel. Go ahead and post it on the Asked Out channel that is on LMS.

[04:48:44] - [04:48:56]

Shasti: And it is right there on left-hand side of your screen. You'll be able to see it. Anything that is content-related, workbook-related, put it on the AskTow channel on LMS.

[04:48:56] - [04:49:06]

Shasti: Anything that is logistical, or bonus tools related, or schedule related, anything that is non-content in general, write it to support at Redoutskill.com.

[04:49:06] - [04:49:08]

Shasti: Hope this is clear.

[04:49:13] - [04:49:20]

Shasti: Roohi, feedback noted, we'll check with the respective mentor, and we'll see what can be done over there.

[04:49:24] - [04:49:35]

Shasti: whoever is saying that you have already returned... wrote to support, and you have not gotten the response, please do, drop your email here in the chat, we'll have the team look into it.

[04:49:41] - [04:49:49]

Shasti: How do you publish your form from Lavable? On the top right-hand side of your Lavable screen, you'll have an option to publish.

[04:49:52] - [04:50:05]

Shasti: Great. With that said, thank you so much, everybody, for making it live to your day 8 of the program. Team, we can also make a note of the email IDs that are there in the chat, and have our team looked into it.

[04:50:10] - [04:50:11]

Shasti: Yeah.

[04:50:11] - [04:50:29]

Shasti: With that said, thank you so much, everybody, for joining in today's session. We'll see you guys tomorrow. I hope you get some good amount of rest, and yeah, please do go ahead and post your workflows, anything that you would want to share your gratitude to mentors on the gratitude channel, and we'll be able to take a look.

[04:50:29] - [04:50:31]

Shasti: Thank you so much.