

AIAP C14 Day 8	
Question	Answer
What a great AI generated song	
I am testing fireflies for my n8n workflow. Is it possible to add fireflies to this session?	No, we might not cover fireflies in today's session.
I have made payment and debited for 6 month programme but got reply that its failed	
where can I find chat noted of office hours	
It appeared that the pre-read changed for this session in the last 12 hours?	
office hours are complitd? friday itself	
I missed yesterday's session!!! had a medical emergency!!!	I hope you're doing well now.
Can someone brief what I missed till now pls	Nothing much. We have just gotten started.
Can I engage firework to take meeting notes of this session? If Yes, How?	fireflies? it usually joins meetings in your calendar automatically but you can open it aand paste the meeting link and it will join
I hope workbook in todays session and breakout room is same	Fairly similar.
voice is breaking	
I would love to hear from you about integration, report automation with Power BI?	We may not talk about report automation with Power BI in today's session. However, PowerBI supports Rest APIs and you can push data from various apps to PowerBI using these APIs. n8n can act as a bridge that can push this data.
What is Jev,its going viral?	Its a classification model, basically an AI if statement - it is fast and more predictable for makinng critical software decisions
A messenger between Apps	yes :)
Make two applicatios talk	
how do i start zoom companion once am already in teh call	in the top right theres a purple/blue stars icon
Apps = phones	
so whats the difference between API and MCP?	MCP is a new kind of protocol that allows an AI agent to talk to an application.
what is the difference between an api, a connector and a plugin. seeing this across different apps like chatgpt claude etc.	- An API is the foundation, and everything else is built on top of it. - A connector is one API, packaged so the AI can use it without setup. - A plugin is a bundle, which may contain connectors plus extra behaviour.
Apps = Phones -- API = phone line	yes
Hi trainer, we have been exposed to n8n for these couples of days. Can you guide us through when we face some setting problem in future or what are the resources that we can refer to, especially when we face some errors when we execute it in the n8n and we don't know how to solve it? I mean to really understand what the setting is for, the logic behind, understand the reason behind for every single button that we press.	giving claude the n8n documentation URL is the best way to learn about specific buttons etc
where to use api and MCP?	use an API when the steps are fixed and you decide them. Use MCP when an AI agent should decide what to do
could someone sum up what he just said	he is explaining what APIs are - they are essentially the connection between multiple apps
How do i record this session with fireflies?	fireflies usually joins meetings in your calendar automatically but you can open it and paste the meeting link and it will join
jitesh could you explain API vs MCP in even simpler terms ?	API > allows one app to connect with another app MCP > allows an AI Agent to connect with an app MCP is a newer protocol.
Can you explain further on how to do it? "giving claude the n8n documentation URL" I mean what is n8n documentation URL?	share this url with claude and tell it to use it to inform any answers it gives you: https://docs.n8n.io/
go for another restaurant	
can i upload a existing meeting transcript in fireflies?	yes theres an upload option in the top right
I needed help with understanding if Ai can be connected to erp systems of a company with no api keys being offered. is there a way?	Without support for APIs or MCPs, it's not possible to connect.
but with API keys is that possible , to maybe connect tally @ jitesh ?	Yes, with API Keys also you can let an AI Agent to connect to an app.
In the resources and recordings page I am able to look at the transcripts, is there a way to download them?	
why food receiver to restaurant call is active and restaurant to the food receiver call is passive?	"When I call the restaurant to ask 'Is my food ready?'. I'm active. I start the call and I have to keep checking. That's an API. When the restaurant calls me to say 'Your food is ready!'. I'm passive. I just wait/relax on my couch and get told when it happens. That's a webhook." One-liner: Active means you go and ask; passive means they come and tell you.
What is the zoom link for this webinar? I am not able to invite my fireflies to this session	Webinar ID: 890 4885 9938
When does Webhook push the info? Is that scheduled?	In case of a webhook, it's not scheduled. The second party, in this example, a restaurant, decides when to push the info.
100	
100	
oh! thank you so much, that's clear my worries a lot. Do you have any good recommendation on learning n8n in youtube channel?	
https://support.apple.com/sy-se/102527?cid=mc-pls-rosetta-article_102527-macos_finder-52526201	
I do not understand why the restaurant calls me when they do not know i want a pizza????	This is assuming that you've already placed an order, and now the restaurant already knows that you need a pizza, and that's when it calls you when the pizza is ready.
How is cURL different from Webhook and API?	CURL is just a way for us to represent an API. You can consider it like documentation for an API.
does the zoom chat stored somewhere as I missed couple of sessions due to medical emergency	
Is the web a webbook also an API?	A webhook is part of the API family, but it works in the opposite direction. API = you ask. Webhook = they tell you. The other app calls your URL the moment something happens: "New order just came in!" You don't have to keep asking.
n8n	
backend - node.js	
base 44	
When do you need an API and when do you need webhook to connect the front end to the back end?	APIs and Webhooks are the part of the same family, just in different directions. If Frontend calls an API to a backend -> this means for the backend it's a Webhook Consider API as a Sender and Webhook as Receiver.

@jiesh?	
trigger	
If you make a workflow, you need to choose one of them, I believe. And how do you make the decision? Is it dependent on the availability of API?	a workflow can use both, its dependant on the task you want to perform, the flow of data and what the api allows
Logic please	
what is method? and use of it?	Method is used mostly with APIs or webhooks. Method are usually 4 types - GET - to get information POST - to send information PUT - to update information DELETE - to delete information
To be super clear, is a webhook the connector between the frontend and the backend?	APIs and Webhooks are the part of the same family, just in different directions. If Frontend calls an API to a backend -> this means for the backend it's a Webhook Consider API as a Sender and Webhook as as Receiver.
What is URL authorization method? what are Get and Post methods of?	URL: The address where the request goes, e.g. https://api.zoho.com/leads. Method: The action you want at that address (GET = show me, POST = add this). Authorization: Your ID card that proves you're allowed to do it, e.g. an API key or login token.
Jitesh, you can ignore this question. You already answered Yemima.	
Is the same API used for getting and posting?	yes generally
Jitesh Dugar you answers are prompt and amazing. Kudoos. Appreciate	
get	
100	
So method is basically TYPES OF Webhook?	Method is the way of using the Webhook. If a webhook is used to send information - then POST If the webhook is used to get information - then GET Imagine, if you use Google Search to get a cricket/football score- it's GET If you use Gmail to send an email, then it's POST Just activating the webhook.
what makes webhook capable of receiving information ?	In the context of n8n, publishing the workflow, makes the webhook to receive information.
Do you have any list of the best models to host locally for general-purpose use cases and coding purposes?	Qwen is a really good option.
Why are we NOT using API in this scenario?	APIs and Webhooks are almost the same, just in different direction. If frontend is sending form filled data into a backend, then - for frontend - it's API - for backend - it's Webhook (because not doing anything, just waiting for frontend to send information, then it wakes up)
Whats the difference between a webhook and an API	APIs and Webhooks are almost the same, just in different direction. If frontend is sending form filled data into a backend, then - for frontend - it's API - for backend - it's Webhook (because not doing anything, just waiting for frontend to send information, then it wakes up)
Are n8n triggers Webhooks?	Yes, webhook is one of the triggers on n8n.
Shouldn't it be api which sends request frontend to backend instead of webhook	APIs and Webhooks are almost the same, just in different direction. If frontend is sending form filled data into a backend, then - for frontend - it's API - for backend - it's Webhook (because it's not doing anything, just waiting for frontend to send information, then it wakes up)
Is it always the case that front end POSTS regardless of what we are building?	Yes, it's possible to do this too.
How restaurant is calling anonymously?	Not calling anonymously, then know about your order and also your phone number. When your order is ready, it just calls you.
when we post data to an endpoint actively, should we not call the endpoint an API rather than a webhook?	APIs and Webhooks are almost the same, just in different direction. If frontend is sending form filled data into a backend, then - for frontend - it's API - for backend - it's Webhook (because it's not doing anything, just waiting for frontend to send information, then it wakes up)
ya we did tht	
Reply my questions please	
Hi Jitesh, you mentioned that one which receives is a webhook right. Is it possible to have a webhook with the post method so that it sends like it's being discussed now.(I know that get cancelled also be used to send but usually not preferable for sending)	Yes, and most webhooks use POST by default. - The receiver (you) sets up the webhook URL and waits. - The sender (the restaurant) calls that URL with a POST request and puts the details in the body: "Order #123 is ready."
Why the memory of AI Agent is not connected?	In that scenario, the agent did not have to remember the previous message. That's why we are not using a memory.
API	
HOW CAN INTEGRATE THIS ON MY LIVE WEBSITE IF I CREATE AN workflow AGENT in n8n?	Expose your n8n workflow using a webhook trigger, and then connect your website to that webhook trigger.
if someone working on front end they need api to connect to different tools and if working on backend they might need webhook to get some information is it right??	It's the same thing that is API for frontend (party that sends info) and the same thing is webhook for the backend (party that does just sleeps and wakes up the moment frontend sends info)
why not use AI though?Why do we need webhook?	APIs and Webhooks are almost the same, just in different direction. If frontend is sending form filled data into a backend, then - for frontend - it's API - for backend - it's Webhook (because it's not doing anything, just waiting for frontend to send information, then it wakes up)
How does a "submit" which is a POST a webhook?	A "Submit" click is not a webhook by itself. It's just a POST request that triggers the n8n workflow using a "Webhook Trigger"
sorry I mean API	

if we not gonna need chat message then whats gonna trigger the workflow?	Webhook Trigger will trigger the workflow and that will come from the frontend.
for the work flow to happen	
Would this be similar webhook if one n8n flow needs to talk to another flow?	Yes you could do that but n8n already has a dedicated trigger that allows one workflow to trigger another workflow
can we use html for front end	Yes
How does it skip the chat message directly? Is there an override switch in the webhook?	No, it does not switch. We remove the chat message manually to replace that with a webhook trigger.
difference between mcp and webhook?	mcp allows an ai to use tools dynamically and a webhook automatically send data from one system to another when something happens
Why is Robert saying its webhook for frontend when its API?	It's webhook trigger for n8n.
FRONT END + WEBHOOK + BACKEND IS THIS CORRECT	yes.
In the exercise from yesterday for meeting agent, could you please explain why an API rather than webhook was used?	Because the Meeting Agent needs to ask for meeting info only when you want it. When you type "summarise my last meeting," the agent goes to Fireflies and fetches the transcript right then. That's an API: we ask, Fireflies answers A webhook works the other way round. Fireflies would call us every time a meeting ends, whether we asked or not. That's useful for something like "auto-email a summary after every meeting," but not for answering questions on demand. In short: API = we ask when we need it. Webhook = they tell us when something happens. Our agent needed to ask.
Would we ge getting the white pages in LLM under resources too?	Yes, everything will be on the LMS
What are we trying to do here in n8n	We will connect a frontend interface that connects to an n8n workflow.
if we dont use memory does it use less tokens?	Yes, it does use fewer tokens. Because the input token size does not keep piling up with every new message
production	
if someone working on front end they need api to connect to different tools and if working on backend they might need webhook to get some information is it right?? for the work flow to happen right??	
We can duplicate that n8n workflow and create new one to work on right?	Yes, it's possible.
POST	
Jitesh, the scenario is when the first n8n flow calls the second n8n flow, and needs to get a response after the second executes fully	Yes, n8n has a native way to do this. When you call a next n8n workflow from one workflow, the moment the second workflow completes, it sends back the data into the first workflow.
can we connect google forms and then n8n flow	yes sure - you could also just automated a google sheet that the form responses go to
why is there no authentication?	you can switch on authentication in the webhook node or do ip whitelisting and cors
why is a webhook?	Webhook is a Trigger for the n8n workflow. Adding a webhook trigger on n8n gives an address to this workflow. And, the frontend can send information to that workflow address.
For building an enterprise level website and app is vibe coding with replit a good option? given lovable is not that great for backend?	yes replit works, i prefer claude for full control over all code etc
WHY DO WE HAVE THE CHAT MSG THEN ?	we no longer need the chat message as the workflow is being triggered from a frontend.
Why a webhook?	
in claude code I'll have to learn it seprately or its similar to replit/other vibe coding platforms where I basically talk to it? if yes any yt urt you can recomened	it works similar to replit - just a few extra steps like making a github account :)
I want to know what the advantage is of using a webhook instead of the chat trigger that we had. What is the advantage we are gaining between the two?	A Chat Trigger is n8n's ready-made chat window: easy to use, but you can't customise it much, and only people typing in that window can talk to your workflow. Using a Webhook Trigger: any app in the world can call it, anytime (provided you allow it connect)
Claude Code > Replit > Lovable?	Subjective and Arguable. For me -> Claude Code > Replit/Lovable
Asking again, How does webhook skip the chat message directly? Is there an override switch in the webhook?	Our earlier workflow was taking instructions from the chat trigger. Now we are removing that chat trigger and replacing that with a webhook trigger, which means the workflow will now take instructions from the webhook instead of the chat trigger.
does lovable host the form (which we are now building) online so we can fill the form and test it? where is it hosted?	Yes, it's hosted on Lovable Cloud.
thanks	
I assume we could use Claude or ChatGpt to build the form as well, correct?	You could, but they would build it as an artifact (mini app), not a full-blown web app. It may be better to use a Lovable if you intend to build slightly complex web apps.
Robert's prompt is more enhanced than what we have in workbook, can you share his prompt	This will be added on your LMS under the Resources section.
So what is a webhook really?	APIs and Webhooks are almost the same, just in different direction. If frontend is sending form filled data into a backend, then - for frontend - it's API - for backend - it's Webhook (because it's not doing anything, just waiting for frontend to send information, then it wakes up)
How n8n offline version can be used in place of subscribed version	You can refer to this video guide. Setup n8n for free on local computer - https://www.loom.com/share/71398561cfa947b28ee18893345f1959
Jitesh quick one since last 8 day i see n8n is an important tool which have been used almost daily in each session. Hence the way i take it i am going to use it to automate most of my work now. is my thinking in right direction. also, if i get a client can i build a n8n solution and handover to the client. and to achieve this i will self host n8n with \$6 every month. eagerly waiting for your feedback	Hi Subankar, yes, that's right. You can do that, but in some cases, a few clients might prefer to host it on their own setup.
why is the webhook url under a secret configuration? what doe it mean not giving you rphone number to ai? a lil lost	Great question! Your webhook URL is like your phone number. Anyone who has it can call your workflow and send it anything, including spam or fake data. So instead of writing it openly where people (or the AI) can see it, we lock it in the secret config. It still works, but it stays hidden.
diff between test and production urt ?	test is for when you are manually pressing execute workflow, the production urt is for when you want the webhook active and the workflow is published running in the background
Thanks! Didn't realize that	
how does the secret hide the URL from Lovable?	it stores the URL in a secrets vault similar to a password manager
Robert is talking about Phone number that is nothing but a URL and is in the backend right	That's right, we're using "Phone Number" as an analogy for the Webhook URL.

Hello, In your experience what is Claude, GPT and GROK good for and not to use for, bascially when to use which and when not too ?	Claude is best in my opinion for a user doing coding tasks or knowledge work, open ai for any api requests and grok for social media intelligence tasks for its real time access to X as events happen
Thank you!	
I gave our n8n webhook to chatgpt, I didn't know that we shouldn't give it to AI, the company who set it up also didn't tell me. What should I do if I created a n HTML in ChatGPT to create a form, generate a new webhook in n8n? And how do I setup secure config?	It's not a huge issue, but you can still go ahead and generate a new webhook trigger on n8n and use that on the secret config. I do not think ChatGPT HTML will allow you to add a secret config, though.
In the previous work, my workflow fell when I had added the test url. Why?	Because the test URL only works when you manually click on the Execute Step button on n8n. If you do not click that, it will not work.
thx	If you want your webhook URL to work 24/7, just publish the workflow and use a production URL, not a test URL.
while vibe coding an app suppose add a log in for users, and obv there are many. So once a individual makes their account is it through the database the application remembers them or theres something else we gotta do?	Yes, it remembers through the database. OPTIONAL In some cases, you may also decide to add a separate authentication app (like Clerk) that provides users the ability to log in via Google, Microsoft, etc.
SCHEMA	
just like webhook connected to agent in n8n, can we connect to API?	not exactly as a trigger node but as a tool of the ai agent called "Http request" node
It would be helpful for Outskill to explain why we are building with AI tools rather than just using plugins to build via a website? Is it coding? Pricing? It would be helpful to have this comparison. I can certainly ask Claude but I'd like a good explanation from Outskill. Perhaps you already have something written on this	Building with plugins is quite easy, but it also depends on what the plugin supports. That's where building with AI tools helps a lot and gives you a ton of flexibility, and you're not limited due to plugin's abilities.
ok, that means API used as agent tool only, right?	That's correct.
How to make the Field compulsory to be filled up?	You can prompt on Lovable and ask it to make it mandatory.
can you share with me how did we get the URL from?	When you add a webhook trigger on n8n, it automatically gives you a URL.
HOW CAN YOU ELIVER THT TO THE CUSTOMER	Yes, it can be.
would we be using the workflow we build earlier for today workbook.	Yes Pakhi, that's correct.
Request to please confirm.thanks	
which part of the setting that keeping URL from AI?	Sorry. Didn't quite understand your question. Could you resend your full question?
How are we connecting webhook to feedback form?	we put the url in lovable and told it to send form data to the webhook url N8n webhook is a trigger. HTTP request is an action.
What is the diff between n8n webhook vs http request... i can also handle the whole setup using http request right?	Adding the webhook trigger gives your workflow an address that any system can call to trigger the workflow.
If I want a passkey for getting correct/ true phone numbers how it is to be done ?	OTP? you will need an sms provider like twilio to send the codes
I would not have that. Please advise	Do not worry, we will give you instructions on how to import the old workflow.
are the Qs being asked here available in resources to read later ?	Yes
Many thanks :)	
Will the free version stop working if we receive more than a certain threshold of form inputs?	In general, it will not stop working. It will continue to work. However, if your volume reaches a very heavy threshold, maybe Lovable could stop it on the free version.
If we publish and share URL for each submission of form are the n8n credits are used from our account?	Yes, it will consume one workflow credit every time someone submits a form.
Thanks ; interesting set of Qs here....	
can we change the url to our own ?	The URL is a mix of your n8n domain followed by a text. You can only change the part after the n8n domain.
What if I already shared a webhook to ChatGPT? Is it unsafe?	It's usually a better practice not to share it with ChatGPT, but if you've already done it, you can change the webhook URL by going into n8n.
is their a timer for a webhook URL (in secrets). I remember APIs have them once generated (1 day - 30 days)?	Not really. As long as your workflow remains published, your webhook URL will always remain active 24/7.
i dont want to show it is n8n db...	
CAN WE SET A DEFAULT SETTITNG ON LOVEABLE OR ANY VIBE CODE : SETTING, SECRET URL	no, there is no global setting for this unless you implement a firewall
Can you define the name of the webhook URL at the beginning (testing step) so that we can remember it when we need to change it to the production URL?	Is your question to understand - what's the difference between a test URL and a production URL? If that's what I understood correctly, putting my answer below Test URL only works when you manually click on Execute Step. It does not work 24/7. To make sure your webhook URL works 24/7, you need to publish your workflow, and then the production URL works.
If I use Docker and design in n8n under Docker (local), publish URL and share the URL, keep my system on/running, can users still submit to avoid credits usage?	Yes, Mahesh, that's correct.
ok so APIs being shared means tokens at risk. Webhook being shared = DOS attack risk? Anything else?	Yes, that is 100% correct.
in lovable when should it be webhook and when it should be API?	For Lovable, it's technically an API, but you can decide to call it a webhook URL. Also, it interprets it correctly.
Does ChatGPT also have "Cloud>Secret" settings to setup a safe webhook link?	No. ChatGPT directly does not have a cloud secret option
how to get excel data into Lovable ?	You can just upload the Excel on the Lovable prompt interface and ask it to interpret that on the frontend on Lovable. It will do that.
why did sent messages show as read	Which message do you mean? Could you send your full question?
database call is API ?	Yes, that's correct.
What does a LLM do in this system on n8n?	The LLM just classifies the customer feedback on whether it is a complaint, bug, good feedback, etc., and stores it correctly onto the Google Sheet.
Is that variable created by lovable when we try to link to automation tool ? Is there a way to create the variable first and implement it to the automation to avoid confusion. If not what is the best bookkeeping method developers follow for the integration.	By this variable, do you mean the variable that was used on the secret config? If yes, you can create that secret config variable first and then ask lovable to use that same secret config variable.
can you repeat	
how can we host the front end under our own domain name?	Lovable allows you to connect your own custom domain, but that's on the paid plan only.
The source is in lovable. and ha Lovable URL, how this can be customized or published to custom URL	There are two ways: 1. If you decide to use Lovable Cloud itself, you can connect Lovable with your own custom domain. It's on the paid plan. 2. The second option is to download the code and host it on any other service that allows you to connect a custom domain.

after deployment dont we need the servers for hosting and all?	For Lovable, you don't need a separate server. You can host it on Lovable Cloud directly.
What did RObert do to hide the URL from Lovable?	We added that on Lovable secret config. It's a special kind of a vault that allows you to store all the secret information.
what's the different between "respond" and "respond with webhook" in the webhook setting?	Respond sends a normal http response, respond with webhook sends the response through another webhook, typically to communiatr with another service.
is respond to lovable is not thr' API?	Didn't understand this question. Could you send your full question?
For example - in a campaign landing page. if we use this on our wordpress site and for eg: \$100 Book now then can the page show thank you page to make the completion of the transaction. other than just saying thankyou in the form section.	Yes it can - just need to prompt
How do we know when to use chat, MCP and Webhook?	A human chats → Chat An app sends → Webhook An AI uses it as a tool → MCP
Isn't he adding a second email to be sent by doing the N Send a webhook? Didn't the Gmail node under AI Agent send an email?	No, we are trying to show the response from the AI agent back on the Lovable website.
thx	
in the session, the sent email was showing as already read although Bob had not seen it. is this because n8n read it?	Not really. Even if n8n reads it, it will not update that. Maybe he would have clicked on email and we missed it.
Why do we want to send this back to Lovable and not to the person who submitted the form?	Valid question. You can send it on the email that we are already doing, but Robert is covering another use case where you can show the response back on the website itself.
	This is a demo for a two-way webhook.
why we are not using auth in webhook ?	It's an optional step. We have skipped it, and to ensure that the webhook is not misused, we have added the webhook URL under secret config.
how do we "publish" the front end from lovable? ie. how does the world know where the site is?	There is a publish button on Lovable for this. It's towards the top-right corner.
can production link work without publish	No, production URL only works when you publish the workflow.
Thank you	
If there is a failure on the n8n side or the google sheet side, is it a good user experience where they don't get any confirmation since the form is waiting for a response?	Valid point. We may have to add some error handling to ensure that, in case of an error, we always get some response on the frontend.
How would the Respond to Webhook node know what response needs to be sent back to the frontend?	You can double-click on the Respond to Webhook node, and you can customize what information to send back on the frontend.
can this be done using whatsapp and whatsforms, Instead of lovable	Yes, you can do with WhatsApp if you use WhatsApp Business API. If Whatsform supports calling an API/Webhook, then it can be connected too.
	It depends on where your website is.
How can we add this form to our existing website, not on the Lovable website? We have a different website. How can we add this form to that website?	Let's say, if you decide to use WordPress, you can add a form on your WordPress website and integrate that form with a webhook URL. Most WordPress forms already have this feature. If your website is custom-built, then you'll have to either speak to your developer or your coding agent and ask it to integrate the form with a webhook URL.
100	
Can a webhook be configured to respond with a custom JSON structure?	Yes, Anish, this functionality is available. You can double-click on the Respond to Webhook node, and you can decide to send a JSON structure.
i am unable to see the chat	Yes, the chat has been set to be visible to the host and panelists only. This is to ensure that our learners are not distracted.
Robert mentioned "this is the url" for lovable. What does it mean? Do you copy and use it in our website or webapp or mobile app?	This was the web page that Robert built, but if you want to host it on your own website, you have to follow a similar process. On your website, you have to ask a coding agent to build a form, just like how you asked it to build it on Lovable.
How to customize the webhook response?	You can double-click on the Respond to Webhook node (the last one) and decide to send whatever you want to respond with.
how can we make this website public	Lovable has a button on the top-right corner to publish the website.
Can we remove Open AI Chat Model 3 from the workflow? Looks like it is not needed.	No, we still need an OpenAI chat model on the workflow.
How webhook communicate with lovable	lovable can communicate with a webhook by sending an http request to the webhook url when something happens... like a user submits a form. example... lovable form submitted → sends json data to n8n webhook → n8n processes it → saves to crm/database or triggers another action. think of webhook = a doorbell... lovable presses it and sends the information along with it.
am unable to see the chat conversations	It's visible only to the host and panelists. This is to ensure that our learners are not distracted.
can we put the app in playstore/appstore	You can build an app for the appstore but there are requirements in terms of what language the app is written in and you have to apply for app store approval.
How can I add a burner and sens a lovable/claude code built website to someone. who can access the entire website but only for 30 min?	you will need to build authentication and prompt the platform to do time limits
how to do this using a google forms? what changes would we need to make; like he sued a secret config on custom form; what is a workaround on google form	If you are doing this using Google Forms, you can first directly have a Google Form integrated with a Google Sheet, and on n8n, you can add "Google Sheet new row added" as a trigger for the workflow.
is The Responder Webhook necessary ?? if yes then how can we customize the response on lovable, instead of giving a lengthy response as Robert showed, cant we make it shorter more precise?	No, it's not necessary. It's an optional step. It was just a demo where Robert showed you how you can implement two-way webhooks where n8n not only gets the data but also processes the data and sends back the data on the frontend.
can we reach out to the form right now , is it live	Yes, it's live.
do we need a respond webhook for voice agent too?	Yes, you will need that for a voice agent.
Cursor is front end, n8n save data since its backend , which database N8n uses and what is limit ? how to get inform from database in report format? like if i want one week feedback in excel ?	n8n normally uses sqlite by default for self-hosted setups, or postgresql for more serious/production setups... the practical limit depends on your database/server, not n8n itself. for your example... n8n can query the last 7 days of feedback from the database, format it into rows, then automatically create an excel/csv report and email or save it every week.
lovable	
100 mins	
Could we have changed this to a web socket?	Yes, but on n8n, there's no WebSocket. You use the webhook itself, and to enable it, you use "Respond to Webhook."
got it thanks	
What is it helping with?	Could you share your full question?
Are we not covering Github today?	Yes, we will cover it after the break.

higher value in the sense ? @jtesh	GitHub is meant to store code, so it's better to store code on GitHub rather than trying to store other things.
Should we not store n8n config as well (exported json/settings/etc), so that it stays in sync with lovable version?	Yes it's possible to store the exported JSON but we cannot store or sync the n8n settings. n8n does not give us a way to have access to that on the cloud version
what is gitlab?	It is a GitHub alternative. But GitHub is much more popular than GitLab.
Why are we calling the front end that we are doing today as an App? in my mind, it is just a form. Feels overly complicated for a simple form. I understand your showing the concept of webhook.	Yes, Kausik, your concern is valid. However, we wanted to just showcase during this session how an app can connect to an n8n workflow, and we used a simple form example to help our learners understand. You can, of course, extend it beyond just a simple form.
First we have to do a frontend in Lovable and GitHub is usually for keeping the code not anything else.	It is meant to store code, yes.
Can you not open your code in n8n and save it to Github?	No, we cannot directly open the code on n8n, but we can download our workflow JSON from n8n and store that on GitHub.
Can I store for free or I have to take subscription?	GitHub is free.
as we understand - Front end will be store in GitHub, we will have DB like prograss or mongo. how to store n8n workflow since its also code for project	If you are using n8n Cloud, you cannot take a backup on GitHub. Also, DB cannot be stored on GitHub. You typically store the code only on GitHub.
did u just paste it after getting the code from git	
who is publishing this - what if someones makes somehtgb wrong	If someone makes something wrong, it is possible to revert the changes
how are updates pushed into gihub	We will learn this shortly
How did he get the lovable code into GitHub?	We haven't uploaded that to GitHub yet. This will be showcased shortly
sk-proj- ZGc6n7VE381HDHgk40041BESLlFMV5J-TW4aFLC5Eiux900iV23bhxKLrof481_WQZrRpzi5t13BibbKFJisTRO_V3bkmZ6fK8smHSxcduJ22DBw0xbQnax-NFBHJux9CaFiUHerBy3l1BuKcxr51owPUHCoA	
if we sell the app as a one time pacakge.. how do we hide the lovable folder name..?	You can just ask Lovable to rename the folders
how do you take public shared code from GitHub and apply it on say n8n - and how do you differentiate lovable code vs n8n code when you look at someones shared/public code	In our example, it would be best to host Lovable code on GitHub. We don't have access to our workflow code on n8n as such, but we can still download the workflow JSON and store it on GitHub as a backup.
Branching then PR then merge with main	1. Branch 2. Commit 3. PR 4. Merge with main
Why does it want it be in GitHub?	GitHub allows us to take a backup of our code and also collaborate between multiple users who might be working on the same code. It also allows for versioning and rollback
What stops one persons changes and another persons changes, once pulled back into the main branch causing a conflict with one another that causes the master to break?	At the time of merging the pull request, if there is any conflict (possibly if two people have made changes on the same line of code), it will show a merge conflict to the reviewer. The reviewer has to manually decide which version is correct.
How did Robert use Claude to produce the graphic with steps?	You can prompt on Claude and ask it to create an artifact.
what does it mean when someone says "open" a pull request? I have seen that phrase a lot	This means the person who was making some changes to the code is saying that I am done with my version of the changes, and I want to make it a part of the live website or the app. That's what opening a pull request means.
But whose changes are considered as master because different people might make different edits to same line of code on github	Valid question. In a rare situation where multiple people are making changes to the same line of code, there might be a merge conflict. Someone has to manually look at the merge conflict and identify which version is correct. The reviewer at the time of merging the pull request takes care of this step.
Why do they branch out?	There is a process on GitHub that allows us to create a branch.
How do we know that one's change doesn't break the other.	We should test the code thoroughly and then create a pull request. Then the team leader should also review that before merging the code. This ensures that it does not break other changes.
How is a branch different from a "fork"?	A branch is a new copy inside the same project. A fork is your own copy of someone else's whole project.
Every developer take his application make changes on git and post it back or they 1st download ?	
What if Jim makes 3 changes and makes a pull request and then Jack makes 4 changes that overlap 2 changes which Jim made and then makes a pull request. How would it be possible to track these changes and wouldn't each pull request make sweeping changes?	
is PULL request something like editing the existing workflow? or a document?	
do the team members make changes on different parts of the app or the same part. and if it's on the same part of the app, how does it get merged?	
What if I branched a code and working on that, meanwhile someone updated code and this committed code by some colleague is better for my ongoing changes. How to handle such situation.	
How to create pre-prod environment to test changes before merging into the main code?	
What if there are interdependent changes - how does that get resolved. ie. person B is working on something that depends person A is working on and A changes part of the code. how is that dealt with?	In this situation, it would be best if both Person A and Person B work on the same branch. Person A makes his or her changes first, then hands it over to Person B, who will make his or her changes, and then they create a pull request.
So once you do a pull request, it needs to be approved to be merged?	Yes
How is pull request different from merging the final code?	A pull request is like a proposal to combine code from one branch into another while merging is the final action that actually combines that code
when working in teams like this with team members, team lead (who then probably reports to a project manager or middle management etc) -- is this approval flow defined in Github?	No, this kind of an approval flow is not defined within GitHub.
Why is he missing step 6 and ??	
Company uses their own Github repo. Team Leader restrict the team member copying the code into his personal GitHub. Can Team member still bypass and download the code?	Yes. If a person can read the code, they can technically copy it. GitHub settings can block the easy routes, but not all of them.
What is a branch?	Branch is creating a copy of the code so that you can start making changes on it without affecting the main code's changes.
Can we create a branch in Git and move code from lovable into that specific branch?	Yes, lovable has a built in git sync integration
Is the word "dark mode" industry standard nomenclature?	It's a widely accepted nomenclature.
Does final approval come from the whole team, or does only the team leader sign off?	Typically, in most cases, there's usually just one approver.
i dont get it, if multiple branches are merged wouldnt the webiste be crumbled what is merging post pull test?	Before merging the branch, GitHub also has a mechanism that identifies if there's any conflict and tells the person who's merging the pull request.
so do we copy paste the code from github in lovable and add a branch and then add a branch? because if its someone elses application we wont have it in our lovable/vibing platform	
so whats the point of branches and merging anyway @jtesh ?	
is it called merge request in stead of pull request ?	
Okay let's say we made a dark mode as a branch. Now we have to make another version of it. We didn't find this good so do we need to make a branch of a branch or 'main' with the branch?	
does lovable create mobile apps as well? is there something for that?	
darkmode is also used for going live with limited users before going live for entire organization	
Is there a way to branch the code and also provide detailed description of what changes were made so that it becomes easy for the team to keep a track of all the changes made?	

What if same team members making the changes at the same functionality?ex: you have made dark mode and other guy mage into light mode, and they both PR what will happen	
Jitesh, If I have the json and a credentials export from n8n, can I not keep it in sync with lovable export as well - in github? This goes back to the question I had on Ask Doubts on LMS, about multiple teams developing (larger org/diff responsibilities)	You cannot export credentials from n8n. To ensure that multiple team members can sync, it is better for multiple team members to use the same n8n account.
Instead of Pull from Github, can't we do Push from Lovable?	Yes, it's technically pushed from Lovable itself, and that's already handled. Lovable automatically pushes things to GitHub.
I got it	
Why is he having it on GitHub?	
follow up question on the approval flow, if not defined in github, then where, project management app? and how to prevent unapproved pulls in github in accordance with an approval flow which is defined and run elsewhere?	
1000	
Does the github page for the team leader and team members look different? I suppose the team leader is the only one who has access to approve the merging at the end, right?	
will the feedback form have both the modes?	
Is there access control then? i.e. only specific folks (e.g. team leader) can approve, others can do pull requests, code changes etc?	
But what happens to the code? Does it just sit in github?	Yes, the code is on GitHub itself.
Are mobile apps built in a similar way?	
Okay now let's say the dark mode is done but something didn't work. Do we cancel that version or is there something else ?	
great	
JITESHJL.. ARE YOU PART OF THE WORKBOOK SESSION? IY YES.. PLZ SHARE THE CHECKLIST YOU MAKE FOR THE WORKBOOK FOR TODAYS WRKBOOK	
9 steps for changes on whiteboard is typo or missed step6 and step??	
Basically, Robert simply explained to us about how GitHub functions.	
When using Lovable, we do not have to manually approve or pull from branches, am I right?	
kindlu upload the work book here too	
So a local n8n installation with Docker would allow sync with Github, am I correct?	
github is free? is it chargeable?	Yes, it is free to use for regular users. Only for companies, they charge a fee.
canw edo it at end	
do it at end	
n8n workflows aren't showing an active push to GitHub	
What will happen tomorrow? It does not appear in the schedule. But I know it is a buildathon. No live scall for next 2 days?	
Regardless, we should have both lovable and n8n artifacts in sync sothat they work together, without version conflicts?	
Can we integrate n8n with GitHub? If so how?	
oh okay.. thanks	
so can i please check if the updates and the file we upload to github is it kept private or public like the n8n ? please update and how do we give permission to our teammate this would be helpful for working in hackathon.	
could someone tell me what we're doing here	
we didn't try multiple users updating same file in Github as it would be the case in hackathon	
the day 1 was missed by me , what can i do now ?	
When working with agents does the agent create the pull request or do we do that as the human in the liiop? Or both?	An agent does have a way to create a pull request. You can ask a coding agent to create a pull request, and it can do that for you.
nrs.vcare@gmail.com My skillgraph link not working since 1st day	
I don't want the agent to send messages unsupervised, without my approval. How can I deploy a Gmail draft tool, ask for my approval and send only upon approval? Or at least notify me of the draft, so that I read and send or reject?	
is there a timer?	
Deploy the draft tool is easy, what about the notification and management of the draft queue?	