

Dynamic Programming: The Rod Cutting Problem

Version of November 5, 2014



- Dynamic Programming (DP) bears similarities to Divide and Conquer (D&C)
 - Both partition a problem into smaller subproblems and build solution of larger problems from solutions of smaller problems.
 - In D&C, work top-down. Know exact smaller problems that need to be solved to solve larger problem.
 - In D, (usually) work bottom-up. Solve *all* smaller size problems and build larger problem solutions from them.
 - In DP, many large subproblems reuse solution to same smaller problem.
 - DP often used for [optimization problems](#)
 - Problems have many solutions; we want the *best* one
- Main idea of DP
 - 1 Analyze the structure of an optimal solution
 - 2 Recursively define the value of an optimal solution
 - 3 Compute the value of an optimal solution (usually bottom-up)

Rod Cutting

- **Input:** We are given a rod of length n and a table of prices p_i for $i = 1, \dots, n$; p_i is the price of a rod of length i .
- **Goal:** to determine the maximum revenue r_n , obtainable by cutting up the rod and selling the pieces
- **Example:** $n = 4$ and $p_1 = 1, p_2 = 5, p_3 = 8, p_4 = 9$
 - If we do not cut the rod, we can earn $p_4 = 9$
 - If we cut it into 4 pieces of length 1, we earn $4 \cdot p_1 = 4$
 - If we cut it into 2 pieces of length 1 & a piece of length 2, we earn $2 \cdot p_1 + p_2 = 9$
 - If we cut it into 2 pieces of length 2, we can earn $2 \cdot p_2 = 10$
 - There are more options, but the maximum revenue is 10
- In general, rod of length n can be cut in 2^{n-1} different ways, since we can choose cutting, or not cutting, at all distances i ($1 \leq i \leq n - 1$) from the left end

Optimal Solution

- We can calculate the maximum revenue r_n in terms of optimal revenues for shorter rods

$$r_n = \max(p_n, r_1 + r_{n-1}, r_2 + r_{n-2}, \dots, r_{n-1} + r_1)$$

- p_n if we do not cut at all
 - $r_1 + r_{n-1}$ if we take the sum of optimal revenues for 1 and $n-1$
 - $r_2 + r_{n-2}$ if we take the sum of optimal revenues for 2 and $n-2$
 - ...
- Another approach. Set $r_0 = 0$ and

$$r_n = \max_{1 \leq i \leq n} (p_i + r_{n-i})$$

- Cut a piece of length i , with remainder of length $n-i$
- Only the remainder, and not the first piece, may be further divided

Recursive Top-down Implementation

Cut-Rod(p, n)

```
if  $n = 0$  then
  | return 0;
end
 $q = -\infty$ ;
for  $i = 1$  to  $n$  do
  |  $q = \max(q, p[i] + \text{Cut-Rod}(p, n - i))$ ;
end
return  $q$ ;
```

Algorithm Time


- $T(n)$: the total number of calls made to Cut-Rod when called with rod length n

$$T(n) = \begin{cases} 1 + \sum_{0 \leq j \leq n-1} T(j), & \text{if } n > 0, \\ 1, & \text{if } n = 0. \end{cases}$$

- Induction $\Rightarrow T(n) = 2^n$

Explanation of Exponential Cost

- Algorithm calls same subproblem many times



- After solving a *subproblem*, store the solution
 - Next time you encounter same subproblem, lookup the solution, instead of solving it again
 - Uses **space** to save **time**
- Two main methodologies: top-down and bottom-up
 - Corresponding algorithms have the same asymptotic cost, but bottom-up is usually faster in practice
- Main idea of bottom-up DP
 - Don't wait until subproblem is encountered.
 - Sort the subproblems by size; solve smallest subproblems first
 - Combine solutions of small subproblems to solve larger ones

DP Solution for Rod Cutting

- p_i are the problem inputs.
- r_i is max profit from cutting rod of length i .
- Goal is to calculate r_n
- r_i defined by
 - $r_1 = 1$ and $r_n = \max_{1 \leq i \leq n} (p_i + r_{n-i})$
- Iteratively fill in r_i table by calculating r_1, r_2, r_3, \dots
- r_n is final solution

i	1	2	3	4	n
r _i	p ₁				

Bottom-Up-Cut-Rod(p, n)

```
r[0] = 0; // Array r[0...n] stores the computed optimal values
for j = 1 to n do
    // Consider problems in increasing order of size
    q = -∞;
    for i = 1 to j do
        // To solve a problem of size j, we need to consider all
        // decompositions into i and j - i
        q = max(q, p[i] + r[j - i]);
    end
    r[j] = q;
end
return r[n];
```

- Cost: $O(n^2)$
 - The outer loop computes $r[1], r[2], \dots, r[n]$ in this order
 - To compute $r[j]$, the inner loop uses all values $r[0], r[1], \dots, r[j-1]$ (i.e., $r[j-i]$ for $1 \leq i \leq j$)

Outputting the Cutting

- Algorithm only *computes* r_i . It does not output the cutting.
- Easy fix
 - When calculating $r_j = \max_{1 \leq i \leq j} (p_i + r_{j-i})$
store value of i that achieved this max in new array $s[j]$.
 - This j is the size of last piece in the optimal cutting.
- After algorithm is finished, can reconstruct optimal cutting by unrolling the s_j .

Extended Implementation to Output the Decomposition

Extended-Bottom-Up-Cut-Rod(p, n)

```
// Array s[0...n] stores the optimal size of the first piece to
// cut off
r[0] = 0; // Array r[0...n] stores the computed optimal values
for j = 1 to n do
    q = -∞;
    for i = 1 to j do
        // Solve problem of size j
        if q < p[i] + r[j - i] then
            q = p[i] + r[j - i];
            s[j] = i; // Store the size of the first piece
        end
    end
    r[j] = q;
end
while n > 0 do
    // Print sizes of pieces
    Print s[n];
    n = n - s[n];
end
```