



ORL.odt



!

Kaum mit der lecture zu beantworten

!

1. The nasal cavity has 4 walls :

- a. Inferior (palates), medial (septum), superior (concha and meatuses), lateral (floor)
- b. Inferior (floor), medial (concha and meatuses), lateral (palates), superior (septum)
- c. Inferior (floor), superior (palates), medial (septum), lateral (concha and meatus)
- d. Inferior (septum), superior (palates), medial (floor), lateral (concha and meatus)
- e. Inferior (concha and meatus), superior (palates), medial (septum), lateral (concha and meatus)

2.

Keine Antwort macht so Sinn!

2. The supraglottic portion does not contain :

- a. Vestibule of larynx
- b. Ventricular folds
- c. Vocal cords
- d. Arytneoid cartilages
- e. Aryepiglottic folds

3. Maxillary sinus :

- a. Drains in the middle nasal meatus
- b. Is not the biggest sinus
- c. It's exploratory or therapeutic puncturing is done through the middle nasal meatus
- d. Drains in the inferior nasal meatus
- e. Drains in the superior nasal meatus

4. The adenoid facies is characterized by the following with the exception of :

- a. Open mouth
- b. Small nose "underdeveloped thin nostrils"
- c. Congested face with lost gaze (?)
- d. Retracted superior lip
- e. Immobile inferior lip

→ paralyse?

5. The precise diagnosis of malignant rhinopharyngeal tumor is done through :

- a. Anamnesis
- b. Cervical echography
- c. Pulmonary radiography
- d. ECG
- e. Rhinopharyngeal biopsy

6. The collection of blood between the perichondrium and the nasal septum is known as :

- a. Septal hematoma
- b. Sinus hematoma
- c. Luxation of the nasal pyramid
- d. Fractures of the nasal pyramid

e. Hemangioma

7. The following are local causes of epistaxis with the exception of :

- a. Trauma of the nasal pyramid ✓
- b. Acute or chronic rhinitis ✓
- c. Nasal septum bleeding polyps ✓
- ~~x~~ Rhinophyma sebaceous glands
- e. Malignant paranasal sinuses tumors ✓

8. Acute adenoiditis is an acute inflammation of the : nasopharyngeal tonsil

- a. Lingual tonsil x
- b. Palatine tonsil x
- ~~x~~ Luschka's tonsil → lingual tonsil (Luschka!)
- d. Gerlach tonsil = Tubal tonsil → Ohr
- e. Oropharyngeal tonsil x

9. The elective treatment for cholesteatoma is :

- ~~x~~ Surgical
- b. Antibiotherapy
- c. Radiotherapy
- d. Chemotherapy
- e. Physiotherapy

10. The larynx :

- a. Is a fibro-muscular cartilaginous organ
- b. Divided into 3 portions : supraglottic, glottic and subglottic
- c. Is continuous with the trachea
- d. Is formed of an elastic cartilage : epiglottis
- ~~x~~ All of the above

11. Which of the following chronic laryngitis is specific (?) :

- a. Catarrhal
- b. White hypertrophy (?) } non-specific
- ~~x~~ Syphilis
- ~~x~~ Atrophic
- e. Red hypertrophy (?) non-specific

12. The following are true about laryngeal TB with the exception of :

- a. Is secondary to pulmonary TB ✓
- b. The dissemination of Koch Bacillus is done through the tracheobronchial sputum or through the hematogenous route ✓
- c. The predisposing age is after 60 ✓

d. The treatment is specific and performed by a specialist (?) ✓

~~x~~ The predisposing age is between 20-40

13. The main clinical symptom of otosclerosis is :

a. Perception hypoacusia

b. Vertigo

c. Tinnitus

~~x~~ Transmission hypoacusia *conductive hearing loss bilateral*

e. Sensation of auricular pressure

14. One of the following is not a cause of acquired deafness :

a. Treatment with Quinines

~~x~~ Anemia

c. Meningitis

d. Mumps (epidemic parotitis)

e. Treatment with Kanamycin

15. In sudden deafness the tympanic membrane is :

~~x~~ Perforated with purulent secretions

b. Congested

c. Normal

d. With vesicles

e. Bulging

16. The larynx is formed of :

~~x~~ Thyroid cartilage

~~x~~ Cricoid cartilage

~~x~~ Arytenoid cartilages

~~x~~ Epiglottis

e. Palatine tonsils

17. The larynx has the following parts :

~~x~~ Glottic

b. Lateral

~~x~~ Supraglottic

d. Posterior

~~x~~ Subglottic

18. The superior wall of the nasal cavity is formed of :

~~x~~ Nasal bone

~~x~~ Frontal bone

~~x~~ Ethmoidal bone

- d. Temporal bone
- ~~x~~ Sphenoid bone

19. The **anatomy-clinical** forms of epistaxis are :

- a. **Anterior**
- b. **Hypertensive**
- c. **Diabetic**
- d. **Posterior**
- e. Unilateral

20. 2 of the following are malignant oropharyngeal tumors

- ~~x~~ Palatine tonsils cancer
- ~~x~~ Cancer of the uvula
- c. Nasopharyngeal angiofibroma - } non
- d. Rhinopharyngeal tumor -
- e. Pharyngeal lipoma - } benign

21. Palatine tonsil cancer :

- a. Most frequent tumor of the pharynx (unilateral) ~ squamous cell carcinoma
- ~~x~~ Is seen through the pharyngoscopy
- ~~x~~ Diagnosis is done through the histopathological examination
- d. Immunotherapy is the treatment of choice - } surgery
- e. Represent a hypopharyngeal cancer -

22.

23. The buccal cavity is delimited :

- ~~x~~ Anterior by the lips
- ~~x~~ Posterior by the soft palate
- c. Inferior by the hard palate and the palatine bone }
- d. Superior by the buccal floor -
- e. None of the above -

24. The adenoid :

- a. Situated in the hypopharynx - } die tonsillen
- ~~x~~ Is known as "Luscka's tonsil"
- ~~x~~ Situated on the superior and posterior wall of the nasopharynx
- ~~x~~ Is formed of lymphoid tissue
- e. Block the pyriform sinus - } hypopharynx

ist richtig,
aber gibt nicht
diagnose

25. Which of the following will give a positive diagnosis of laryngeal TB :

- ☐ a. Febrile state, subfebrile
- ☒ b. PPD *a purified protein derivative (Tuberculin skin test)*
- ☐ c. Oropharyngoscopy
- ☐ d. Anterior rhinoscopy
- ☒ e. Bacteriologic examination of the sputum

26. Symptoms of tonsil cancer includes :

- ☒ a. Odynophagia
- ☒ b. Dysphagia
- ☒ c. Weight loss
- ☐ d. Repeated epistaxis
- ☐ e. Progressive nasal obstruction

27.

28-38 are missing

39. Which of the following represents general causes of epistaxis :

- ☒ a. Arterial hypertension
- ☐ b. Chronic or acute rhinitis *→ local und nicht general*
- ☒ c. Hematological diseases
- ☒ d. Acute infectious diseases
- ☐ e. ??

40. The **anatomy-clinical** forms of epistaxis depending on the location of the bleeding are the following :

- ☐ a. Lateral
- ☒ b. Anterior
- ☒ c. Secondary
- ☒ d. Posterior
- ☒ e. Primary

41. Unspecific acute rhinitis :

- ☐ a. ?
- ☒ b. Acute septic rhinitis
- ☐ c. Infectious staph. Aureus rhinitis
- ☐ d. Streptococcal rhinitis
- ☒ e. Pseudomembraneous rhinitis

42. Benign tumors of the larynx are :

- ☒ a. Vocal nodules
- ☒ b. Laryngeal polyps
- c. Squamous carcinoma
- ☒ d. Hemangioma
- e. Diphtheritic laryngitis

43. The patient with a septal abscess presents :

- ☒ a. Local pain *2 naseel septal*
- b. Fever 36-37
- ☒ c. Epistaxis
- ☒ d. Headache
- e. Dysphagia *nichts mit nase zu tun*

44. Nasopharyngeal fibroma :

- ☒ a. Affects predominantly males
- ☒ b. Most frequent etiology is endocrinological
- ☒ c. Excess of 17 ketosteroids, the tumor will develop until the age of 20
- ☒ d. Repeated epistaxis in a male patient during puberty *↑ testosterone*
- ☒ e. Rapid nasal obstruction

45.

46. Laryngeal malformations are represented by :

- a. Tracheostomy
- ☒ b. Laryngomalacia
- ☒ c. Laryngocele
- d. ?
- ☒ e. Pyocele (*Laryngopyocele*)

47. Meniere's disease is characterized by :

- ☒ a. Sudden onset *→ google*
- ☒ b. Rotary vertigo (?? maybe psuedovertigo)
- ☒ c. Tinnitus
- ☒ d. Perception hypoacusia followed immediately by the slow return of hearing
- e. Foul smelling otorrhea

2 ear!

*laut pubert
macht alle
sinn!*

?

48.???

49. In primary syphilis the patient might present :

- ☒ Perception hypoacusia
- b. Foul smelling otorrhea
- ☒ Tinnitus
- d. Transmission hypoacusia ~ sensorial
- ☒ Balance disorders ~ vertigo

50. Malignant tumors of the hypopharynx (pyriform sinus cancer) :

- ☒ Most frequent location out of the hypopharyngeal cancers ~ squamous cell carcinoma
- b. Diagnostic : late laterocervical adenopathy
- ☒ Feeling of a foreign body, odynophagia, dysphagia, otalgia, transmission hypoacusia
- ☒ Hypopharyngoscopy : indirect laryngoscopy, fibroscopy, esophagoscopy, contrast radiology and CT
- ☒ The gold standard diagnosis is through biopsy, treatment is surgical, radiotherapy and chemotherapy

last pubmed