Cucumber Report

Start : mars 05, 10:48:45.411 PM

End : mars 05, 10:59:25.377 PM

Duration : 10 m 39.966 s

| Features	Scenarios	Steps

PASSED - 0	PASSED - 1	PASSED - 22
FAILED - 2	FAILED - 3	FAILED - 2
SKIPPED - 0	SKIPPED - 0	SKIPPED - 19

2

4

43

40 50 60
30 Pass % 70
20 80
10 90
0 100
0 %

40 50 60
30 Pass % 70
20 80
10 90
0 100
25 %

40 50 60
30 Pass % 70
20 80
10 90
0 100
51 %

#	Feature Name	T	P	F	S	Duration
1	Login User	2	1	1	0	33.783 s
2	Register User	2	0	2	0	10 m 6.130 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login User	[TC1] Login user with correct email and password	9	8	1	0	24.356 s
2	Login User	[TC2] Login user with incorrect email and password	8	8	0	0	9.390 s
3	Register User	[TC1] Register user with valid contact details	18	6	1	11	10 m 2.140 s
4	Register User	[TC2] Register user with existing email	8	0	0	8	3.944 s

(F)- Login User

FAILED	DURATION - 33.783 s		Scenarios		Steps	
/ 10:48:45.411 PM // 10:49:19.194 PM /			Total - 2		Total - 17	
			Pass - 1	2	Pass - 16	17
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 0	

(S)- [TC1] Login user with correct email and password

FAILED	DURATION - 24.356 s			Steps	
/ 10:48:45.414 PM // 10:49:09.770 PM /				Total - 9	
Login User				Pass - 8	9
@validlogin @smoke				Fail - 1	
				Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I navigate to home page for Automation Exercise	PASSED	5.985 s
2	And I verify that home page is visible successfully	PASSED	0.019 s
3	And I click on Signup / Login button	PASSED	1.561 s
4	And I Verify meassage of login 'Login to your account' is visible	PASSED	0.116 s
5	When I enter correct email address "bouchagraouihadda5@gmail.com"	PASSED	0.158 s
6	And I enter the valid password "rima2024"	PASSED	0.057 s
7	And I click login button	PASSED	7.503 s
8	When I click Delete Account button	PASSED	0.092 s
9	Then I verify that the message of delete 'ACCOUNT DELETED!' is visible	FAILED	5.401 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //b[contains(text(),'Account Deleted!')] (tried for 5 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)
	    at tn.hadda.automationexercise.e2etest.automation.utils.WaitMethods.explicitWaitUntilVisibilityOfWEXpath(WaitMethods.java:36)
	    at tn.hadda.automationexercise.e2etest.automation.loginuser.LoginPage.getDeleteAccountText(LoginPage.java:68)
	    at tn.hadda.automationexercise.e2etest.automation.loginuser.LoginStepDefinition.
	 iVerifyThatTheMessageOfDeleteIsVisible(LoginStepDefinition.java:57)		

#	Step / Hook Details	Status	Duration

	at ?.I verify that the message of delete 'ACCOUNT DELETED!' is visible(file:///C:/Users/zaine/git/AUTOMATION_EXERCISE_SELENIUM-BDD/src/specs/features/login/login.feature:18)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//b[contains(text(),'Account Deleted!')]"} (Session info: chrome=122.0.6261.95) For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.0', revision: '2ecb7d9a', time: '2018-10-31T20:09:30' System info: host: 'ZEINEB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\zaine\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57745}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 56fee2bb1cc2a790a3a4a1383ee38fc0 *** Element info: {Using=xpath, value=//b[contains(text(),'Account Deleted!')]}
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	   at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	   at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:205)
	   at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:201)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)
	   at tn.hadda.automationexercise.e2etest.automation.utils.WaitMethods.explicitWaitUntilVisibilityOfWEXpath(WaitMethods.java:36)
	   at tn.hadda.automationexercise.e2etest.automation.loginuser.LoginPage.getDeleteAccountText(LoginPage.java:68)
	   at tn.hadda.automationexercise.e2etest.automation.loginuser.LoginStepDefinition.iVerifyThatTheMessageOfDeleteIsVisible(LoginStepDefinition.java:57)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	   at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
	AFTER - tn.hadda.automationexercise.e2etest.automation.utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	PASSED	0.499 s

#	Step / Hook Details	Status	Duration
	[TC1] Login user with correct email and password		
	+		

(S)- [TC2] Login user with incorrect email and password

PASSED	DURATION - 9.390 s
/ 10:49:09.804 PM // 10:49:19.194 PM /	
Login User	
@smoke @invalidlogin	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
1	Given I navigate to home page for Automation Exercise	PASSED	6.035 s
2	And I verify that home page is visible successfully	PASSED	0.021 s
3	And I click on Signup / Login button	PASSED	0.594 s
4	And I Verify meassage of login 'Login to your account' is visible	PASSED	0.080 s
5	When I enter incorrect email address "bouchagraouihadda@gmail.com"	PASSED	0.153 s
6	And I enter the invalid password "rima20242"	PASSED	0.161 s
7	And I click login button	PASSED	0.599 s
8	Then I verify error message 'Your email or password is incorrect!' is visible	PASSED	0.074 s

(F)- Register User

FAILED	DURATION - 10 m 6.130 s
/ 10:49:19.247 PM // 10:59:25.377 PM /	

Scenarios
Total - 2
Pass - 0
Fail - 2
Skip - 0

2

Steps
Total - 26
Pass - 6
Fail - 1
Skip - 19

26

(S)- [TC1] Register user with valid contact details

FAILED	DURATION - 10 m 2.140 s

/ 10:49:19.247 PM // 10:59:21.387 PM /

Register User

@validregister @regression

Steps
Total - 18
Pass - 6
Fail - 1
Skip - 11

18

#	Step / Hook Details	Status	Duration
1	Given I navigate to home page for Automation Exercise	PASSED	5.684 s
2	And I verify that home page is visible successfully	PASSED	0.025 s
3	And I click on Signup / Login button	PASSED	0.884 s
4	And I Verify 'New User Signup!' is visible	PASSED	0.084 s
5	When I enter name "Hadda"	PASSED	0.178 s
6	And I enter email address "bouchagraouihadda5@gmail.com"	PASSED	0.127 s
7	And I click Signup button	FAILED	9 m 54.003 s

org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: unable to send message to renderer   (Session info: chrome=122.0.6261.95) Build info: version: '3.141.0', revision: '2ecb7d9a', time: '2018-10-31T20:09:30' System info: host: 'ZEINEB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\zaine\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57859}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2bb5941de359f8a8f132e719f6519b70
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy21.click(Unknown Source) at tn.hadda.automationexercise.e2etest.automation.registeruser.RegistrationPage.clickSignupButton(RegistrationPage.java:163) at tn.hadda.automationexercise.e2etest.automation.registeruser.RegistrationStepDefinition.iClickSignupButton(RegistrationStepDefinition.java:70) at ?.I click Signup button(file:///C:/Users/zaine/git/AUTOMATION_EXERCISE_SELENIUM-BDD/src/specs/features/register/registration.feature:15) * Not displayable characters are replaced by '?'.		
8	And I verify that 'ENTER ACCOUNT INFORMATION' is visible	SKIPPED	0.019 s
9	And I check the title "Mrs"	SKIPPED	0.000 s
10	And I fill the password "rima2024"	SKIPPED	0.000 s
11	And I select Date of birth " 17 09 1995 "	SKIPPED	0.000 s
12	And I select checkbox 'Sign up for our newsletter!'	SKIPPED	0.000 s
13	And I select the second checkbox 'Receive special offers from our partners!'	SKIPPED	0.000 s
14	And I enter details with their values 	Fields	values
---	---
First name	Hadda
Last name	Bouchagraoui
Company	nebrass
Address	Ariana
Address 2	Ariana2
Country	Canada
State	Etudiant
City	Montreal
Zipcode	1234
Mobile Number	22172757		SKIPPED	0.052 s
15	And I click Create Account button	SKIPPED	0.002 s
16	Then A message 'ACCOUNT CREATED!' is visible	SKIPPED	0.000 s
17	When I click Continue button	SKIPPED	0.000 s
18	Then 'Logged in as Hadda' is visible	SKIPPED	0.000 s
	AFTER - tn.hadda.automationexercise.e2etest.automation.utils.Setup.embedScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=122.0.6261.95) Build info: version: '3.141.0', revision: '2ecb7d9a', time: '2018-10-31T20:09:30' System info: host: 'ZEINEB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info:	FAILED	0.009 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\zaine\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57859}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2bb5941de359f8a8f132e719f6519b70
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295)
	  at tn.hadda.automationexercise.e2etest.automation.utils.Setup.embedScreenshot(Setup.java:32)		

(S)- [TC2] Register user with existing email

FAILED	DURATION - 3.944 s		Steps
/ 10:59:21.433 PM // 10:59:25.377 PM /			Total - 8
Register User			Pass - 0
@regression @invalidregister			Fail - 0 Skip - 8

#	Step / Hook Details	Status	Duration
	BEFORE - tn.hadda.automationexercise.e2etest.automation.utils.Setup.setup()	FAILED	3.911 s
	org.openqa.selenium.SessionNotCreatedException: session not created: Chrome failed to start: exited normally. (chrome not reachable) (The process started from chrome location C:\Program Files\Google\Chrome\Application\chrome.exe is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.0', revision: '2ecb7d9a', time: '2018-10-31T20:09:30' System info: host: 'ZEINEB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: driver.version: ChromeDriver remote stacktrace: GetHandleVerifier [0x00007FF6D3945E42+3538674] (No symbol) [0x00007FF6D3564C02] (No symbol) [0x00007FF6D3415AEB] (No symbol) [0x00007FF6D34462C1] (No symbol) [0x00007FF6D34421C8] (No symbol)		

#	Step / Hook Details	Status	Duration
	[0x00007FF6D34894B9] (No symbol) [0x00007FF6D347EE53] (No symbol) [0x00007FF6D344F514] (No symbol) [0x00007FF6D3450631] GetHandleVerifier [0x00007FF6D3976CAD+3738973] GetHandleVerifier [0x00007FF6D39CC506+4089270] GetHandleVerifier [0x00007FF6D39C4823+4057299] GetHandleVerifier [0x00007FF6D3695C49+720121] (No symbol) [0x00007FF6D357126F] (No symbol) [0x00007FF6D356C304] (No symbol) [0x00007FF6D356C432] (No symbol) [0x00007FF6D355BD04] BaseThreadInitThunk [0x00007FFE5C32257D+29] RtlUserThreadStart [0x00007FFE5D3AAA58+40] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda$errorHandler$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda$getResponseFunction$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0(ProtocolHandshake.java:123) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators$ArraySpliterator.tryAdvance(Spliterators.java:1002) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:125) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:157) at tn.hadda.automationexercise.e2etest.automation.utils.ChromeDriverManager.createDriver(ChromeDriverManager.java:29) at tn.hadda.automationexercise.e2etest.automation.utils.DriverManager.getDriver(DriverManager.java:25) at tn.hadda.automationexercise.e2etest.automation.utils.Setup.setup(Setup.java:21)		
1	Given I navigate to home page for Automation Exercise	SKIPPED	0.001 s
2	And I verify that home page is visible successfully	SKIPPED	0.000 s
3	And I click on Signup / Login button	SKIPPED	0.001 s
4	And I Verify 'New User Signup!' is visible	SKIPPED	0.001 s
5	When I fill the name "Rima"	SKIPPED	0.004 s
6	And I fill email address already exist "bouchagraouihadda5@gmail.com"	SKIPPED	0.004 s

#	Step / Hook Details	Status	Duration
7	And I click Signup button	SKIPPED	0.000 s
8	Then An error message 'Email Address already exist!' is visible	SKIPPED	0.001 s
	AFTER - tn.hadda.automationexercise.e2etest.automation.utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	FAILED	0.009 s

	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=122.0.6261.95) Build info: version: '3.141.0', revision: '2ecb7d9a', time: '2018-10-31T20:09:30' System info: host: 'ZEINEB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\zaine\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57859}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2bb5941de359f8a8f132e719f6519b70
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295)
	    at tn.hadda.automationexercise.e2etest.automation.utils.Setup.embedScreenshot(Setup.java:32)		

(Step) AFTER - tn.hadda.
automationexercise.e2etest.automation.
utils.Setup.embedScreenshot(io.
cucumber.java.Scenario)

(S) [TC1] Login user with correct email
and password

(F) Login User