



API Specification Guide

Contents

Document History3

API End Points.....4

Common Request Format4

Common Response Format4

OrderShipment Command.....5

GetShipmentLabel Command.....14

GetShipmentInvoice Command.....15

VoidShipment Command.....17

TrackShipment Command.....18

Services.....20

EU Country Listings.....22

Tracking Events.....23



Document History

Date	Version	Notes
March 2020	1.0	1 st version
May 2020	1.1	Order API Corrections
May 2020	1.2	Added "TrackingNumber" Field to OrderShipment request
June 2020	1.3	Updated Tracking Events & Codes
August 2020	1.4	Updated list of Service Codes and Service names.
September 2020	1.5	Additional Pro Carrier Service Codes and Service names
December 2020	1.6	Additional Error Handling information
February 2021	1.7	Added Field Tables, command descriptions, list of services and Tracking Events
April 2021	1.8	Hs Code Character length update (6, 8 and 10)
May 2021	1.9	Addition of IOSS Registration Number Requirements
July 2021	1.10	Amendment to IOSS Notes
August 2022	1.11	Added "RequireCarrierTrackingNumber" Field to OrderShipment Request
October 2022	1.12	Additional Service Codes added
April 2023	1.13	Additional Service Codes added
November 2023	1.14	Updated formatting of specification
December 2023	1.15	Additional Fields added in OrderShipment
April 2024	1.16	Tracking Code changes and additional Yodel Service Codes
January 2025	1.17	Addition of Delivery Instructions and Swiss VAT Number field



API End Points

Live endpoint	Test Endpoint	API Type	Request HTTP Method	Request & Response Content-Type (http header)
https://dgapi.app/API/	https://dgapi.app/API/?testMode=1	JSON	POST	text/json

Common Request Format

```
{
  "Apikey" : "your-apikey-here",
  "Command" : "CommandName",
  "CommandSpecificParameter" : {
    "RequestParameter1" : "xxx", "RequestParameter2"
  : "yyy",
  ...
}
```

Notes:

Command – one of commands described in this document. CommandSpecificParameter – currently = "Shipment" for all commands (may be different for other commands in the future)

Common Response Format

Error Level	Notes
"0"	Command successfully – completed without any errors
"1"	Command completed with errors – shipment has been created is currently in error.
"10"	Fatal Error – Command is not completed



OrderShipment Command

The Ordershipment Command sends parcel data into our portal and sends back a First Mile label or a final mile label dependent on the service you have chosen. Once a request is sent, a response will be sent back with your Tracking number, so you are able to locate your shipment. The end point URL for our API is <https://dgapi.app/API/> as specified above. When testing please make sure that events are being sent to our test environment, this can be done by adding (?testmode=1) at the end of the end point URL.

Purpose: Create shipment in the system.

Field Name	Field Location	Character Set	Character Length	Required	Notes
API-Key	"Apikey"	Alpha		Mandatory	Your Api-key for your pro carrier account.
Command	"Command"	String		Mandatory	Needs to be. "OrderShipment".
Shipment	"Shipment"	String		Mandatory	
Shipment.OrderDate	"Shipment" "OrderDate"	string		Optional	This value will be used to match the return policy.
Require Carrier Tracking Number	"Shipment" "RequireCarrierTrackingNumber"	Alpha		Optional	True/False If True, the Carrier Tracking Number will be forced in the response. If False, the Carrier Tracking Number will be omitted from the response
Label Option	"LabelOption"	String		Mandatory	System (Default) FinalMile
Label Format	"Shipment" "LabelFormat"	Alpha		Mandatory	PDF PNG ZPL200 ZPL300 ZPL EPL
Tracking Number	"Shipment" "TrackingNumber"	Alpha	50	Optional	If transmitted, must be unique and have valid format
Service	"Shipment" "Service"	Alpha	4	Mandatory	Must be one of our services that we offer.



Name	"Shipment" "SenderAddress" "Name"	String	100	Mandatory	First name and Last name required
Company	"Shipment" "SenderAddress" "Company"	String	100	Optional	
Address line 1	"Shipment" "SenderAddress" "AddressLine1"	Alpha	100	Mandatory	
Address line 2	"Shipment" "SenderAddress" "AddressLine2"	Alpha	100	Optional	
Address line 3	"Shipment" "SenderAddress" "AddressLine3"	Alpha	100	Optional	
City	"Shipment" "SenderAddress" "City"	String	100	Mandatory	
State	"Shipment" "SenderAddress" "State"	String	50	Optional	
Zip	"Shipment" "SenderAddress" "Zip"	Alpha	20	Conditional	Mandatory for countries using postal code system
Country	"Shipment" "SenderAddress" "Country"	String	2	Mandatory	2 digit ISO country code
Phone	"Shipment" "SenderAddress" "Phone"	Int	50	Mandatory	
Email	"Shipment" "SenderAddress" "Email"	Alpha	100	Mandatory	
Vat	"Shipment" "SenderAddress" "Vat":	Alpha	50	Mandatory	
Swiss Vat Number	"Shipment" "SenderAddress" "SwissVat":	Alpha	N/A	Optional	Only Available for shipments to Switzerland
Eori	"Shipment" "SenderAddress" "Eori"	Alpha	50	Mandatory	
loss	"Shipment" "SenderAddress" "loss"	Alpha	12	Conditional	Mandatory for shipments into the EU under €150
Voec	"Shipment" "SenderAddress" "Voec"	Alpha	12	Conditional	Only available for shipments to Norway
Consignee Address	"Shipment" "ConsigneeAddress"			Mandatory	
Name	"Shipment" "ConsigneeAddress" "Name"	String	100	Mandatory	First name and last name are required



Company	"Shipment" "ConsigneeAddress" "Company"	String	100	Optional	
Address line 1	"Shipment" "ConsigneeAddress" "AddressLine1"	Alpha	100	Mandatory	



Address line 2	"Shipment" "ConsigneeAddress" "AddressLine2"	Alpha	100	Optional	
Address Line 3	"Shipment" "ConsigneeAddress" "AddressLine3"	Alpha	100	Optional	
City	"Shipment" "ConsigneeAddress" "City"	String	100	Mandatory	
State	"Shipment" "ConsigneeAddress" "State"	String	50	Optional	
Zip	"Shipment" "ConsigneeAddress" "Zip"	Alpha	20	Conditional	Mandatory for countries using postal code system
Country	"Shipment" "ConsigneeAddress" "Country"	String	2	Mandatory	2 digit ISO Country Code
Phone	"Shipment" "ConsigneeAddress" "Phone"	Int	50	Optional	
Email	"Shipment" "ConsigneeAddress" "Email"	Alpha	100	Mandatory	
Vat	"Shipment" "ConsigneeAddress" "Vat"	Alpha	50	Optional	
Pudo Location ID	"Shipment" "ConsigneeAddress" "PudoLocationId"	Alpha	50	Conditional	Required if being sent on a Pudo Service.
Weight	 "Shipment" "Weight"	Decimal	2	Mandatory	
Weight Unit	 "Shipment" "WeightUnit"	Char	2	Mandatory	Kg (Default), lb
Length	 "Shipment" "Length"	Decimal	6	Mandatory	
Width	 "Shipment" "Width"	Decimal	6	Mandatory	
Height	"Shipment" Height	Decimal	6	Mandatory	
Dimensions Unit	"Shipment" "DimUnit"	Char	2	Mandatory	Only cm units are accepted
"Value"	"Shipment" "Value"	Decimal	8	Mandatory	
Currency Code	"Shipment" "Currency"	Char	3	Mandatory	
Customs Duty	"Shipment" "CustomsDuty"	Char	3	Mandatory	



Description of Goods	"Shipment" "Description"	Char	100	Recommended	Overall description of items.
Declaration Type	"Shipment" "DeclarationType"	Char	250	Mandatory	SaleOfGoods (Default), CommercialSample, Documents, Gift, ReturnedGoods, Personal
Delivery Instructions	"Shipment" "DeliveryInstructions"	Alpha	250	Optional	Valid for Domestic Shipments only.
Products	"Shipment" "Products"	Char		Mandatory	Mandatory for Northern Ireland and International Shipments
Product Description	"Shipment" "Product" "Description"	Char	100	Mandatory	Mandatory for Northern Ireland and International Shipments
Product.NonReturnable	"NonReturnable"	alpha	"Y or N" value	Optional	Flag if we allow you to return the item or not. We may assume all items are returnable for the start.
Product SKU	"Shipment" "Product" "Sku"	Alpha	50	Optional	
Product.ImgUrl	"ImgURL" "https://example.com/path/to/image.png"	alpha		Optional	Url to the photo product.
Product.DaysForReturn		int		Optional	Time when the item can be returned. Defaults to the retailer return policy in the inbound system.
Product Hs- Code	"Shipment""Product" "HsCode"	Int	10	Mandatory	Mandatory for Northern Ireland and International Shipments HsCodes must be 6, 8 or 10 digits long
Country Of Origin	"Shipment" "Product" "OriginCountry"	Char	2	Mandatory	Mandatory for Northern Ireland and International Shipments 2 Digit ISO Country Code



Purchase URL	"Shipment" "Product" "PurchaseUrl"	Alpha	250	Optional	
Product Quantity	"Shipment" "Product" "Quantity"	Int		Mandatory	Mandatory for Northern Ireland and International Shipments
Product Value	"Shipment" "Product" "Value"	Decimal		Mandatory	Mandatory for Northern Ireland and International Shipments. The Product Value field represents the combined total value of a product based on its quantity. This value is calculated by multiplying the unit price of the product by the total quantity. E.g. A "White Cotton T-shirt" has a unit value of 10. If you have a quantity of 2, the Product Value need to be declared as 20

Request

```
{
  "Apikey": "YOUR-APIKEY-HERE",
  "Command": "OrderShipment",
  "Shipment": {
    "RequireCarrierTrackingNumber": true,
    "LabelOption": "System",
    "LabelFormat": "PDF",
    "TrackingNumber": "XXX001123456789",
    "ShipperReference": "ref123456789",
    "DisplayId": "123456789",
    "InvoiceNumber": "12345-67890",
    "Service": "PCPL",
    "SenderAddress": {
      "Name": "Xxxx1 Xxxxxx1",
      "Company": "Xxxx1 LTD",
      "AddressLine1": "Address1 XXX 1",
      "AddressLine2": "apt1 1X",
      "AddressLine3": "",
      "City": "Jersey",
      "State": "NJ",
      "Zip": "10002",
      "Country": "US",
    }
  }
}
```



```

    "Phone": "12345678",
    "Email": "xxx@xxx.com",
    "Vat": "",
    "SwissVat": "",
    "Eori": "",
    "Ioss": ""
  },
  "ConsigneeAddress": {
    "Name": "Xxxx Xxxxxx",
    "Company": "Xxxx LTD",
    "AddressLine1": "Address XXX 1",
    "AddressLine2": "apt 1X",
    "AddressLine3": "",
    "City": "New York",
    "State": "NY",
    "Zip": "10001",
    "Country": "US",
    "Phone": "12345678",
    "Email": "xxx@xxx.com",
    "Vat": "",
    "PudoLocationId": ""
  },
  "Weight": "0.45",
  "WeightUnit": "kg",
  "Length": "20",
  "Width": "10",
  "Height": "10",
  "DimUnit": "cm",
  "Value": "10",
  "Currency": "GBP",
  "CustomsDuty": "DDU",
  "Description": "goods",
  "DeclarationType": "SaleOfGoods",
  "DeliveryInstructions": "Leave in Porch",
  "Products": [
    {
      "NonReturnable": "Y",
      "DaysForReturn": "3",
      "ImgUrl": "https://example.com/path/to/image.png",
      "Weight": "0.45",
      "WeightUnit": "kg",
      "Description": "book 1",
      "Sku": "123456",
      "HsCode": "123456",
      "OriginCountry": "GB",
      "PurchaseUrl": "http://url.com/product123",
      "Quantity": "2",
      "Value": "10"
    },
    {
      "Description": "book 2",
      "Sku": "123456",
      "HsCode": "123456",

```



```

    "OriginCountry": "GB",
    "PurchaseUrl": "http://url.com/product456",
    "Quantity": "1",
    "Value": "5"
  }
]
}
}

```

Notes:

LabelOption (optional): if allowed for client, one of:

System (default) – get system label (Final Mile label will be created later) FinalMile

LabelFormat (optional) – one of:

PDF (default)

PNG

ZPL300 – ZPL 300 dpi

ZPL200 – ZPL 203 dpi

ZPL – alias for ZPL300

EPL – EPL 203 dpi

TrackingNumber (optional): if transmitted, must be unique and have valid format DisplayId (optional) – if entered, barcode will be printed on the label.

You can find a list of our services by clicking on this link. WeightUnit (optional) – “kg” (default) or “lb”

DimUnit (optional): “cm” only

CustomsDuty (optional): “DDU” (default) or “DDP”

ShipperAddress / Zip: mandatory for countries using postal code system ShipperAddress / Phone

ShipperAddress / Email: mandatory

Consignee Address / Zip: mandatory for countries using postal code system ConsigneeAddress / PudoLocationId – mandatory for PUDO (collect) services.

DeclarationType

one of: SaleOfGoods (default)

CommercialSample

Documents

Gift

ReturnedGoods

Products / Value: total product line value, i.e., = (Single Item Value) * (Quantity)

Response:

```

{
  "ErrorLevel": 0,
  "Error": "",
  "Shipment": {
    "TrackingNumber": "XXX001123456789",
    "ShipperReference": "ref123456789",

```



```

    "DisplayId": "123456789",
    "Service": "EPS",
    "Carrier": "Sample Carrier",
    "CarrierTrackingNumber": "LX210720682NL",
    "CarrierLocalTrackingNumber": "LX210720682NL",
    "CarrierTrackingUrl": "http://tracking.carrier.com/LX210720682NL",
    "LabelFormat": "PDF",
    "LabelType": "Label",
    "LabelImage": "ImageInBase64Code",
    "LabelType2": "CN23",
    "LabelImage2": "ImageInBase64Code"
  }
}

```

Error Handling:

- Error Level "0": Parcel has been created cleanly with No Errors
- Error Level "1": Non Fatal Error. LabelImage will contain label data in the response. **Important note: If the label type is Finalmile then it is possible that as a fall back the Pro Carrier system label data will be returned.**
- Error Level "10": Fatal Error. Label data will not be returned in the response.



GetShipmentLabel Command

Purpose: Obtaining final mile shipment label. In case if CreateShipment Result for FinalMile Produced Error Level = 1 with system Label.

The getshipmentlabel request: returns the label for a shipment that already exists in our portal and has already been created. As stated in table below, if you have entered the Tracking number then you will not need to share the reference as well.

Field Name	Field Location	Character Set	Character Length	Required	Notes
API-Key	"Apikey"	Alpha		Mandatory	Your Api-key for your pro carrier account.
Command	"Command"	String		Mandatory	Needs to be "GetShipmentLabel".
Shipment	"Shipment"	String		Mandatory	
Label Option	"Shipment" "LabelOption"	String		Mandatory	
Label Format	"Shipment" "LabelFormat"	Alpha		Mandatory	PDF PNG ZPL20 0 ZPL30 0 ZPL EPL
Tracking Number	"Shipment" "TrackingNumber"	Alpha	50	Conditional	Not required if Shipper Reference is populated
Shipper Reference	"Shipment" "ShipperReference"	Alpha	50	Conditional	Not required if Tracking Number is populated

Request:

```
{  
  "Apikey": "your-apikey-here",  
  "Command": "GetShipmentLabel",  
  "Shipment": {  
    "LabelOption": "System",  
    "LabelFormat": "PDF",  
    "TrackingNumber": "XXX001123456789",  
    "ShipperReference": "ref123456789"  
  }  
}
```

Notes:

- Only one element of "TrackingNumber" and "ShipperReference" is allowed.

Response:

- The same format as OrderSipment command's response.



GetShipmentInvoice Command

Purpose: Obtaining Shipments for the commercial invoice. For successfully created shipments only.

The GetShipmentInvoice command returns the customer invoice for a particular shipment that you request.

Field Name	Field Location	Character Set	Character Length	Required	Notes
ApiKey	"ApiKey"	Alpha		Mandatory	Your API-Key for your pro carrier account/.
Command	"Command"	String		Mandatory	Needs to be "GetShipmentInvoice".
Shipment	"Shipment"	String		Mandatory	
Label Format	"Shipment" "LabelFormat"	String		Mandatory	PDF PNG ZPL20 0 ZPL30 0 ZPL EPL
Tracking Number	"Shipment" "TrackingNumber"	Alpha		Conditional	Not required if Shipper Reference is populated
Shipper Reference	"Shipment" "ShipperReference"	Alpha		Conditional	Not required if Tracking number is populated

Request:

```
{  
  "ApiKey": "your-apikey-here",  
  "Command": "GetShipmentInvoice",  
  "Shipment": {  
    "LabelFormat": "PDF",  
    "TrackingNumber": "XXX001123456789",  
    "ShipperReference": "ref123456789"  
  }  
}
```

Notes:

- Only one element of "TrackingNumber" and "ShipperReference" is allowed.

Response:

The same format as OrderSipment/GetShipmentLabel commands's response, with following differences only:

- contains only LabelType / LabellImage elements (no LabelType2 / LabellImage2 elements)
- LabelType always = 'INVOICE'

API Response:

```
{  
  "ErrorLevel": 0,  
  "Shipment": {  
    "TrackingNumber": "Pro-Carrier-Tracking-Number",  
    "ShipperReference": "Shipment-Reference",  
    "DisplayId": "",  
    "Service": "PCND",
```



```
"Carrier": "",
"CarrierTrackingNumber": "Carrier-Tracking-Number",
"CarrierLocalTrackingNumber": "Carrier-Local-Tracking-Number",
"CarrierTrackingUrl": "Carrier-Tracking-URL ",
"LabelFormat": "PDF",
"LabelType": "INVOICE",
"LabelImage": "ImageInBase64Code"
}
}
```



VoidShipment Command

Purpose: To cancel a shipment

The **VoidShipment Command** cancels a shipment that is in the created or error status via the tracking number or shipper reference. This cannot be done once the shipment has been accepted in our warehouse.

Field Name	Field Location	Character Set	Character Length	Required	Notes
ApiKey	"ApiKey"	Alpha		Mandatory	Your API-Key for your pro carrier account/.
Command	"Command"	String		Mandatory	Needs to be "VoidShipment"
Shipment	"Shipment"	String		Mandatory	
Tracking Number	"Shipment" "TrackingNumber"	Alpha		Conditional	Not required if Shipper Reference is populated
Shipper Reference	"Shipment" "ShipperReference"	Alpha		Conditional	Not required if Tracking number is populated

Request:

```
{
  "ApiKey": "your-apikey-here",
  "Command": "VoidShipment",
  "Shipment": {
    "TrackingNumber": "XXX001123456789",
    "ShipperReference": "ref123456789"
  }
}
```

Notes:

Only one element of "TrackingNumber" and "ShipperReference" is allowed.

Response:

```
{
  "ErrorLevel": 0,
  "Error": "",
  "Shipment": {
    "TrackingNumber": "LX210720682NL",
    "ShipperReference": "ref123456789"
  }
}
```



TrackShipment Command

Purpose: Tracking the shipment

TrackShipment command gives you the most up to date tracking for shipments.

Field Name	Field Location	Character Set	Character Length	Condition	Notes
ApiKey	"ApiKey"	Alpha		Mandatory	Your API-Key for your pro carrier account/.
Command	"Command"	String		Mandatory	Needs to be "TrackShipment"
Shipment	"Shipment"	String		Mandatory	
Tracking Number	"Shipment" "TrackingNumber"	Alpha		Conditional	Not required if Shipper Reference is populated
Shipper Reference	"Shipment" "ShipperReference"	Alpha		Conditional	Not required if Tracking number is populated

Request:

```
{
  "ApiKey": "your-apikey-here",
  "Command": "TrackShipment",
  "Shipment": {
    "TrackingNumber": "XXX001123456789",
    "ShipperReference": "ref123456789"
  }
}
```

Notes:

Only one element of "TrackingNumber" and "ShipperReference" is allowed.

API Response:

```
{
  "ErrorLevel": 0,
  "Error": "",
  "Shipment": {
    "TrackingNumber": "XXX001123456789",
    "ShipperReference": "ref123456789",
    "DisplayId": "123456789",
    "Service": "TRCK",
    "Carrier": "Sample Carrier",
    "CarrierTrackingNumber": "LX210720682NL",
    "CarrierLocalTrackingNumber": "LX210720682NL",
    "CarrierTrackingUrl": "http://tracking.carrier.com/LX210720682NL",
    "Weight": "0.45",
    "WeightUnit": "kg",
    "ConsigneeAddress": {
      "Name": "Xxxx Xxxxxx",
      "Company": "Xxxx LTD",
      "City": "New York",
      "Zip": "10001",
      "Country": "US"
    }
  }
}
```



```
},
"Events": [
  {
    "DateTime": "2018-01-10 12:00:00",
    "DateTimeUtc": "2018-01-10 12:00:00",
    "Country": "US",
    "Code": 21,
    "Description": "IN TRANSIT",
    "CarrierCode": "B01",
    "CarrierDescription": "Accepted"
  },
  {
    "DateTime": "2018-01-11 12:00:00",
    "DateTimeUtc": "2018-01-11 12:00:00",
    "Country": "US",
    "Code": 100,
    "Description": "DELIVERED",
    "CarrierCode": "I01",
    "CarrierDescription": "Delivered, expl. recorded"
  }
]
}
}
```



Services

Service Code	Carrier	Service Name
EPS	Yodel	Yodel World Packet
EPL	Yodel	Yodel World Parcel
1CEP	Yodel	CI 48HR POD
1CEN	Yodel	CI 48 N.POD
1VSP	Yodel	Xpect 24 (M-S) XL POD
2VLP	Yodel	Xpect 48 XL POD
2VPR	Yodel	Xpect 48 RTN POD
1VSN	Yodel	Xpect 24 (M-S) N.POD
2VP	Yodel	Xpect 48 (M-S) POD
2VN	Yodel	Xpect 48 (M-S) N.POD
2VLN	Yodel	Xpect 48 XL N.POD
1CP	Yodel	Xpress 24 POD
1CN	Yodel	Xpress 24 N.POD
2CP	Yodel	Xpress 48 POD
2CN	Yodel	Xpress 48 N.POD
2CMN	Yodel	Xpress Mini N.POD
2CXN	Yodel	Xpress SP 48 N.POD
1VA	Yodel	XPRT 24 Address Only
2VSN	Yodel	Xpect 48 Mini N.POD
2VMP	Yodel	Xpect 48 Medium Pod
2VMN	Yodel	Xpect 48 Medium N.Pod
1VMN	Yodel	Xpect 24 Medium N.Pod
1VMP	Yodel	Xpect 24 Medium Pod
1XXP	Yodel	XPECT 24 XXL POD
2XXP	Yodel	XPECT 48 XXL POD
1XXN	Yodel	XPECT 24 XXL N.POD
2XXN	Yodel	XPECT 48 XXL N.POD
PCBB	Pro Carrier	Pro Carrier B2B
PCPT	Pro Carrier	Pro Carrier Packet
PCPP	Pro Carrier	Pro Carrier Parcel Post
PCPL	Pro Carrier	Pro Carrier Plus
PCPX	Pro Carrier	Pro Carrier Plus Expedited
PCUK	Pro Carrier	Pro Carrier Parcel UK
PCPE	Pro Carrier	Pro Carrier Parcel Express
PCPD	Pro Carrier	Pro Carrier Parcel Pudo
PCPR	Pro Carrier	Pro Carrier Parcel Plus Returns
PCND	Pro Carrier	Pro Carrier Next Day
PC24	Pro Carrier	Pro Carrier UK 24
PC48	Pro Carrier	Pro Carrier UK 48
PCT3	Pro Carrier	Pro Carrier UK Next Day 10:30
PC12	Pro Carrier	Pro Carrier Next Day Pre 12



PCST	Pro Carrier	Pro Carrier UK Saturday
PCSU	Pro Carrier	Pro Carrier UK Sunday
PCBI	Pro Carrier	Pro Carrier UK Bag It
PCLL	Pro Carrier	Pro Carrier UK Letter
PCCN	Pro Carrier	Pro Carrier Direct
PCPU	Pro Carrier	Pro Carrier Untracked
TPNN	Royal Mail	Tracked 24 No Signature
TPNS	Royal Mail	Tracked 24 Signature
TPSN	Royal Mail	Tracked 48 No Signature
TPSS	Royal Mail	Tracked 48 Signature
MP7	Royal Mail	International Business Parcels Tracked
TRNN	Royal Mail	Tracked Letter - Boxable 24 No Signature
TRNS	Royal Mail	Tracked Letter - Boxable 24 Signature
TRSN	Royal Mail	Tracked Letter - Boxable 48 No Signature
TRSS	Royal Mail	Tracked Letter - Boxable 48 Signature



EU Country Listings

2 Digit ISO Code	Country Name
AT	Austria
BE	Belgium
BG	Bulgaria
HR	Croatia
CY	Republic of Cyprus
CZ	Czech Republic
DK	Denmark
EE	Estonia
FI	Finland
FR	France
DE	Germany
GR	Greece
HU	Hungary
IE	Ireland
IT	Italy
LV	Latvia
LT	Lithuania
LU	Luxembourg
MT	Malta
NL	Netherlands
PL	Poland
PT	Portugal
RO	Romania
SK	Slovakia
SI	Slovenia
ES	Spain
SE	Sweden



Tracking Events

Code	Event
AAY	Pre-advice received
AAM	Parcel Received
AAY	Pre-advice received
ACC	Collected from sender
ACB	Container collected from sender
AID	Incorrect documents supplied
AAM	Parcel received
AAS	Sorted
AAO	In transit
ABC	Delivery address updated by sender/retailer
ABS	Consignee scheduled date of delivery
ARC	Redirected at consignee request
AHA	Parcel held due to store cap limit
AHR	Parcel released from store cap limit hold
ABO	In transit (outbound)
ADA	Parcel cleared by customs
ALD	Departed Pro Carrier hub
ALC	Parcel has cleared customs
ALR	Parcel is on route to destination country
ABI	In transit (in country)
AAN	Arrived at delivery depot
AAP	Arrived in country
JDA	Received at Hub (ROTTERDAM, NL)
JDB	Departed Hub (ROTTERDAM, NL)
JDC	Received at Hub (GREVE, DK)
JDD	Departed Hub (GREVE, DK)
JDE	Received at Hub (VANTAA, FI)
ABH	Processed in hub
ALA	Parcel added to pallet/group
ALE	Parcel removed from pallet/group
ABU	Unloaded from transport
ABL	Loaded on transport
ABN	Received in hub
ABQ	Unable to deliver parcel - exception
AEH	Unable to deliver parcel - incomplete/bad address
ACH	Held at gateway process centre - consignee ID details required
AEJ	Parcel destroyed - damaged
AEK	Parcel destroyed - prohibited or restricted contents
AEM	Parcel declared lost



ACR	Consignee refused delivery
ACZ	Parcel received into customs
ADD	Parcel awaiting clearance by customs
ALI	Parcel presented for import clearance
ADM	Held in customs - proof of payment required from consignee
AND	Held in customs - additional information required
ADO	Held in customs - duty to be collected from consignee
ADR	Held in customs - prohibited or restricted contents
ADP	Held in customs - customs inspection
ACA	Parcel is dropped off at the drop-off point by sender
AFC	Collected from drop off point
AFR	Received at drop off point
AFT	In transit
AFP	Received at Pro Carrier Processing Centre
AFS	Collected from sender
AET	Email notification sent to consignee
AEU	SMS notification sent to consignee
AEZ	Letter notification sent to consignee
ABR	Delivery attempted - advice left
ABT	Delivery attempted - consignee not home
ABV	Delivery attempted - unable to access address
ABZ	Awaiting collection from pick up point - consignee notified
ABY	Awaiting collection from pick up point - unable to contact consignee
ACM	Awaiting collection from PO Box
ADS	Delivery scheduled
ACD	Out for delivery
ACO	Parcel out for delivery
AES	Successfully delivered
AEY	Parcel delivered to neighbour
AEV	Parcel delivered in mailbox
AEC	Parcel collected from pickup point
ACS	Parcel returned to sender
ADV	Parcel returned to sender - incomplete/bad address
ADW	Parcel returned to sender - consignee not known at delivery address provided
ADX	Parcel returned to sender - refused
ADY	Parcel returned to sender - damaged
AFA	Parcel returned to sender - not collected from pick up point
ACV	Parcel returned to sender - consignee refused to pay customs charges
AEA	Parcel returned to sender - prohibited or restricted contents
ARR	Return received
AAE	Return received - customs - additional paperwork required
AAG	Return received - held - wrong international paperwork
AAH	Return received - parcel arrived no data



AAI	Return received - held - hazardous goods
AAJ	Return received - over large/over heavy
AAK	Return received - undelivered at destination





+44 (0) 800 054 1123

hello@weareprocarrier.com