

D'abord on va devoir télécharger openvas et metasploit

Ensuite integrer openvas dans notre serveur pour etudier la vulnerabilite


Dabord il faut se connecter a onpenvas




Ensuite se connecter a metasploit




Ensuite il faut lier onpenvas a metasploit pour quil puiise analyser les vulnerabilites du reseaux




Ensuite nous allons nous connecter a linterface




Pour lancer lanalyse il faut creer une tache







Ensuite il faut créer une nouvelle ”Target”




Ladresse que lon va ajouter est laddresse de server (172.19.0.0/24) meme sil nest pas necessaire de capture tout le reseau nous avons decicder de faire lanalyse complete de ce reseau





Cette étape nous permet d'étudier la vulnérabilité sur le réseau




Apres analyse nous pouvons classer les interfaces qui sont les plus vulnerables :

Il sont répertorie en 3 parties:


Les rouges les jaunes et les bleu

Ces indicatifs traduit le niveau de criticité du risque



Vulnerability	Severity	QoD	Host	Location	Actions
OpenVAS / Greenbone Vulnerability Manager Default Credentials	10.0 (High)	100%	172.19.0.2 (78d15c628ce8)	9390/tcp	
rexec Passwordless / Unencrypted Cleartext Login	10.0 (High)	80%	172.19.0.3 (metasploit.jo)	512/tcp	
TWiki XSS and Command Execution Vulnerabilities	10.0 (High)	80%	172.19.0.3 (metasploit.jo)	80/tcp	
OS End Of Life Detection	10.0 (High)	80%	172.19.0.3 (metasploit.jo)	general/tcp	
Distributed Ruby (dRuby/DRb) Multiple Remote Code Execution Vulnerabilities	10.0 (High)	99%	172.19.0.3 (metasploit.jo)	8787/tcp	
Possible Backdoor: Ingreslock	10.0 (High)	99%	172.19.0.3 (metasploit.jo)	1524/tcp	
DistCC Remote Code Execution Vulnerability	9.3 (High)	99%	172.19.0.3 (metasploit.jo)	3632/tcp	
MySQL / MariaDB weak password	9.0 (High)	95%	172.19.0.3 (metasploit.jo)	3306/tcp	
PostgreSQL weak password	9.0 (High)	99%	172.19.0.3 (metasploit.jo)	5432/tcp	
rlogin Passwordless / Unencrypted Cleartext Login	7.5 (High)	70%	172.19.0.3 (metasploit.jo)	513/tcp	
rsh Unencrypted Cleartext Login	7.5 (High)	80%	172.19.0.3 (metasploit.jo)	514/tcp	
Tiki Wiki CMS Groupware < 4.2 Multiple Unspecified Vulnerabilities	7.5 (High)	80%	172.19.0.3 (metasploit.jo)	80/tcp	
phpinfo() output Reporting	7.5 (High)	80%	172.19.0.3 (metasploit.jo)	80/tcp	
PHP-CGI-based setups vulnerability when parsing query string parameters from php files.	7.5 (High)	95%	172.19.0.3 (metasploit.jo)	80/tcp	
vsftpd Compromised Source Packages Backdoor Vulnerability	7.5 (High)	99%	172.19.0.3 (metasploit.jo)	6200/tcp	
vsftpd Compromised Source Packages Backdoor Vulnerability	7.5 (High)	99%	172.19.0.3 (metasploit.jo)	21/tcp	
Test HTTP dangerous methods	7.5 (High)	99%	172.19.0.3 (metasploit.jo)	80/tcp	
Check for Backdoor in UnrealIRCd	7.5 (High)	70%	172.19.0.3 (metasploit.jo)	6667/tcp	
SSH Brute Force Logins With Default Credentials Reporting	7.5 (High)	95%	172.19.0.3 (metasploit.jo)	22/tcp	
UnrealIRCd Authentication Spoofing Vulnerability	6.8 (Medium)	80%	172.19.0.3 (metasploit.jo)	6667/tcp	
TWiki Cross-Site Request Forgery Vulnerability - Sep10	6.8 (Medium)	80%	172.19.0.3 (metasploit.jo)	80/tcp	
SSL/TLS: OpenSSL CCS Man in the Middle Security Bypass Vulnerability	6.8 (Medium)	70%	172.19.0.3 (metasploit.jo)	5432/tcp	
Multiple Vendors STARTTLS Implementation Plaintext Arbitrary Command Injection Vulnerability	6.8 (Medium)	99%	172.19.0.3 (metasploit.jo)	25/tcp	
Tiki Wiki CMS Groupware < 17.2 SQL Injection Vulnerability	6.5 (Medium)	80%	172.19.0.3 (metasploit.jo)	80/tcp	
Anonymous FTP Login Reporting	6.4 (Medium)	80%	172.19.0.3 (metasploit.jo)	21/tcp	
TWiki Cross-Site Request Forgery Vulnerability	6.0 (Medium)	80%	172.19.0.3 (metasploit.jo)	80/tcp	
Samba MS-RPC Remote Shell Command Execution Vulnerability (Active Check)	6.0 (Medium)	99%	172.19.0.3 (metasploit.jo)	445/tcp	
HTTP Debugging Methods (TRACE/TRACK) Enabled	5.8 (Medium)	99%	172.19.0.3 (metasploit.jo)	80/tcp	

LES ROUGES INDIQUE UN TAUX DE CRITICITE ELEVE



Result: rexec Passwordless / Unencrypted Cleartext Login

ID: 60a0a35b-f17e-45f5-ba44-22661aa1a329
Created: Sun Nov 17 03:04:00 2024
Modified: Sun Nov 17 03:04:00 2024
Owner: admin

Vulnerability	Severity	QoD	Host	Location	Actions
rexec Passwordless / Unencrypted Cleartext Login	10.0 (High)	80%	172.19.0.3	512/tcp	

Summary
This remote host is running a rexec service.

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Solution
Solution type: Mitigation
Disable the rexec service and use alternatives like SSH instead.

Vulnerability Insight
rexec (Remote Process Execution) has the same kind of functionality that rsh has: you can execute shell commands on a remote computer.
The main difference is that rexec authenticate by reading the username and password *unencrypted* from the socket.

Vulnerability Detection Method
Details: rexec Passwordless / Unencrypted Cleartext Login (OID: 1.3.6.1.4.1.25623.1.0.100111)
Version used: $Revision: 13541 $


References
Other: https://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-1999-0618

User Tags (none)

Backend operation: 0.01s

Greenbone Security Assistant (GSA) Copyright 2009 - 2018 by Greenbone Networks GmbH, www.greenbone.n

LES JAUNE TRADUIT UN TAUX DE CRITICITE MOYEN



LE BLEU UN TAUX DE CRITICITE FAIBLE

