

```
Administrator: Command Prompt
C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . : 
Link-local IPv6 Address . . . . . : fe80::35fd:cc8:9b31:c87e%11
IPv4 Address. . . . . : 50.0.0.20
Subnet Mask . . . . . : 255.0.0.0
Default Gateway . . . . . : 


Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . : 

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix . : 
IPv6 Address. . . . . : 2002:3200:14::3200:14
Default Gateway . . . . . : 

C:\Users\user>
```



Administrator: Command Prompt

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

Media State : Media disconnected
Connection-specific DNS Suffix . . :

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix . . :
IPv6 Address : 2002:3200:a::3200:a
Default Gateway :

C:\Users\user>ping 50.0.0.20

Pinging 50.0.0.20 with 32 bytes of data:
Reply from 50.0.0.20: bytes=32 time=2ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128

Ping statistics for 50.0.0.20:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms

C:\Users\user>

Administrator: Command Prompt

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

Media State : Media disconnected
Connection-specific DNS Suffix . . :

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix . . :
IPv6 Address : 2002:3200:14::3200:14
Default Gateway :

C:\Users\user>ping 50.0.0.10


Pinging 50.0.0.10 with 32 bytes of data:


Reply from 50.0.0.10: bytes=32 time=1ms TTL=128
Reply from 50.0.0.10: bytes=32 time=1ms TTL=128
Reply from 50.0.0.10: bytes=32 time=1ms TTL=128
Reply from 50.0.0.10: bytes=32 time=1ms TTL=128


Ping statistics for 50.0.0.10:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Users\user>







Administrator: Command Prompt

Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\user>ping sys2

Pinging sys2 [fe80::35fd:cc8:9b31:c87e%11] with 32 bytes of data:

Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms

Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms

Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms

Reply from fe80::35fd:cc8:9b31:c87e%11: time=1ms

Ping statistics for fe80::35fd:cc8:9b31:c87e%11:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Users\user>_