

Answer Part 1

Git workflow and peer review

TokTickIT - Lab 3 evidence draft

Supapanya Yathip | 67070503443

Partner reviewer: Atip Infa-Udom | Atip-Infa

PRE-RELEASE DRAFT - NOT READY FOR SUBMISSION. Issue #41 is in progress. Student reflection, reciprocal peer-review evidence, final audit review and the explicit documentation gate remain outstanding. Main merge and final-main results do not yet exist for this release.

[Repository](#) | [Project board](#) | [Final audit Issue #41](#)

Issue	Increment	PR to lab3-staging
32	Engineering contract	42
33	Migration and seed	43
34	Authentication API	44
35	Authentication UI	45
36	Requester regression	46
37	Staff queue	47
38	Staff operations	48
39	Comments and notes	49
40	User administration	50
41	Final audit and release	Not yet opened

Issues #32-#40 entered staging through feature PRs. Current audit branch: feature/41-lab3-quality-release, based on 7831409. PR #50 was approved by Atip-Infa at cf788ca and merged by that reviewer as 7831409181d8728c765216f64d747148ad1d8d01.

[PR #50 review](#) | [Author after approval](#) | [Author after merge](#)

The full historical review record is in [reviewer.md](#). All-Issues-Done board capture and main release history are pending; this draft does not substitute old Lab 2 evidence.

Answer Part 2

Specification-driven development

The engineering contract preceded feature implementation in Issue #32 / PR #42. The student explicitly selected Admin user management and read-only Ticket access, with IT Staff performing Ticket mutations.

Contract area	Implemented boundary
Identity and roles	One role per user; real password login; mandatory initial-password change; inactive accounts denied.
Requester	Session-owned Tickets and files, public comments, advisory resolution indication; no formal resolution.
IT Staff	Queue, claim/reassign, IT Priority, eight-state workflow, public history/comments and private notes.
Administrator	User create/edit/activation/password reset. Ticket/comments/notes are read-only.
Data evolution	Preserve existing Ticket/Attachment identity; evolve Development Requesters into Users; repeatable guarded seed.
Excluded	No self-registration, email delivery, multiple roles, user deletion, bulk operations or Actions Taken.

Source contracts: [specification.md](#) | [api-spec.md](#) | [ui-spec.md](#) | [migration.md](#)

FR/BR/AC, exact API schemas, safe errors, role matrix, workflow transitions and Definition of Done remain linked to actual test files in [tests.md](#).

Answer Part 3

Test-driven development and verification

The plan was reviewed with the contract before implementation. Tests distinguish unit/component checks, real PostgreSQL API/concurrency checks, mocked browser checks and real-browser E2E.

Observed execution	Result and limits
Server regression	220/220 in 24 files, 125.29 s after session resume; separate new authorization cases recorded in audit.
Client regression	82/82 in 13 files, 53.57 s; contrast case also passed after the test-import adjustment.
Real browser suite	14/14 passed in 1.4 min with queue, upload recovery, user safety and responsive additions.
Build	Client and server builds passed after final TypeScript corrections; Prisma schema validation passed.
Long-text regression	Initially failed all three roles. Detail grid wrapping corrected; responsive tests then passed.
Final main	Pending reviewer merge and checks on the actual final-main SHA. No main pass claimed.

Reproduce with `TEST_DATABASE_URL` set to the isolated local `toktickit_lab3_test` database and **`npm run test:e2e:lab3`**. Dedicated ports 3006/5176, owned random schema and temporary file storage prevent tests from reusing the working app. Existing database contents are not reset.

The upload recovery case aborts the first HTTP upload as deliberate fault injection. Retry, database persistence, download bytes and authorization use the real system. The expiry case changes only its owned session's persisted expiration.

Commands, file-level traceability and remaining limitations: [tests.md](#) and [Current local audit branch](#).

Answer Part 4

AI use and My Reflection

Assistant: Codex (GPT-6). The following are English translations of eight actual Thai prompt excerpts; the original text and observed decisions are preserved in [ai-use.md](#).

#	Translated actual prompt excerpt	Result
1	Read and understand everything first; do not implement yet.	Read the sheet and workspace before implementation.
2	Read this too (GitHub workflow guide).	Apply reviewer merge, responses and project tracking.
3	Summarize what Lab 3 requires and how many Issues.	Propose ten work packages, not a mandated Issue count.
4	Finish documents before going to main.	Preserve an explicit student documentation gate.
5	Do not forget a new branch for Lab 3.	Feature branches and reviewed staging integration.
6	Admin manages users and views Tickets; IT Staff edits Tickets.	Use the agreed permission matrix.
7	Okay, continue implementing.	Continue after contract confirmation.
8	My friend has merged it.	Verify GitHub merge and replies before the next Issue.


My Reflection - student contribution pending. The student has been asked what AI helped with, what they personally checked or changed, and what they learned. No first-person reflection is fabricated here.

Observed AI critique: mocked UI tests were insufficient to prove persistence. Real E2E exposed a long-text overflow and an awkward create-user password order. The assistant corrected these and ran regression checks. These are assistant-performed activities, not claims about student or peer testing.

Answer Part 5

Login and mandatory password change

Actual email/password login routes three roles to their permitted home. Invalid and inactive credentials produce the same safe failure. Password fields clear after failure. Initial/reset passwords require a change before protected API access. Logout and persisted expiry deny the old session.



IT SERVICE DESK

TokTickIT

Sign in

Use the account and initial password provided by your administrator.


Email *

Password *

[Show](#)

[Sign in](#)

Real application capture: login-region.png (complete captured region, no image cropping).



SIGNED IN AS EZE VISUALFIRST

Create your new password

You must replace your initial password before using TokTickIT.

Use 12-128 characters, no more than 512 UTF-8 bytes, and include non-whitespace text. Passwords are not trimmed.

Current password *

[Show](#)

New password *

[Show](#)

Confirm new password *

[Show](#)

[Logout](#) [Save new password](#)

Real application capture: mandatory-password-region.png (complete captured region, no image cropping).

Answer Part 6

IT Staff Ticket Queue

The real queue supports combined search, status, owner and priority filtering, stable sorting, pagination and no-results recovery. The browser test verifies 12 matching rows split into pages of 10 and 2, ordered by Summary. Small screens use labelled cards.

TokTickIT IT Service Desk

E2E staffIT StaffChange PasswordLogout

Ticket Queue

Ticket Queue

All service requests across the support team.

Search

Ticket number, summary or requester

Status

All statuses

Category

All categories

Related System

All systems

Requested Priority

All priorities

IT Priority

All priorities

Owner

All owners

Sort by

Last updated

Order

Descending

Page size

10

Clear filters

Apply filters

Ticket Number	Created Date	Summary	Category	Requested Priority	IT Priority	Status	Owner	Last Updated
TKT-2026-910011	9/12/2026	Queue audit.11 E2E requester / E2E Laptop	E2E Hardware	Low	Low	Open	Unassigned	9/12/2026
TKT-2026-910010	9/12/2026	Queue audit.10 E2E requester / E2E Laptop	E2E Hardware	Low	Low	Open	Unassigned	9/12/2026
TKT-2026-910009	9/12/2026	Queue audit.09 E2E requester / E2E Laptop	E2E Hardware	Low	Low	Open	Unassigned	9/12/2026
TKT-2026-910008	9/12/2026	Queue audit.08 E2E requester / E2E Laptop	E2E Hardware	Low	Low	Open	Unassigned	9/12/2026
TKT-2026-910007	9/12/2026	Queue audit.07 E2E requester / E2E Laptop	E2E Hardware	Low	Low	Open	Unassigned	9/12/2026
TKT-2026-910006	9/12/2026	Queue audit.06 E2E requester / E2E Laptop	E2E Hardware	Low	Low	Open	Unassigned	9/12/2026
TKT-2026-910005	9/12/2026	Queue audit.05 E2E requester / E2E Laptop	E2E Hardware	Low	Low	Open	Unassigned	9/12/2026
TKT-2026-910004	9/12/2026	Queue audit.04 E2E requester / E2E Laptop	E2E Hardware	Low	Low	Open	Unassigned	9/12/2026
TKT-2026-910003	9/12/2026	Queue audit.03 E2E requester / E2E Laptop	E2E Hardware	Low	Low	Open	Unassigned	9/12/2026
TKT-2026-910002	9/12/2026	Queue audit.02 E2E requester / E2E Laptop	E2E Hardware	Low	Low	Open	Unassigned	9/12/2026

Showing 1-10 of 13 Tickets

PreviousNext

Real application capture: staff-home-desktop.png (complete captured region, no image cropping).

Priority/status badges now use the shared Zen styling. Queue query validation, unauthorized access and safe failures are also covered by API/component tests; see [staff-queue.md](#).

TokTickIT | Lab 3 | PRE-RELEASE DRAFT

6

Answer Part 7

Ticket operations, communication and requester regression

Real E2E covers Requester creation, Staff search/claim/reassign/priority, public comments, internal notes, Requester indication, Staff resolve/close/reopen, and read-only Admin detail. Reopen clears obsolete resolution/closure/indication fields. Requesters cannot read private notes, another requester's Ticket or file.

Ticket operations

Claim Ticket

Assigned owner

Unassigned

Unassign owner

Set IT Priority

Medium

Save IT Priority

Next status

Choose next status

Change status

Public status reason (optional)

Visible to the requester. Required reasons must contain 5–1000 characters.

Public status history

No status changes yet.

Real application capture: staff-detail-region.png (complete captured region, no image cropping).

Requester regression checks a failed first upload and manual retry against the same saved Ticket, search, identical downloaded bytes after reload, cross-user denial, and removed-file denial after reload.


Detailed constraints and historical tests: [staff-operations.md](#) | [communication.md](#).

Answer Part 8

Administrator user management

The real browser flow creates a user, changes the initial password, edits the display name, resets the password, verifies old-session revocation and forced change, deactivates/reactivates the account and searches by name/role. Duplicate email is rejected; the current/last Administrator cannot be disabled through the UI. The API additionally enforces these guards against direct requests and concurrent changes.

Create user



Display name *

Email *

Role *

Requester

☒ Active account

Initial password *

12–128 Unicode characters. The user must change this password at next login. Share it through the agreed local handoff.


Save new user

Cancel editing

Real application capture: admin-create-region.png (complete captured region, no image cropping).

Edit E2E staff

Current account: staff@lab3.example, IT Staff, Active.



Display name *

Email *

Role *

IT Staff

☒ Active account

Save user changes

New initial password

12–128 Unicode characters. The user must change this password at next login. Share it through the agreed local handoff.

Set new initial password

Cancel editing

Real application capture: admin-edit-reset-region.png (complete captured region, no image cropping).

Answer Part 9


Zen Green, responsive layout and accessibility

Shared cards, fields, buttons, readable badges and role navigation continue the Lab 2 theme. The final audit checks 1440x900, 834x1112 and 390x844 CSS viewports and 720x450 reflow equivalent to 200% of a 1440x900 viewport; this is not an OS/browser chrome zoom assertion.

Description

LongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbroken
DescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLon
gUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDesc
riptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnb
rokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptio
nLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbrokenDescriptionLongUnbroken
DescriptionLongUnbrokenDescriptionLongUnbrokenDescription

Real application capture: requester-detail-region.png (complete captured region, no image cropping).



Real application capture: login-mobile.png (complete captured region, no image cropping).

Long persisted Description text wraps inside the detail grid. Keyboard checks cover Login tab order, create-user initial password before Save, and Staff dialog Escape/focus restoration. Full screenshot inspection/checklist is recorded separately in [ui-spec.md](#).

Before submission: finish the student reflection and reciprocal-review evidence, resolve remaining audit checklist items, review the staging PR, obtain explicit document approval before main, then add actual reviewer merge, final-main tests and completed board evidence. This draft must be regenerated afterward.