



# SOLIDProof

*Bring trust into your projects*

**Blockchain Security | Smart Contract Audits | KYC**

MADE IN GERMANY

# Audit

**Security Assessment**  
**21. July, 2021**

**For**



Disclaimer	3
Description	5
Project Engagement	5
Logo	5
Contract Link	5
Methodology	7
Used Code from other Frameworks/Smart Contracts (direct imports)	8
Source Lines	9
Risk Level	9
Capabilities	9
CallGraph	11
Source Units in Scope	11
Comments	12
Critical issues	13
High issues	13
Medium issues	13
Low issues	13
Informational issues	13
SWC Attacks	14

## Disclaimer

SolidProof.io reports are not, nor should be considered, an “endorsement” or “disapproval” of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any “product” or “asset” created by any team. SolidProof.io do not cover testing or auditing the integration with external contract or services (such as Unicrypt, Uniswap, PancakeSwap etc’...)

**SolidProof.io Audits do not provide any warranty or guarantee regarding the absolute bug- free nature of the technology analyzed, nor do they provide any indication of the technology proprietors. SolidProof Audits should not be used in any way to make decisions around investment or involvement with any particular project. These reports in no way provide investment advice, nor should be leveraged as investment advice of any sort.**

SolidProof.io Reports represent an extensive auditing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology. Blockchain technology and cryptographic assets present a high level of ongoing risk. SolidProof’s position is that each company and individual are responsible for their own due diligence and continuous security. SolidProof in no way claims any guarantee of security or functionality of the technology we agree to analyze.

# Overview

## **Network**

Binance Smart Chain (BEP20)

## **Website**

<https://realdealprotocol.com/>

## **Telegram**

[https://t.me/RealDealProtocol\\_Official](https://t.me/RealDealProtocol_Official)

## **Twitter**

<https://twitter.com/realdealtoken>

## **Reddit**

<https://www.reddit.com/r/RealDealToken>

## Description

The digital trading era is the unavoidable future they are facing. Just a couple of years ago the stock market trading was only accessible for wealthy people, and now anyone with a smartphone and internet connection can trade stocks instantly. In addition, the big advancements in cryptocurrencies made digital trading even more accessible and decentralized. Despite all these available opportunities, the general public still looks at digital trading as a complex and difficult piece of the financial system. Their vision is to introduce digital trading to the general public in a simple and gamified form. People of any age worldwide can learn and experience digital trading in a sandboxed, fully automated fair environment.

## Project Engagement

During the 19th of July 2021, **RealDeal Team** engaged Solidproof.io to audit smart contracts that they created. The engagement was technical in nature and focused on identifying security flaws in the design and implementation of the contracts. **RealDeal Team** provided Solidproof.io with access to their code repository and whitepaper.

## Logo



## Contract Link

### v1.0

<https://bscscan.com/address/0x187f5a88b563c52016530565a80ff8d1e000f806#code>

### v1.1

<https://bscscan.com/address/0x42a999dd3263e7d401b61bc19bd4339a3b32f5ed#code>

### v1.2

<https://bscscan.com/address/0xf4c3c0e2afb4dbe5b84ec3050ed6919609d3b9bb#code>

# Vulnerability & Risk Level

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)
<b>Critical</b>	9 - 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.
<b>High</b>	7 – 8.9	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.	Implementation of corrective actions as soon as possible.
<b>Medium</b>	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.
<b>Low</b>	2 – 3.9	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.
<b>Informational</b>	0 – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk

# **Auditing Strategy and Techniques Applied**

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.

## **Methodology**

The auditing process follows a routine series of steps:

1. Code review that includes the following:
  - i) Review of the specifications, sources, and instructions provided to SolidProof to make sure we understand the size, scope, and functionality of the smart contract.
  - ii) Manual review of code, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
  - iii) Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to SolidProof describe.
2. Testing and automated analysis that includes the following:
  - i) Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
  - ii) Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

## Used Code from other Frameworks/Smart Contracts (direct imports)

Imported packages:


- OpenZeppelin
  - Ownable
  - SafeMatch
- Pancakeswap
  - PancakeFactory
  - PancakePair
  - PancakeRouter01
  - PancakeRouter02






# Metrics

## Source Lines



## Risk Level



## Capabilities

<b>Solidity Versions observed</b>	<b>Experimental Features</b>	<b>Can Receive Funds</b>	<b>Uses Assembly</b>	<b>Has Destroyable Contracts</b>
^0.8.6 0.8.6		yes	**** (0 asm blocks)	
<b>Transfers ETH</b>	<b>Low-Level Calls</b>	<b>DelegateCall</b>	<b>Uses Hash Functions</b>	<b>ECRecover</b>
				<b>New/Create/Create2</b>



# CallGraph



## Source Units in Scope

Type	File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score	Capabilities
	contracts/IPancake.sol	—————	4	204	13	9	1	136	
	contracts/IBEP20.sol	—————	1	93	22	17	66	21	—————
	contracts/realdeal.sol	1	—————	883	839	429	299	355	
	contracts/Context.sol	1	—————	24	24	10	12	1	—————
	contracts/IRealDealCore.sol	—————	1	75	9	3	46	27	—————
	contracts/SafeMath.sol	1	—————	218	218	53	150	10	—————
	contracts/Ownable.sol	1	—————	68	68	27	33	24	—————
	<b>Totals</b>	<b>4</b>	<b>6</b>	<b>1565</b>	<b>1193</b>	<b>548</b>	<b>607</b>	<b>574</b>	

## Comments

### **v.1.1 (31. July 2021):**

- New contract address added
- Total supply changed from 10.000.000 to 1.000.000

### **v1.2 (4. August 2021):**

- New contract address added



# Audit Results

# AUDIT PASSED

## Critical issues

- no critical issues found -

## High issues

- no high issues found -

## Medium issues

- no medium issues found -

## Low issues

Issue	File	Type	Line	Description
#2	Main	Unused return values (unused-return)	822-859	RealDeal._tryFeeConversion() ignores return value by _pancakeRouter.swapExactTokensForETH(_balances[address(this)],0,path,address(this),block.timestamp)
#3	Main	Missing Zero Address Validation (missing-zero-check)	394	RealDeal.setMarketingWalletAddress(address).newAddresses lacks a zero-check on : • _marketingAddress = address(newAddress)
#4	Main	Missing Zero Address Validation (missing-zero-check)	462	RealDeal.setPairAddress(address).pairAddress lacks a zero-check on : • _pancakePairAddress = pairAddress

## Informational issues

- no informational issues found -

## SWC Attacks

ID	Title	Relationships	Status
<a href="#">SW C-13 6</a>	Message call with hardcoded gas amount	<a href="#">CWE-767: Access to Critical Private Variable via Public Method</a>	PASSED
<a href="#">SW C-13 5</a>	Message call with hardcoded gas amount	<a href="#">CWE-1164: Irrelevant Code</a>	PASSED
<a href="#">SW C-13 4</a>	Message call with hardcoded gas amount	<a href="#">CWE-655: Improper Initialization</a>	PASSED
<a href="#">SW C-13 3</a>	Presence of unused variables	<a href="#">CWE-294: Authentication Bypass by Capture-replay</a>	PASSED
<a href="#">SW C-13 2</a>	Presence of unused variables	<a href="#">CWE-667: Improper Locking</a>	PASSED
<a href="#">SW C-13 1</a>	Presence of unused variables	<a href="#">CWE-1164: Irrelevant Code</a>	PASSED
<a href="#">SW C-13 0</a>	Right-To-Left-Override control character (U+202E)	<a href="#">CWE-451: User Interface (UI) Misrepresentation of Critical Information</a>	PASSED
<a href="#">SW C-12 9</a>	Typographical Error	<a href="#">CWE-480: Use of Incorrect Operator</a>	PASSED
<a href="#">SW C-12 8</a>	DoS With Block Gas Limit	<a href="#">CWE-400: Uncontrolled Resource Consumption</a>	PASSED

<a href="#">SW C-12 7</a>	Arbitrary Jump with Function Type Variable	<a href="#">CWE-695: Use of Low-Level Functionality</a>	<b>PASSED</b>
<a href="#">SW C-12 5</a>	Incorrect Inheritance Order	<a href="#">CWE-696: Incorrect Behavior Order</a>	<b>PASSED</b>
<a href="#">SW C-12 4</a>	Write to Arbitrary Storage Location	<a href="#">CWE-123: Write-what-where Condition</a>	<b>PASSED</b>
<a href="#">SW C-12 3</a>	Requirement Violation	<a href="#">CWE-573: Improper Following of Specification by Caller</a>	<b>PASSED</b>
<a href="#">SW C-12 2</a>	Lack of Proper Signature Verification	<a href="#">CWE-345: Insufficient Verification of Data Authenticity</a>	<b>PASSED</b>
<a href="#">SW C-12 1</a>	Missing Protection against Signature Replay Attacks	<a href="#">CWE-347: Improper Verification of Cryptographic Signature</a>	<b>PASSED</b>
<a href="#">SW C-12 0</a>	Weak Sources of Randomness from Chain Attributes	<a href="#">CWE-330: Use of Insufficiently Random Values</a>	<b>PASSED</b>
<a href="#">SW C-11 9</a>	Shadowing State Variables	<a href="#">CWE-710: Improper Adherence to Coding Standards</a>	<b>PASSED</b>
<a href="#">SW C-11 8</a>	Incorrect Constructor Name	<a href="#">CWE-665: Improper Initialization</a>	<b>PASSED</b>
<a href="#">SW C-11 7</a>	Signature Malleability	<a href="#">CWE-347: Improper Verification of Cryptographic Signature</a>	<b>PASSED</b>

<a href="#">SW C-11 6</a>	Timestamp Dependence	<a href="#">CWE-829: Inclusion of Functionality from Untrusted Control Sphere</a>	PASSED
<a href="#">SW C-11 5</a>	Authorization through tx.origin	<a href="#">CWE-477: Use of Obsolete Function</a>	PASSED
<a href="#">SW C-11 4</a>	Transaction Order Dependence	<a href="#">CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')</a>	PASSED
<a href="#">SW C-11 3</a>	DoS with Failed Call	<a href="#">CWE-703: Improper Check or Handling of Exceptional Conditions</a>	PASSED
<a href="#">SW C-11 2</a>	Delegatecall to Untrusted Callee	<a href="#">CWE-829: Inclusion of Functionality from Untrusted Control Sphere</a>	PASSED
<a href="#">SW C-111</a>	Use of Deprecated Solidity Functions	<a href="#">CWE-477: Use of Obsolete Function</a>	PASSED
<a href="#">SW C-11 0</a>	Assert Violation	<a href="#">CWE-670: Always-Incorrect Control Flow Implementation</a>	PASSED
<a href="#">SW C-10 9</a>	Uninitialized Storage Pointer	<a href="#">CWE-824: Access of Uninitialized Pointer</a>	PASSED
<a href="#">SW C-10 8</a>	State Variable Default Visibility	<a href="#">CWE-710: Improper Adherence to Coding Standards</a>	PASSED
<a href="#">SW C-10 7</a>	Reentrancy	<a href="#">CWE-841: Improper Enforcement of Behavioral Workflow</a>	PASSED
<a href="#">SW C-10 6</a>	Unprotected SELFDESTRUCT Instruction	<a href="#">CWE-284: Improper Access Control</a>	PASSED



<a href="#">SW C-10 5</a>	Unprotected Ether Withdrawal	<a href="#">CWE-284: Improper Access Control</a>	<b>PASSED</b>
<a href="#">SW C-10 4</a>	Unchecked Call Return Value	<a href="#">CWE-252: Unchecked Return Value</a>	<b>PASSED</b>
<a href="#">SW C-10 3</a>	Floating Pragma	<a href="#">CWE-664: Improper Control of a Resource Through its Lifetime</a>	<b>PASSED</b>
<a href="#">SW C-10 2</a>	Outdated Compiler Version	<a href="#">CWE-937: Using Components with Known Vulnerabilities</a>	<b>PASSED</b>
<a href="#">SW C-10 1</a>	Integer Overflow and Underflow	<a href="#">CWE-682: Incorrect Calculation</a>	<b>PASSED</b>
<a href="#">SW C-10 0</a>	Function Default Visibility	<a href="#">CWE-710: Improper Adherence to Coding Standards</a>	<b>PASSED</b>

The logo features the word "SolidProof" in a white, elegant script font. The "P" is particularly large and stylized, with a long horizontal stroke that extends to the left. The background is a solid blue color with a faint, large shield emblem. The shield has a grid-like pattern on its right side and a solid blue area on its left side.

SolidProof

**Blockchain Security | Smart Contract Audits | KYC**

A small horizontal bar representing the German flag, with black, red, and gold stripes.

MADE IN GERMANY