Use Case: Set Timer Duration

Primary Actor: User

Goal in Context: To set custom work and break durations for the Pomodoro technique

Preconditions: User has accessed the Pomodoro timer application

Trigger: User wants to customize timer durations before starting the Pomodoro timer

Scenario:

1. User navigates to the home page of the Pomodoro timer application
2. User sees input fields for "Work Minutes" and "Break Minutes"
3. User enters desired value (e.g., 25) in the "Work Minutes" field
4. User enters desired value (e.g., 5) in the "Break Minutes" field
5. User proceeds to start the timer with these custom settings

Exceptions:

1. User enters a negative number (system defaults to minimum value)
2. User enters a value exceeding maximum allowed (system caps at maximum value)
3. User enters non-numeric data (system ignores or corrects the input)
4. User leaves field blank (system uses default values)

Priority: Essential, must be implemented

When Available: First Increment

Frequency of use: Every session, before starting timer

Channel to actor: Via web interface

Secondary actors: None

Channel to secondary actors: None

Open Issues:

1. Should the application remember the user's previous settings?
2. Should there be validation messages for invalid inputs?
3. Should there be additional fields for long break duration after multiple cycles?

Use Case: Set Theme Color

Primary Actor: User

Goal in Context: To personalize the visual appearance of the Pomodoro timer

Preconditions: User has accessed the Pomodoro timer application

Trigger: User wants to select a preferred color theme before starting the timer

Scenario:

1. User navigates to the home page of the Pomodoro timer application
2. User views the color theme options (red, blue, green, purple)
3. User selects desired color by clicking on the corresponding option
4. Selected color is visually highlighted to confirm selection
5. User proceeds with this color theme applied to the timer

Exceptions:

1. User doesn't select any color (system uses default red theme)
2. User's browser doesn't support custom styling (basic styling is displayed)
3. User changes mind and selects a different color before proceeding

Priority: Important, should be implemented

When Available: First Increment

Frequency of use: Once per session, occasionally changed

Channel to actor: Via web interface

Secondary actors: None

Channel to secondary actors: None

Open Issues:

1. Should more color options be provided?
2. Should the application remember the user's color preference with account?
3. Should themes include more than just colors (fonts, layouts)?
4. Should there be high contrast options for accessibility?

Use Case: Start Timer

Primary Actor: User

Goal in Context: To begin a timed Pomodoro work session

Preconditions: User has set desired timer duration and theme

Trigger: User clicks the "Start Timer" button to begin timing a work session

Scenario:

1.
2. User views the timer page showing the configured work duration
3. User clicks the "Start" button
4. Button text changes to "Pause"
5. Timer begins counting down, showing minutes and seconds remaining
6. Status indicator displays "Work Time" or "Session Time"
7. When timer reaches zero, it automatically switches to break time
8. Status changes to "Break Time" and timer resets to break duration
9. After break completes, cycle returns to work session

Exceptions:

1. Timer stops if user clicks "Pause" during countdown
2. Timer might stop if user's device goes to sleep
3. Time stops if internet crashes

Priority: Essential, must be implemented

When Available: First Increment

Frequency of use: Multiple times per day

Channel to actor: Via web interface

Secondary actors: None

Channel to secondary actors: None

Open Issues:

1. Should there be a sound notification when timer completes?
2. Should there be visual indicators of progress (e.g., progress bar)?
3. Should timer continue if user switches to another tab?
4. Should the application track completed Pomodoro sessions?
5. Should there be an option to skip the current session/break?