

**silver** (*continued*)

electron configuration, 120*t*  
in photochromic lenses, 634  
properties, 798, 799*f*, 801*t*  
solubility, 613–614

**single-displacement reactions**, 281–282, 281*f*, 285**SI units**, 33–42, 854*t*

base units, 34–36, 34*t*  
conversion factors, 40–42, 50, 92  
derived units, 36–39, 36*t*, 38*t*  
prefixes in, 34, 35*t*

**sodium**

in electrolyte balance, 789, 789*t*  
electron configuration, 117, 117*t*  
industrial production of, 671  
oxidation state, 632, 632*f*  
properties, 786–787, 786*f*, 787*f*, 788*t*

**sodium chloride**

crystal structure, 191–192, 191*f*, 192*f*, 338*f*  
dissociation of, 435–436, 435*f*, 608*f*  
as electrolyte, 405–406, 406*f*  
ionic bonding in, 190–191, 190*f*, 191*f*  
lattice energy, 192, 193*t*

**sodium hydroxide**, 488–489, 488*f*, 754**sodium-potassium pump**, 790, 790*f***solids**, 8, 337–341, 338*f*, 339*f*, 340*t*, 341*f***sol**s, 404*t*. *See also* **colloids****solubility**, 408–410

calculating, 617–620  
definition, 616  
dissociation, 435–439, 435*f*, 437*f*, 437*t*, 438*f*  
of gases in water, 860*t*  
precipitation calculations, 618–620  
precipitation reactions, 437–439, 437*t*, 438*f*  
pressure and, 413  
saturation, 409, 409*f*  
solubility charts, 860*t*, 861*t*  
solubility products, 613–616, 615*t*  
temperature and, 410*t*, 414–415, 414*f*

**solubility product constants**, 614–620, 615*t***soluble substances**, 401**solutes**

dissolution rate, 407–408, 407*f*  
electrolytes, 405–406, 406*f*, 442–443  
solubility, 408–410, 408*f*, 409*f*, 410*t*  
solute-solvent interactions, 410–415, 411*f*, 412*f*, 413*f*, 414*f*  
types of, 402, 402*t*

**solution equilibrium**, 408–409, 408*f***solutions**, 400–424. *See also***aqueous solutions**

buffered, 606–607, 606*f*  
components of, 402, 402*f*  
dissolution rate, 407–408, 407*f*  
enthalpies of, 415–416, 415*f*, 416*t*  
entropy in, 547–548, 548*f*  
in Henry's law, 368, 413–415, 413*f*, 414*f*  
liquid-liquid miscibility, 412, 412*f*  
molality, 422–424, 422*f*  
molarity, 418–421, 419*f*, 430  
nonelectrolytes in, 405–406, 406*f*  
observing, 405  
pressure and, 413  
properties, 401*f*, 404*t*  
saturated vs. unsaturated, 409, 409*f*  
solubility, 408–410, 408*f*, 409*f*, 410*t*  
solute-solvent interactions, 410–415, 411*f*, 412*f*, 413*f*, 414*f*  
standard, 517  
supersaturated, 409  
types of, 402–403, 402*t*

**solvated particles**, 415, 415*f***solvents**, 402, 402*f*, 411**specific heat**, 532–534, 533*t***specific rate constant**, 573–575**spectator ions**, 439, 489, 494**speed**, 37*f***speed of light**, 855*t***spin quantum number**, 110, 112**stainless steel**, 803, 803*f***standard electrode potential**,

663–664, 663*f*, 664*t*

**standard hydrogen electrode** (SHE), 663, 663*f***standard molar volume of a gas**, 380–381**standard solutions**, 517**standard temperature and pressure** (STP), 364**starch**, 753, 753*f*, 822, 822*f***states of matter**, 328–352

changes of state, 342–348, 342*t*, 344*f*, 345*f*, 347*f*, 348*f*  
gas properties, 329–332, 330*f*, 331*f*, 332*f*  
liquid properties, 333–336, 334*f*, 335*f*, 336*f*  
solid properties, 337–341, 337*f*, 338*f*, 339*f*, 340*t*, 341*f*

**steel**, 803, 803*f*, 814**steroids**, 755**Stock system**, 221, 224–225, 235, 235*t***stoichiometry**, 298–318

composition vs. reaction, 299  
gas, 381–382  
gravimetric analysis and, 326–327  
limiting reactants, 312–316  
mass-mass calculations, 310–311  
mass-mole conversions, 306–310  
molar mass and, 301  
mole conversions, 304–306  
mole ratios and, 300–301, 324  
percentage yield, 317–318

**Strassman, Fritz**, 700–701**strong acids**, 474–475, 474*t*, 484–485, 485*t*, 501*t*, 509**strong bases**, 475–476, 475*t*, 476*f*, 484–485, 485*t***strong electrolytes**, 442, 442*f***strontium**, 120*t*, 792–793, 792*f*, 794*t*, 795, 795*f***structural formulas**, 185**structural isomers**, 713, 713*f***subatomic particles**, 72, 682**sublimation**, 342*t*, 346–347**substitution reactions**, 735**substrate molecules**, 763–764, 763*f***sucrose**, 752–753

chemical reactions, 737, 737*f*, 752–753, 752*f*, 753*f*  
chemical structure, 178*f*, 752*f*, 821*f*  
vapor pressure and, 447, 447*f*

**suffixes**

hydrocarbons, 720, 725, 728  
molecular compounds, 228  
oxyanions, 226–227

**sugars**, 406, 406*f*, 751–753, 752*f***sulfur**

chemical bonding, 177  
crystalline forms, 832*f*  
electron configuration, 117*t*  
oxidation numbers, 235, 235*t*  
properties, 832–833, 832*f*, 833*f*, 834*t*

**sulfuric acid**, 470

in acid rain, 489, 489*f*  
in car batteries, 669, 669*f*  
as diprotic acid, 480, 480*f*  
nomenclature, 469*t*  
production and uses of, 470, 837, 837*f*, 837*t*  
structure of, 469*f*

**superconductors**, 18**supercooled liquids**, 338**supersaturated solutions**, 409**surface area**, 407, 407*f*, 568–569**surface melting**, 346**surface tension**, 335, 335*f***surfactants**, 417**suspensions**, 403, 404*t*, 405**symbols**, unit 854*t***symbols used in equations**, 265–267, 266*t*, 855*t***synthesis reactions**, 276–279, 277*f*, 288

---

**T**

---

**temperature**

absolute zero, 371  
Charles's law, 371–372, 371*f*, 372*f*  
combined gas law, 374–375  
critical, 347, 347*f*  
dissolution rate and, 408  
effect on chemical equilibrium, 600–601, 601*f*  
enzyme activity and, 764, 764*f*  
of gases, 330  
Gay-Lussac's law, 373–374, 373*f*  
heat and, 531–532, 532*f*  
reaction rate and, 569  
scales, 371–372, 531  
SI units of, 34*t*  
solubility and, 410*t*, 414–415, 414*f*

**tensile strength**, 18**tertiary structure**, 759**Thales of Miletus**, 43**theoretical yield**, 317