130–132, 130*f*; equilibrium and, 129, 906, 906*f* 

**neutrinos**, 799–800, 800 *t*, 809, 813 **neutron number** (*N*), 790, 790 *f*, 790 *t*, 791; nuclear stability and, 793, 793 *f*, 801, 801 *f* 

**neutrons:** as baryons, 813, 814, 814*f*; in early universe, 816, 816*f*; mass of, 791, 792, 792*t*; nuclear decay and, 797*t*, 798, 799, 800; nuclear fission and, 808, 808*f*; nuclear stability and, 793–794, 793*f*, 801, 801*f*; quark structure of, 814, 814*f*; strong force and, 792–793, 811; zero charge of, 559, 560*t* 

newton (N), 120–121, 121*t*Newton, Isaac, 120, 125, 240, 762
Newton's first law of motion,
125–129, 126*f*, 129*f*; circular
motion and, 239

**Newton's law of universal gravitation,** 241–242, 241*f*; constant *G* in, 241, 245, 245*f*; gravitational field strength and, 246; Kepler's laws and, 248, 249; ocean tides and, 244, 244*f* 

**Newton's second law of motion,** 130–132, 130*f*, 200; inertial mass and, 247; for rotation, 906–907, 907*t* 

Newton's third law of motion, 132–134, 133f; conservation of momentum and, 209–210, 210f; gravitational force and, 241,

241*f*, 252

**nodes,** 393, 393*f*, 394, 422–425, 423*t*, 424*f*, 425*f* 

noise pollution, 442–443 nonmechanical energy, 174, 174f, 178 (see also internal energy)

 $\begin{array}{l} \textbf{non-ohmic materials,} \ 613, 613f \\ \textbf{nonviscous fluids,} \ 284 \end{array}$ 

**normal:** to reflecting surface, 452, 452f, 453; to refracting surface, 488, 488f, 494

**normal force,** 135–136, 136*f*; apparent weightlessness and, 252, 252*f*, 253; friction and, 137–141

**northern lights,** 751, 767 **north pole,** 678, 680, 680*f*, 681, 681*f* **nuclear bombs,** 808, 809, 809*f* 

**nuclear decay,** 797–806, 797f (see also **half-life**); decay series, 801–802, 801f; in fission reactions, 808, 808f; measurement of, 803–806, 806f; modes of, 797–800, 797t, 799f; neutrinos in, 799–800, 800t; rules for, 798t

nuclear forces, 143, 792–793, 794, 811, 812*t* (see also strong interaction; weak interaction) nuclear reactions, 797, 807–810, 807*f*, 808*f*, 809*f*, 919, 919*f* 

**nuclear reactors,** 24, 809, 810, 919 **nuclear stability,** 792–795, 793*f*, 797; decay series and, 801–802, 801*f*; nuclear reactions and, 807, 807*f* 

**nuclear waste disposal,** 828–829 **nucleons,** 790, 790*t*, 791, 791*f* (*see also* **neutrons; protons**); binding energy of nucleus and, 794–795

**nucleus** (plural, *nuclei*), 790–792; atomic number of, 790–791, 790*f*, 790*t*; binding energy of, 794–795, 807, 807*f*, 808, 809; density of, 791, 791*f*; excited state of, 800; mass number of, 790–791, 790*f*, 790*t*; mass of, 791–792, 794–795; in Rutherford model, 763, 763*f* 



**object distance:** from flat mirrors, 452, 453*f*; from lenses, 498–499, 499*t* 

octave, 429

Oersted, Hans Christian, 684 ohm  $(\Omega)$ , 612

**Ohm, Georg Simon,** 612 **ohmic materials,** 612, 613*f*, 620 **Ohm's law,** 612–613, 613*f* 

**one-dimensional motion,** 39–63; acceleration in, 48–58, 50*f*, 51*f*, 51*t*, 52*f*, 58*t*; displacement in, 41–42, 41*f*, 42*f*, 42*t*; of falling objects, 60–64, 60*f*, 61*f*; frame of reference for, 40–41, 41*f*; velocity in, 43–46, 43*f*, 45*f*, 46*f*, 46*t* 

**opposite charges,** 559, 559*f* **optics:** as field within physics, 5*t*; symbols in, 852

optometrist, 512

orbital period, 249, 250–251 orbiting objects: center of mass of, 241, 250; free-fall motion of, 240, 240f; gravitational force on, 241, 241f; Kepler's laws for, 248–251,

**order numbers,** of interference fringes, 529–530, 530*f* 

order-of-magnitude calculations, 24–25

**origin,** of reference frame, 40 **overtones,** 429



 $\begin{array}{c} \textbf{pair production,} \ 930, 931f \\ \textbf{parabolic mirrors,} \ 467-468, 467f, \\ 468f \end{array}$ 

**parabolic path,** 81, 96, 96*f*  **parallel circuits,** 639; complex circuits and, 657–662, 657*f*, 659*t*; resistors in, 651–656, 651*f*, 652*f*, 653*t*, 674–675

parallel conducting wires, 691, 691f parallel-plate capacitor: capacitance of, 602–603, 604; charging of, 602, 602f; dielectric material in, 604, 604f, 605f; discharging of, 604–605; electrical break-

down in, 606

pascal (Pa), 280

paraxial rays, 456
parent nucleus, 797
particle physics, 811–817 (see also accelerators, particle); classification of particles in, 811, 812–815, 813f, 813t, 814f, 814t; early universe and, 815–817, 816f; interactions in, 811–812, 812f, 812t; production of particles in, 811, 811f; standard model in, 815–817, 815f, 816f; symbols in, 853

Pascal, Blaise, 280
Pascal's principle, 280–281, 281*f*path difference, 529, 529*f*, 535, 535*f*Pauli, Wolfgang, 799
pendulum, physical, 373
pendulum, simple, 373–374, 373*f*, 375*t*; amplitude of, 376, 377, 377*t*, 378; energy of, 374, 374*f*; frequency of, 376, 376*f*, 377*t*; period of, 376–378, 376*f*, 377*t*, 378*f* 

Penzias, Arno, 913, 913f perfectly inelastic collisions, 212–217, 212f, 213f, 220t

**period:** of mass-spring system, 379–380; of pendulum, 376–378, 376*f*, 377*t*, 378*f*, 402–403; of planetary orbit, 249, 250–251; of simple harmonic motion, 376–380, 376*f*, 377*t*, 378*f*; of wave, 386

periodic motion, 368 (see also simple harmonic motion)
periodic table of the elements,
872–873