ผลการ ping ของ PC แต่ละเครื่อง

PC1 (same subnet)

Ping from PC1 to PC2



Ping from PC1 to PC3



PC1 (different subnet)

Ping from PC1 to PC11

```
C:\>ping 192.168.3.1

Pinging 192.168.3.1 with 32 bytes of data:

Request timed out.
Reply from 192.168.3.1: bytes=32 time=7ms TTL=126
Reply from 192.168.3.1: bytes=32 time=8ms TTL=126
Reply from 192.168.3.1: bytes=32 time=7ms TTL=126

Ping statistics for 192.168.3.1:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 7ms, Maximum = 8ms, Average = 7ms

C:\>
```

Ping from PC1 to PC12

```
C:\>ping 192.168.3.2

Pinging 192.168.3.2 with 32 bytes of data:

Request timed out.
Reply from 192.168.3.2: bytes=32 time=4ms TTL=126
Reply from 192.168.3.2: bytes=32 time=8ms TTL=126
Reply from 192.168.3.2: bytes=32 time=5ms TTL=126

Ping statistics for 192.168.3.2:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 4ms, Maximum = 8ms, Average = 5ms
```

Ping from PC1 to PC13

```
C:\>ping 192.168.3.3

Pinging 192.168.3.3 with 32 bytes of data:

Request timed out.
Reply from 192.168.3.3: bytes=32 time=7ms TTL=126
Reply from 192.168.3.3: bytes=32 time=8ms TTL=126
Reply from 192.168.3.3: bytes=32 time=1ms TTL=126

Ping statistics for 192.168.3.3:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 8ms, Average = 5ms
```

PC2 (same subnet)

Ping from PC2 to PC1



Ping from PC2 to PC3



PC2 (different subnet)

Ping from PC2 to PC11

```
C:\>ping 192.168.3.1

Pinging 192.168.3.1 with 32 bytes of data:

Reply from 192.168.3.1: bytes=32 time=1ms TTL=126
Reply from 192.168.3.1: bytes=32 time=7ms TTL=126
Reply from 192.168.3.1: bytes=32 time=4ms TTL=126
Reply from 192.168.3.1: bytes=32 time=8ms TTL=126

Ping statistics for 192.168.3.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 8ms, Average = 5ms
```

Ping from PC2 to PC12

```
C:\>ping 192.168.3.2

Pinging 192.168.3.2 with 32 bytes of data:

Reply from 192.168.3.2: bytes=32 time=11ms TTL=126
Reply from 192.168.3.2: bytes=32 time=7ms TTL=126
Reply from 192.168.3.2: bytes=32 time=7ms TTL=126
Reply from 192.168.3.2: bytes=32 time=1ms TTL=126

Ping statistics for 192.168.3.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 11ms, Average = 6ms
```

Ping from PC2 to PC13

```
C:\>ping 192.168.3.3

Pinging 192.168.3.3 with 32 bytes of data:

Reply from 192.168.3.3: bytes=32 time=14ms TTL=126
Reply from 192.168.3.3: bytes=32 time=2ms TTL=126
Reply from 192.168.3.3: bytes=32 time=1ms TTL=126
Reply from 192.168.3.3: bytes=32 time=1ms TTL=126

Ping statistics for 192.168.3.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 14ms, Average = 4ms
```

PC3 (same subnet)

Ping from PC3 to PC1



Ping from PC3 to PC2



PC3 (different subnet)

Ping from PC3 to PC11

```
C:\>ping 192.168.3.1

Pinging 192.168.3.1 with 32 bytes of data:

Reply from 192.168.3.1: bytes=32 time=1ms TTL=126
Reply from 192.168.3.1: bytes=32 time=2ms TTL=126
Reply from 192.168.3.1: bytes=32 time=4ms TTL=126
Reply from 192.168.3.1: bytes=32 time=7ms TTL=126

Ping statistics for 192.168.3.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 7ms, Average = 3ms
```

Ping from PC3 to PC12

```
C:\>ping 192.168.3.2

Pinging 192.168.3.2 with 32 bytes of data:

Reply from 192.168.3.2: bytes=32 time=12ms TTL=126
Reply from 192.168.3.2: bytes=32 time=7ms TTL=126
Reply from 192.168.3.2: bytes=32 time=6ms TTL=126
Reply from 192.168.3.2: bytes=32 time=8ms TTL=126

Ping statistics for 192.168.3.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 6ms, Maximum = 12ms, Average = 8ms
```

Ping from PC3 to PC13

```
C:\>ping 192.168.3.3

Pinging 192.168.3.3 with 32 bytes of data:

Reply from 192.168.3.3: bytes=32 time=11ms TTL=126
Reply from 192.168.3.3: bytes=32 time=10ms TTL=126
Reply from 192.168.3.3: bytes=32 time=8ms TTL=126
Reply from 192.168.3.3: bytes=32 time=4ms TTL=126

Ping statistics for 192.168.3.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 4ms, Maximum = 11ms, Average = 8ms
```

PC11 (same subnet)

Ping from PC11 to PC12



Ping from PC11 to PC13

```
C:\>ping 192.168.3.3

Pinging 192.168.3.3 with 32 bytes of data:

Reply from 192.168.3.3: bytes=32 time<1ms TTL=128
Reply from 192.168.3.3: bytes=32 time<1ms TTL=128
Reply from 192.168.3.3: bytes=32 time<1ms TTL=128
Reply from 192.168.3.3: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.3.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

PC11 (different subnet)

Ping from PC11 to PC1

```
C:\>ping 192.168.2.1

Pinging 192.168.2.1 with 32 bytes of data:

Request timed out.
Reply from 192.168.2.1: bytes=32 time=7ms TTL=126
Reply from 192.168.2.1: bytes=32 time=7ms TTL=126
Reply from 192.168.2.1: bytes=32 time=4ms TTL=126

Ping statistics for 192.168.2.1:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 4ms, Maximum = 7ms, Average = 6ms
```

Ping from PC11 to PC2

```
C:\>ping 192.168.2.2

Pinging 192.168.2.2 with 32 bytes of data:

Request timed out.
Reply from 192.168.2.2: bytes=32 time=5ms TTL=126
Reply from 192.168.2.2: bytes=32 time=5ms TTL=126
Reply from 192.168.2.2: bytes=32 time=8ms TTL=126

Ping statistics for 192.168.2.2:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 5ms, Maximum = 8ms, Average = 6ms
```

Ping from PC11 to PC3

```
C:\>ping 192.168.2.3

Pinging 192.168.2.3 with 32 bytes of data:

Request timed out.
Reply from 192.168.2.3: bytes=32 time=8ms TTL=126
Reply from 192.168.2.3: bytes=32 time=5ms TTL=126
Reply from 192.168.2.3: bytes=32 time=8ms TTL=126

Ping statistics for 192.168.2.3:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 5ms, Maximum = 8ms, Average = 7ms
```

PC12 (same subnet)

Ping from PC12 to PC11



Ping from PC12 to PC13



PC12 (different subnet)

Ping from PC12 to PC1

```
C:\>ping 192.168.2.1

Pinging 192.168.2.1 with 32 bytes of data:

Reply from 192.168.2.1: bytes=32 time=1ms TTL=126
Reply from 192.168.2.1: bytes=32 time=5ms TTL=126
Reply from 192.168.2.1: bytes=32 time=1ms TTL=126
Reply from 192.168.2.1: bytes=32 time=8ms TTL=126

Ping statistics for 192.168.2.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 8ms, Average = 3ms
```

Ping from PC12 to PC2

```
C:\>ping 192.168.2.2

Pinging 192.168.2.2 with 32 bytes of data:

Reply from 192.168.2.2: bytes=32 time=10ms TTL=126
Reply from 192.168.2.2: bytes=32 time=7ms TTL=126
Reply from 192.168.2.2: bytes=32 time=5ms TTL=126
Reply from 192.168.2.2: bytes=32 time=10ms TTL=126

Ping statistics for 192.168.2.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 5ms, Maximum = 10ms, Average = 8ms
```

Ping from PC12 to PC3

```
C:\>ping 192.168.2.3

Pinging 192.168.2.3 with 32 bytes of data:

Reply from 192.168.2.3: bytes=32 time=15ms TTL=126
Reply from 192.168.2.3: bytes=32 time=5ms TTL=126
Reply from 192.168.2.3: bytes=32 time=8ms TTL=126
Reply from 192.168.2.3: bytes=32 time=7ms TTL=126

Ping statistics for 192.168.2.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 5ms, Maximum = 15ms, Average = 8ms
```

PC13 (same subnet)

Ping from PC13 to PC11



Ping from PC13 to PC12

```
C:\>ping 192.168.3.2

Pinging 192.168.3.2 with 32 bytes of data:

Reply from 192.168.3.2: bytes=32 time<1ms TTL=128
Reply from 192.168.3.2: bytes=32 time<1ms TTL=128
Reply from 192.168.3.2: bytes=32 time<1ms TTL=128
Reply from 192.168.3.2: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.3.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

PC13 (different subnet)

Ping from PC13 to PC1

```
C:\>ping 192.168.2.1

Pinging 192.168.2.1 with 32 bytes of data:

Reply from 192.168.2.1: bytes=32 time=1ms TTL=126
Reply from 192.168.2.1: bytes=32 time=12ms TTL=126
Reply from 192.168.2.1: bytes=32 time=9ms TTL=126
Reply from 192.168.2.1: bytes=32 time=7ms TTL=126

Ping statistics for 192.168.2.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 12ms, Average = 7ms
```

Ping from PC13 to PC2

```
C:\>ping 192.168.2.2

Pinging 192.168.2.2 with 32 bytes of data:

Reply from 192.168.2.2: bytes=32 time=10ms TTL=126
Reply from 192.168.2.2: bytes=32 time=4ms TTL=126
Reply from 192.168.2.2: bytes=32 time=7ms TTL=126
Reply from 192.168.2.2: bytes=32 time=2ms TTL=126

Ping statistics for 192.168.2.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 2ms, Maximum = 10ms, Average = 5ms
```

Ping from PC13 to PC3

```
C:\>ping 192.168.2.3

Pinging 192.168.2.3 with 32 bytes of data:

Reply from 192.168.2.3: bytes=32 time=9ms TTL=126
Reply from 192.168.2.3: bytes=32 time=7ms TTL=126
Reply from 192.168.2.3: bytes=32 time=8ms TTL=126
Reply from 192.168.2.3: bytes=32 time=11ms TTL=126

Ping statistics for 192.168.2.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 7ms, Maximum = 11ms, Average = 8ms
```