Example pedigrees for pedtodot

Jing Hua Zhao University of Cambridge

June 6, 2018

1 Introduction

The pedtodot function can be used to create sophisticated pedigree diagrams with graphviz. Here I would like to give three examples to illustrate.

2 The data

The data were on mouse, baboon and vulture pedigrees originally from Richard Mott (http://www.well.ox.ac.uk/rmott/), Jinliang Wang (http://www.zsl.org/science/ioz-staff-students/wang,1086,AR.html) and Franziska Lorcher (franziska.loercher@ieu.uzh.ch) but for convenience they are collectively stored in a R data file which can loaded as follows.

```
> load("pedigrees.rda")
> head(one,5)
```

```
        pid
        id
        fid
        mid sex
        aff

        1
        1
        A048005080
        H2.3:G2.2(3)
        H2.3:C5.2(3)
        2
        2

        2
        1
        A048010273
        G5.2:F5.1(2)
        G5.2:B5.1(4)
        2
        2

        3
        1
        A048011567
        C2.2:B5.1(4)
        C2.2:F3.1(5)
        1
        1

        4
        1
        A048013559
        C5.2:B5.1(4)
        C5.2:F3.1(5)
        2
        2

        5
        1
        A048036063
        H2.3:G2.2(3)
        H2.3:C5.2(3)
        1
        1
```

> head(two,5)

```
    pid id fid mid sex aff

    1
    2
    1
    F5
    M3
    2
    1

    2
    2
    2
    F5
    M4
    1
    1

    3
    2
    3
    F24
    M1
    1
    1

    4
    2
    4
    F5
    M3
    2
    1

    5
    2
    5
    F5
    M4
    1
    1
```

> head(three,5)

```
pid id sire dam sex aff
   3 1
           0
               0
    3 2
3
   3 3
           0
               0
                    1
                        1
4
    3 4
               0
5
    3 5
                        1
```

3 Generation of .dot files

This is simply done with the following commands,


```
> pedtodot(one, dir="forward")
> pedtodot(two, dir="forward")
> pedtodot(three,dir="forward")
```


which gives three graphviz command files named 1.dot, 2.dot and 3.dot.


4 Generation of diagrams in portable document format

From these .dot files we can use the utility gvedit from graphviz to generate pedigree diagrams in portable document format (PDF). Recent versions of graphviz do not chop the graphics into multiple packages so the PDFs can be generated directly from the associate dot/fdp programs.


These are either in dot format (which are rotated to fit the page and you can zoom in to see the labels)









or in fdp format (as they are)







5 Other examples

I have also created examples using data from Genetic Analysis Workshops, e.g. GAW14, but I hope these serve as motivating examples for your own data.

6 Reference

Zhao J.H. Drawing pedigree digrams with R and graphviz. R News 2006, 6(2):38-41, http://www.r-project.org/doc/Rnews/Rnews_2006-2.pdf.