




Sample Set (Gallop Rules)



- This round contains 27 problems to be solved in 60 minutes.
- Problems are divided into 9 sets of 3 problems each.
- You must submit your current set before moving onto the next one.
- The 9th and final set is an estimation round, where you will estimate the answers and points will be awarded by how close you are to the correct answer.
- *Be sure to dot your i's and dash your t's (i.e. carefully check your work) to submit each set with no remorse.*
- Point values for each set:

Round #	1	2	3	4	5	6	7	8	9	Total Pts.
Pts/Problem	10	11	12	13	14	16	18	21	25	420



Sample Set (Gallop Rules)



- This round contains 27 problems to be solved in 60 minutes.
- Problems are divided into 9 sets of 3 problems each.
- You must submit your current set before moving onto the next one.
- The 9th and final set is an estimation round, where you will estimate the answers and points will be awarded by how close you are to the correct answer.
- *Be sure to dot your i's and dash your t's (i.e. carefully check your work) to submit each set with no remorse.*
- Point values for each set:

Round #	1	2	3	4	5	6	7	8	9	Total Pts.
Pts/Problem	10	11	12	13	14	16	18	21	25	420



Gallop Foal Round Set 1

1. [10] What is $16 \times 117 + 6 \times 8$?
2. [10] Let m and n be positive integers. Albert calculates the quantity $1 + 2 + 3 + \cdots + n$ and Betty calculates the quantity $5 + 6 + 7 + \cdots + m$. Given that Albert and Betty get the same sum, what is this sum?
3. [10] Let $ABCD$ be a square. If the largest circle that can fit inside $ABCD$ has area 2023π , what is the area of $ABCD$?



Gallop Foal Round Set 1

1. [10] What is $16 \times 117 + 6 \times 8$?
2. [10] Let m and n be positive integers. Albert calculates the quantity $1 + 2 + 3 + \cdots + n$ and Betty calculates the quantity $5 + 6 + 7 + \cdots + m$. Given that Albert and Betty get the same sum, what is this sum?
3. [10] Let $ABCD$ be a square. If the largest circle that can fit inside $ABCD$ has area 2023π , what is the area of $ABCD$?



Gallop Foal Round Set 2

4. [11] If $85,7A6$ divisible by both 3 and 8 for some digit A , what is A ?
5. [11] What is the smallest positive integer that cannot be expressed as the difference between two prime numbers?
6. [11] There are 15 mustangs in a stable. There are 5 blue mustangs, 5 green mustangs, and 5 black mustangs. Yuuki and Anna each pick a different Mustang to ride on randomly. What is the probability they choose Mustangs of different colors? Express your answer as a common fraction.



Gallop Foal Round Set 2

4. [11] If $85,7A6$ divisible by both 3 and 8 for some digit A , what is A ?
5. [11] What is the smallest positive integer that cannot be expressed as the difference between two prime numbers?
6. [11] There are 15 mustangs in a stable. There are 5 blue mustangs, 5 green mustangs, and 5 black mustangs. Yuuki and Anna each pick a different Mustang to ride on randomly. What is the probability they choose Mustangs of different colors? Express your answer as a common fraction.




Gallop Foal Round Set 3

7. [12] Let $\lfloor x \rfloor$ denote the greatest integer that is less than or equal to x . For example, $\lfloor 3.5 \rfloor = 3$ and $\lfloor -1.3 \rfloor = -2$. Evaluate the following expression:

$$\left\lfloor \frac{10}{10} \right\rfloor + \left\lfloor \frac{10}{9} \right\rfloor + \cdots + \left\lfloor \frac{10}{2} \right\rfloor + \left\lfloor \frac{10}{1} \right\rfloor + \left\lfloor \frac{10}{-1} \right\rfloor + \left\lfloor \frac{10}{-2} \right\rfloor + \cdots + \left\lfloor \frac{10}{-9} \right\rfloor + \left\lfloor \frac{10}{-10} \right\rfloor$$

8. [12] In the 3 by 3 grid below, the center cell is marked with a star. How many rectangles created by the gridlines contain the star?



9. [12] There exist pairs of primes (p, q) that satisfy the equation $20^2 + p = 23^2 - q$. Compute the sum of all distinct possible values of pq .




Gallop Foal Round Set 3

7. [12] Let $\lfloor x \rfloor$ denote the greatest integer that is less than or equal to x . For example, $\lfloor 3.5 \rfloor = 3$ and $\lfloor -1.3 \rfloor = -2$. Evaluate the following expression:

$$\left\lfloor \frac{10}{10} \right\rfloor + \left\lfloor \frac{10}{9} \right\rfloor + \cdots + \left\lfloor \frac{10}{2} \right\rfloor + \left\lfloor \frac{10}{1} \right\rfloor + \left\lfloor \frac{10}{-1} \right\rfloor + \left\lfloor \frac{10}{-2} \right\rfloor + \cdots + \left\lfloor \frac{10}{-9} \right\rfloor + \left\lfloor \frac{10}{-10} \right\rfloor$$

8. [12] In the 3 by 3 grid below, the center cell is marked with a star. How many rectangles created by the gridlines contain the star?




9. [12] There exist pairs of primes (p, q) that satisfy the equation $20^2 + p = 23^2 - q$. Compute the sum of all distinct possible values of pq .



Gallop Foal Round Set 4

10. [13] A square of side length 5 is cut into four identical quadrilaterals and a unit square, such that the four quadrilaterals can be moved and rotated to form a new square, as shown in the diagram below. What is the sum of the smallest and largest side lengths of one of the four quadrilaterals? Express your answer in simplest radical form.



Before


After

11. [13] When 47 and 73 are divided by a positive integer n ($n > 1$), it results in the same remainder. How many possible values of n are there?
12. [13] Let $\triangle ABC$ and $\triangle ACD$ be similar right triangles with $\angle ABC = \angle ACD = 90^\circ$ and $\angle BAC = \angle CAD$. If $AB = 20$ and $AD = 23$, what is the ratio of the area of $\triangle ABC$ to $\triangle ACD$? Express your answer as a common fraction.



Gallop Foal Round Set 4

10. [13] A square of side length 5 is cut into four identical quadrilaterals and a unit square, such that the four quadrilaterals can be moved and rotated to form a new square, as shown in the diagram below. What is the sum of the smallest and largest side lengths of one of the four quadrilaterals? Express your answer in simplest radical form.



Before

After

11. [13] When 47 and 73 are divided by a positive integer n ($n > 1$), it results in the same remainder. How many possible values of n are there?
12. [13] Let $\triangle ABC$ and $\triangle ACD$ be similar right triangles with $\angle ABC = \angle ACD = 90^\circ$ and $\angle BAC = \angle CAD$. If $AB = 20$ and $AD = 23$, what is the ratio of the area of $\triangle ABC$ to $\triangle ACD$? Express your answer as a common fraction.



Gallop Foal Round Set 5

13. [14] A 6-digit number, N , has the property that each digit (except for the rightmost 2) is the product of the 2 digits to its right. For example, 1111 and 9331 are examples of 4-digit numbers with the given property. What is the largest possible value of N ?
14. [14] Let O be the sum of all odd integers and E be the sum of all even integers between 0 and 9999, inclusive. Compute $\frac{O+E}{O-E}$.
15. [14] In right triangle $\triangle ABC$ with hypotenuse \overline{AC} , D lies on \overline{AB} such that \overline{DC} bisects angle C . Given that $DB = 1$ and $BC = 2$, compute AC . Express your answer as a common fraction.



Gallop Foal Round Set 5

13. [14] A 6-digit number, N , has the property that each digit (except for the rightmost 2) is the product of the 2 digits to its right. For example, 1111 and 9331 are examples of 4-digit numbers with the given property. What is the largest possible value of N ?
14. [14] Let O be the sum of all odd integers and E be the sum of all even integers between 0 and 9999, inclusive. Compute $\frac{O+E}{O-E}$.
15. [14] In right triangle $\triangle ABC$ with hypotenuse \overline{AC} , D lies on \overline{AB} such that \overline{DC} bisects angle C . Given that $DB = 1$ and $BC = 2$, compute AC . Express your answer as a common fraction.



Gallop Foal Round Set 6

16. [16] 4 people each have a distinct number of coins from 1 to 4. If each person gives away all of their coins to someone else in the group at random, what is the probability no one ends up with the same number of coins they started with? Express your answer as a common fraction. Note that a person may receive coins from multiple people.
17. [16] Arpit needs to schedule a meeting with Anna. This week, both are available for 3 uniformly randomly selected days of the week (independent of each other). What is the probability that there is a day where both are available to meet?
18. [16] Let n be a positive integer with exactly 16 positive divisors. If n^2 has exactly 63 positive divisors, how many positive divisors does n^3 have?



Gallop Foal Round Set 6

16. [16] 4 people each have a distinct number of coins from 1 to 4. If each person gives away all of their coins to someone else in the group at random, what is the probability no one ends up with the same number of coins they started with? Express your answer as a common fraction. Note that a person may receive coins from multiple people.
17. [16] Arpit needs to schedule a meeting with Anna. This week, both are available for 3 uniformly randomly selected days of the week (independent of each other). What is the probability that there is a day where both are available to meet?
18. [16] Let n be a positive integer with exactly 16 positive divisors. If n^2 has exactly 63 positive divisors, how many positive divisors does n^3 have?



Gallop Foal Round Set 7

Welcome to the Cycle Round! In this round, the answer to a question will be used in question that follows, and so on until it loops back around. Good luck!

19. [18] Let r be the answer to the third question in this set. Compute the sum of the digits of r .
20. [18] Let u be the answer to the first question in this set. Compute the sum of the two solutions to the quadratic $x^2 + (x - 1)^2 + (x - 2)^2 + \cdots + (x - u)^2 = 2023^2$.
21. [18] Let n be the answer to the second question in this set. Arpit has a collection of n standard 6-sided dice. Compute the total number of dots on Arpit's dice.



Gallop Foal Round Set 7


Welcome to the Cycle Round! In this round, the answer to a question will be used in question that follows, and so on until it loops back around. Good luck!

19. [18] Let r be the answer to the third question in this set. Compute the sum of the digits of r .
20. [18] Let u be the answer to the first question in this set. Compute the sum of the two solutions to the quadratic $x^2 + (x - 1)^2 + (x - 2)^2 + \cdots + (x - u)^2 = 2023^2$.
21. [18] Let n be the answer to the second question in this set. Arpit has a collection of n standard 6-sided dice. Compute the total number of dots on Arpit's dice.



Gallop Foal Round Set 8

22. [21] For a positive integer n , the function $f(n)$ switches the units digit and tens digit of n . For how many positive integers $n < 1000$ is $f(n)$ strictly greater than n ? For example, $n = 156$ counts because $165 > 156$ but $n = 193$ does not because $139 < 193$. Note: If you have a single-digit number, assume the tens digit is 0. For example, 1 becomes 10 after switching digits.
23. [21] Right triangle ABC has $AB = 12\sqrt{3}$, $BC = 12$, and $AC = 24$. Let semicircles C_1 and C_2 have diameters \overline{AB} and \overline{BC} , respectively. Compute the area of overlap between C_1 and C_2 . Express your answer in simplest radical form in terms of π .




24. [21] Amy chooses a random integer from 0 to 999, inclusive, and multiplies it by 11. What is the probability that the product is a palindrome with 4 digits? Express your answer as a common fraction. (A palindrome is a positive integer, such as 30303 or 5885, that is the same when read forward or backward)



Gallop Foal Round Set 8

22. [21] For a positive integer n , the function $f(n)$ switches the units digit and tens digit of n . For how many positive integers $n < 1000$ is $f(n)$ strictly greater than n ? For example, $n = 156$ counts because $165 > 156$ but $n = 193$ does not because $139 < 193$. Note: If you have a single-digit number, assume the tens digit is 0. For example, 1 becomes 10 after switching digits.
23. [21] Right triangle ABC has $AB = 12\sqrt{3}$, $BC = 12$, and $AC = 24$. Let semicircles C_1 and C_2 have diameters \overline{AB} and \overline{BC} , respectively. Compute the area of overlap between C_1 and C_2 . Express your answer in simplest radical form in terms of π .



24. [21] Amy chooses a random integer from 0 to 999, inclusive, and multiplies it by 11. What is the probability that the product is a palindrome with 4 digits? Express your answer as a common fraction. (A palindrome is a positive integer, such as 30303 or 5885, that is the same when read forward or backward)



Gallop Foal Round Set 9

25. [25] Estimate the expression below to the nearest integer.

$$\frac{3}{2} \times \frac{5}{4} \times \frac{7}{6} \times \cdots \times \frac{2023}{2022}$$

Submit a positive integer N . If the correct answer is A , you will receive $\max(25 - |A - N|, 0)$ points (if you do not submit a positive integer, you will receive 0 points).

26. [25] Anna the Anaconda initially has 1 gold coin. Every second, she has a 50% chance of doubling the number of coins she currently has. Else, she has a 50% chance of losing one coin. This process terminates whenever Anna loses all of her coins. The probability that Anna still has coins after 10^{2023} seconds is p . Estimate $\lfloor 100p \rfloor$, where $\lfloor x \rfloor$ denotes the largest integer less than or equal to x .

Submit a positive integer N . If the correct answer is A , you will receive $\max(25 - 5|A - N|, 0)$ points (if you do not submit a positive integer, you will receive 0 points).

27. [25] For nonnegative integers M , A , T , H , F , U , and N , let X be the number of possible quadruplets (M, A, T, H) and Y be the number of possible triplets (F, U, N) that satisfy the equations below. Estimate $\frac{X}{Y}$ to the nearest integer.

$$17M + 19A + 21T + 23H = 2023$$

$$9F + 10U + 11N = 1011$$

Submit a positive integer N . If the correct answer is A , you will receive $\max(25 - (A - N)^2, 0)$ points for this question (if you do not submit a positive integer, you will receive 0 points).



Gallop Foal Round Set 9

25. [25] Estimate the expression below to the nearest integer.

$$\frac{3}{2} \times \frac{5}{4} \times \frac{7}{6} \times \cdots \times \frac{2023}{2022}$$

Submit a positive integer N . If the correct answer is A , you will receive $\max(25 - |A - N|, 0)$ points (if you do not submit a positive integer, you will receive 0 points).

26. [25] Anna the Anaconda initially has 1 gold coin. Every second, she has a 50% chance of doubling the number of coins she currently has. Else, she has a 50% chance of losing one coin. This process terminates whenever Anna loses all of her coins. The probability that Anna still has coins after 10^{2023} seconds is p . Estimate $\lfloor 100p \rfloor$, where $\lfloor x \rfloor$ denotes the largest integer less than or equal to x .

Submit a positive integer N . If the correct answer is A , you will receive $\max(25 - 5|A - N|, 0)$ points (if you do not submit a positive integer, you will receive 0 points).

27. [25] For nonnegative integers M , A , T , H , F , U , and N , let X be the number of possible quadruplets (M, A, T, H) and Y be the number of possible triplets (F, U, N) that satisfy the equations below. Estimate $\frac{X}{Y}$ to the nearest integer.

$$17M + 19A + 21T + 23H = 2023$$

$$9F + 10U + 11N = 1011$$

Submit a positive integer N . If the correct answer is A , you will receive $\max(25 - (A - N)^2, 0)$ points for this question (if you do not submit a positive integer, you will receive 0 points).