



Laboratorio No.1 – Semana 14 - Integración servicios en la nube

Nombre: Bernardette Sibila Aragón Léom Carné: 1265425

Objetivo: Desarrollar y publicar una aplicación web que permita interactuar con archivos almacenados en Azure Blob Storage, utilizando control de versiones con Git y una pipeline (script) CI/CD de Azure DevOps para automatizar el despliegue de la aplicación en Azure App Service

Resultado esperado

- Aplicación web funcional ejecutándose en Azure App Service.
- Conexión entre App Service y Azure Blob Storage.
- Listado y consulta de archivos almacenados en un contenedor Blob.
- Operación de carga de archivos al Blob Storage.
- Repositorio Git con historial de cambios.
- Pipeline de Azure DevOps que compile y despliegue automáticamente la aplicación.
- Evidencias que demuestren el funcionamiento de la solución.

Repositorio recomendado

Utilice como punto de partida el ejemplo oficial de Microsoft/Azure Samples revisado para esta actividad:

GitHub: <https://github.com/Azure-Samples/serviceconnector-webapp-storageblob-dotnet>

El tutorial oficial utiliza una aplicación web .NET conectada a Azure Blob Storage mediante una identidad administrada y Service Connector. La documentación indica además que la aplicación puede desplegarse en Azure App Service.

Tecnologías

Tecnología	Uso
C# / .NET	Desarrollo de la aplicación web.
Azure Blob Storage	Almacenamiento de archivos.
Azure App Service	Hospedaje de la aplicación.
Git	Control de versiones.
Azure DevOps Pipelines	Integración y despliegue continuo.
Managed Identity / Service Connector	Acceso seguro desde App Service al almacenamiento.



Realización de la actividad

1. Preparar el repositorio

En el repositorio brindado arriba, realice un fork del repositorio base o copie el proyecto a un repositorio propio. El repositorio debe pertenecer al equipo de trabajo. Realice un primer commit identificable

The screenshot shows a GitHub repository page for 'serviceconnector-webapp-storageblob-dotnet'. The repository is public and was forked from 'Azure-Samples/serviceconnector-webapp-storageblob-dotnet'. It has 1 branch (main) and 0 tags. The repository is up to date with the upstream. The commit history shows a single commit by 'yungezz' titled 'upgrade to dotnet6 (Azure-Samples#4)' from 3 years ago. The file list includes .github, Pages, Properties, wwwroot, .gitignore, CHANGELOG.md, CONTRIBUTING.md, Const.cs, and LICENSE.md. The right sidebar shows the repository's description, README, License, Code of conduct, Contributing, Activity, Stars, Watching, and Forks. The bottom of the page shows the Windows taskbar with the time 07:26 a.m. on 07/10/2026.

2. Revisar la aplicación:

Ejecute la aplicación localmente y revise cómo obtiene acceso al Blob Storage. Identifique el punto del código donde se realiza la lectura/escritura de blobs y documente brevemente su funcionamiento.

Visual Studio -> carpeta -> MIA_Semana14 -> git clone [repo url] -> dotnet commands

NOTA: cambia ren .csproj file -> <TargetFramework>net9.0</TargetFramework>



```
File Edit Selection View Go Run Terminal Help MIA_AzureBlob_BN Update
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026> git push
bdabe92..855bd46 master -> master
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026> cd semana-14
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14> git clone https://github.com/BSARAGON/serviceconnector-webapp-storageblob-dotnet.git
Cloning into 'serviceconnector-webapp-storageblob-dotnet'...
remote: Enumerating objects: 115, done.
remote: Counting objects: 100% (115/115), done.
remote: Compressing objects: 100% (93/93), done.
remote: Total 115 (delta 34), reused 77 (delta 16), pack-reused 0 (from 0)
Receiving objects: 100% (115/115), 697.62 KiB | 1.06 MiB/s, done.
Resolving deltas: 100% (34/34), done.
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14> dir

Directorio: C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14

Mode                LastWriteTime         Length Name
----                -
d-----          07/10/2026   07:31 a. m.      serviceconnector-webapp-storageblob-dotnet
-a---l          27/08/2026   08:35 p. m.              .gitkeep

PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14> cd serviceconnector-webapp-storageblob-dotnet
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> git status
```

3. Crear DotNet Env

- En terminal, instalar: **dotnet add package DotNetEnv**
- Crear .env file en raíz de proyecto, valores ->
AZURE_STORAGEBLOB_RESOURCEENDPOINT=https://miarchivos2026.blob.core.windows.net/
AZURE_STORAGE_CONTAINER_NAME=default
- Crear .env.production con los mismos valores en el mismo lugar
- Anadir cambio brindado en program.cs
- dotnet clean -> dotnet restore -> dotnet build -> dotnet run



The screenshot shows the Visual Studio Code interface. The Explorer pane on the left displays the file structure of the 'serviceconnector-webapp-storageblob-dotnet' project. The main editor area shows the '.env' file with the following content:

```
1 AZURE_STORAGEBLOB_RESOURCEENDPOINT=https://miarchivos2026.blob.core.windows.net/  
2 AZURE_STORAGE_CONTAINER_NAME=default
```

The Terminal pane at the bottom shows a stack trace from a .NET application, indicating an exception occurred. The stack trace includes the following frames:

```
at Microsoft.AspNetCore.Mvc.RazorPages.Infrastructure.PageActionInvoker.InvokeHandlerMethodAsync()  
at Microsoft.AspNetCore.Mvc.RazorPages.Infrastructure.PageActionInvoker.InvokeNextPageFilterAsync()  
at Microsoft.AspNetCore.Mvc.RazorPages.Infrastructure.PageActionInvoker.Rethrow(PageHandlerExecutedContext context)  
at Microsoft.AspNetCore.Mvc.RazorPages.Infrastructure.PageActionInvoker.Next(State& next, Scope& scope, Object& state, Boolean& isCompleted)  
at Microsoft.AspNetCore.Mvc.RazorPages.Infrastructure.PageActionInvoker.InvokeInnerFilterAsync()  
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeNextResourceFilter>g__Awaited|25_0(ResourceInvoker invoker, Task lastTask, State next, Scope scope, object state, Boolean isCompleted)  
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Rethrow(ResourceExecutedContextSealed context)  
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Next(State& next, Scope& scope, Object& state, Boolean& isCompleted)  
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.InvokeFilterPipelineAsync()  
--- End of stack trace from previous location ---  
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeAsync>g__Awaited|17_0(ResourceInvoker invoker, Task task, IDisposable scope)  
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeAsync>g__Awaited|17_0(ResourceInvoker invoker, Task task, IDisposable scope)  
at Microsoft.AspNetCore.Authorization.AuthorizationMiddleware.Invoke(HttpContext context)  
at Microsoft.AspNetCore.Diagnostics.DeveloperExceptionPageMiddlewareImpl.Invoke(HttpContext context)  
info: Microsoft.Hosting.Lifetime[0]  
Application is shutting down...
```

The terminal output also shows the command prompt path: 'PS C:\Users\berna\OneDrive\Escritorio\U1-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet>'.

The screenshot shows the Visual Studio Code interface. The Explorer pane on the left displays the file structure of the 'serviceconnector-webapp-storageblob-dotnet' project. The main editor area shows the '.env.production' file with the following content:

```
1 AZURE_STORAGEBLOB_RESOURCEENDPOINT=https://miarchivos2026.blob.core.windows.net/  
2 AZURE_STORAGE_CONTAINER_NAME=default  
3
```

The Terminal pane at the bottom shows a stack trace from a .NET application, indicating an exception occurred. The stack trace includes the following frames:

```
at Microsoft.AspNetCore.Mvc.RazorPages.Infrastructure.PageActionInvoker.InvokeHandlerMethodAsync()  
at Microsoft.AspNetCore.Mvc.RazorPages.Infrastructure.PageActionInvoker.InvokeNextPageFilterAsync()  
at Microsoft.AspNetCore.Mvc.RazorPages.Infrastructure.PageActionInvoker.Rethrow(PageHandlerExecutedContext context)  
at Microsoft.AspNetCore.Mvc.RazorPages.Infrastructure.PageActionInvoker.Next(State& next, Scope& scope, Object& state, Boolean& isCompleted)  
at Microsoft.AspNetCore.Mvc.RazorPages.Infrastructure.PageActionInvoker.InvokeInnerFilterAsync()  
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeNextResourceFilter>g__Awaited|25_0(ResourceInvoker invoker, Task lastTask, State next, Scope scope, object state, Boolean isCompleted)  
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Rethrow(ResourceExecutedContextSealed context)  
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Next(State& next, Scope& scope, Object& state, Boolean& isCompleted)  
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.InvokeFilterPipelineAsync()  
--- End of stack trace from previous location ---  
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeAsync>g__Awaited|17_0(ResourceInvoker invoker, Task task, IDisposable scope)  
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeAsync>g__Awaited|17_0(ResourceInvoker invoker, Task task, IDisposable scope)  
at Microsoft.AspNetCore.Authorization.AuthorizationMiddleware.Invoke(HttpContext context)  
at Microsoft.AspNetCore.Diagnostics.DeveloperExceptionPageMiddlewareImpl.Invoke(HttpContext context)  
info: Microsoft.Hosting.Lifetime[0]  
Application is shutting down...
```

The terminal output also shows the command prompt path: 'PS C:\Users\berna\OneDrive\Escritorio\U1-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet>'.



4. Crear recursos en Azure

En azure portal site, cree o utilice un Resource Group, una Storage Account con Blob Storage y un contenedor. El contenedor deberá tener al menos tres archivos de prueba, Puede utilizar el creado en semana 13.

5. Conectar App Service con Blob Storage

Configure la conexión entre App Service y Blob Storage mediante Service Connector utilizando identidad administrada. Verifique que la identidad tenga los permisos necesarios sobre los blobs.

- Azure Portal → **Storage accounts** → **tu Storage Account** → **Data storage** → **Containers**
- Crear contenedor "default"
- Activa identidad administrada en App Service: **Azure Portal** → **App Service** → **Settings** → **Identity** → **System assigned: on** → **Save** (web app creada semana 13)
- Configurar la conexión entre App Service y Blob Storage: **App Service** → **Settings** → **Service Connector** → **Create** → **Seleccionar "Storage Blob"** → **Seleccionar Storage Account [tu_blob_name]** → **Authentication "System-assigned managed identity"** → **Review + Create**.
- Reemplazar storage blob endpoint y container nombre en .env file
Storage Account → **Settings** → **Endpoints** → **Blob service**

Home > miaarchivoslab12

miaarchivoslab12 | Containers

Storage account

Search

+ Add container | ↑ Upload | ↻ Refresh | 🗑 Delete | 🔒 Change access level | ↺ Restore containers | 📄 Edit columns

Search containers by prefix

Only show active containers

Showing all 3 items

☐	Name	Last modified	Anonymous access level	Lease state
☐	slogs	9/25/2026, 9:02:29 AM	Private	Available
☐	default	10/7/2026, 7:56:33 AM	Private	Available
☐	miaarchivos	9/25/2026, 9:03:21 AM	Private	Available

18°C
Parc. soleado

08:34 a. m.
07/10/2026



Microsoft Azure portal showing the overview of the **storage-container-connector-mia** Web App. The interface includes a left sidebar with navigation options like Activity log, Access control (IAM), Tags, Diagnose and solve problems, Microsoft Defender for Cloud, Events (preview), AI, Resource visualizer, Deployment, and Settings. The main content area displays the app's status as **Running** and provides details such as Resource group, Location, Subscription, and Subscription ID. It also shows the Default domain, App Service Plan, Operating System, and Health Check status. The **Properties** tab is selected, showing the Web app name, Publishing model, Runtime Stack, and Deployment Center information.

Microsoft Azure portal showing the **Identity** settings for the **storage-container-connector-mia** Web App. The **System assigned** tab is active, displaying the status as **On** and the Object (principal) ID. The Permissions section shows **Azure role assignments**. A warning message indicates that the resource is registered with Microsoft Entra ID and that managed identity can be configured to allow access to other resources. The interface also includes a left sidebar with navigation options like Authentication, Backups, Custom domains, Certificates, Networking, WebJobs, MySQL In App, Service Connector, Properties, Locks, Performance, Load Testing, App Service plan, and Quotas.



Microsoft Azure

Create connection

Home > Microsoft.Web-V

storage-cor Web App

Search

- Instances
- Authentication
- Identity
- Backups
- Custom domains
- Certificates
- Networking
- WebJobs
- MySQL In App
- Service Connector**
- Properties
- Locks
- Performance
- Load Testing
- App Service plan
- App Service plan
- Quotas

Add or remove favorites by pressing C

Select the service instance and client type.

Service type * ⓘ
Storage - Blob

Connection name * ⓘ
storageblob_bsal

Subscription * ⓘ
Azure for Students

Storage account * ⓘ
miaarchivoslab12
[Create new](#)

Client type * ⓘ
.NET

[Next : Authentication](#) [Cancel](#) [Report an issue.](#)

10:51 a. m. 07/10/2026



storage-container-connector-mia | Service Connector

Using Service Connector will register resource provider 'Microsoft.ServiceLinker' to your Subscription.

What operations are done when creating a connection? [Learn more](#). Check code sample to use the connection in your application: [Sample code](#). Have feedback for Service Connector? [Fill out this quick survey](#)

Use Service Connector to connect your Azure Compute and target backing services. Swapping slots does not carry over service connectors or environment variables set by Service Connector. [Learn more](#)

	Service type	Resource name	Connection name	Connection status
☐	> Storage - Blob	miaarchivoslab12	storageblob_bsal	Unvalidated

miaarchivoslab12 | Endpoints

Provisioning state: Succeeded

Created: 9/25/2026, 9:01:58 AM

Storage account resource ID: /subscriptions/db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb/resourceGroups/rg-mia-2026/providers/Microsoft.Storage/storageAccounts/...

Blob service

Resource ID: /subscriptions/db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb/resourceGroups/rg-mia-2026/providers/Microsoft.Storage/storageAccounts/...

Blob service: https://miaarchivoslab12.blob.core.windows.net/

File service

Resource ID: /subscriptions/db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb/resourceGroups/rg-mia-2026/providers/Microsoft.Storage/storageAccounts/...

File service: https://miaarchivoslab12.file.core.windows.net/

Queue service

Resource ID: /subscriptions/db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb/resourceGroups/rg-mia-2026/providers/Microsoft.Storage/storageAccounts/...

Queue service: https://miaarchivoslab12.queue.core.windows.net/

Table service

Resource ID: /subscriptions/db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb/resourceGroups/rg-mia-2026/providers/Microsoft.Storage/storageAccounts/...

Table service: https://miaarchivoslab12.table.core.windows.net/



6. Probar el acceso al almacenamiento:

Ejecute la aplicación local y compruebe que puede leer los blobs. Realice al menos una operación de carga de archivo y verifique desde Azure Portal que el archivo llegó al contenedor. Visual Studio -> dotnet run

- Verifique que Azure CLI esté instalado ejecutando en la terminal de VS Code: `az --version`
- Inicie sesión en Azure: `az login`
- Verifique la cuenta de Azure activa: `az account show`
- Verifique que pueda obtener un token para Azure Storage: `az account get-access-token --resource https://storage.azure.com/`
- Si se muestra un accessToken la autenticación esta correcta, ejecutar -> `dotnet run`
- Si hay error en acceso, ejecutar en terminal vs code: `az role assignment create --assignee "TU_CORREO_DE_AZURE" --role "Storage Blob Data Contributor" --scope "/subscriptions/TU_SUBSCRIPTION_ID/resourceGroups/TU_RESOURCE_GROUP/providers/Microsoft.Storage/storageAccounts/TU_STORAGE"`

Obtener info: `az account show --query "{subscriptionId:id, user:user.name}" -o table`

`az storage account show --name "tu_storage" --query "{id:id, resourceGroup:resourceGroup}" -o table`

- Cerrar process ctr +c y logear de nuevo: `az logout` y `az login`, Por ultimo `dotnet run`

The screenshot shows the Visual Studio Code interface. The Explorer pane on the left shows the project structure for 'serviceconnector-webapp-storageblob-dotnet'. The main editor shows the '.env' file with the following content:

```
1 AZURE_STORAGEBLOB_RESOURCEENDPOINT=https://miaarchivoslab12.blob.core.windows.net/  
2 AZURE_STORAGE_CONTAINER_NAME=default  
3
```

The Terminal pane at the bottom shows the output of the `dotnet run` command. The output includes a warning about a vulnerability in Microsoft.AspNetCore.Server.Kestrel.Core, a message about the ASP.NET Core developer certificate not being trusted, and information about the application starting and listening on `https://localhost:5001` and `http://localhost:5000`. The content root path is also displayed.



The screenshot shows the Visual Studio Code interface with the `.env.production` file open in the Explorer. The file contains the following content:

```
1 AZURE_STORAGEBLOB_RESOURCEENDPOINT=https://miaarchivoslab12.blob.core.windows.net/
2 AZURE_STORAGE_CONTAINER_NAME=default
3
```

The Terminal window shows the output of the `dotnet run` command. The output indicates that the application is listening on `https://localhost:5001` and `http://localhost:5000`. The content root path is `C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet`.

The screenshot shows the Visual Studio Code interface with the Terminal window open. The terminal output shows the execution of the `az login` command, which prompts the user to log in. The output also shows the execution of the `az account show` command, which displays the current subscription and tenant information.

```
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> az login
az login
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> az login --use-device-code
To sign in, use a web browser to open the page https://login.microsoft.com/device and enter the code ASZ786BPM5 to authenticate.

Retrieving tenants and subscriptions for the selection...

[Tenant and subscription selection]

No  Subscription name  Subscription ID  Tenant
-----
[1] * Azure for Students  db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb  Universidad Rafael Landivar

The default is marked with an *; the default tenant is 'Universidad Rafael Landivar' and subscription is 'Azure for Students' (db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb).

Select a subscription and tenant (Type a number or Enter for no changes): 1

Tenant: Universidad Rafael Landivar
Subscription: Azure for Students (db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb)

[Announcements]
With the new Azure CLI login experience, you can select the subscription you want to use more easily. Learn more about it and its configuration at https://go.microsoft.com/fwlink/?linkid=2271236

If you encounter any problem, please open an issue at https://aka.ms/azclibug

[Warning] The login output has been updated. Please be aware that it no longer displays the full list of available subscriptions by default.

PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> az account show --query "{subscriptionId:id, user:user.name}" -o tabl
SubscriptionId  User
-----
db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb  bsaragon@correo.url.edu.gt
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> az storage account show --name miaarchivoslab12 --query "{id:id, reso
urceGroup:resourceGroup}" -o table
```



```
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> az account show --query "{subscriptionId, user:user.name}" -o table
db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb  bsaragon@correo.url.edu.gt

PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> az storage account show --name miaarchivoslab12 --query "{id:id, resourceGroup:resourceGroup}" -o table
ResourceGroup
-----
rg-mia-2026

PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> az storage account show --name miaarchivoslab12 --query id -o tsv
/subscriptions/db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb/resourceGroups/rg-mia-2026/providers/Microsoft.Storage/storageAccounts/miaarchivoslab12

PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> az role assignment create --assignee "bsaragon@correo.url.edu.gt" --role "Storage Blob Data Contributor" --scope "/subscriptions/db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb/resourceGroups/rg-mia-2026/providers/Microsoft.Storage/storageAccounts/miaarchivoslab12"
{
  "condition": null,
  "conditionVersion": null,
  "createdBy": null,
  "createdOn": "2026-10-08T01:16:32.745755+00:00",
  "delegatedManagedIdentityResourceId": null,
  "description": null,
  "id": "/subscriptions/db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb/resourceGroups/rg-mia-2026/providers/Microsoft.Storage/storageAccounts/miaarchivoslab12/providers/Microsoft.Authorization/roleAssignments/d175e3c0-1b46-427d-a824-5d668e17e009",
  "name": "d175e3c0-1b46-427d-a824-5d668e17e009",
  "principalId": "a085239d-f5a8-4c6a-b0bd-e00288cfc5c0",
  "principalType": "User",
  "resourceGroup": "rg-mia-2026",
  "roleDefinitionId": "/subscriptions/db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb/providers/Microsoft.Authorization/roleDefinitions/ba92f9b4-2d11-453d-a403-e96b0029c9fe",
  "scope": "/subscriptions/db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb/resourceGroups/rg-mia-2026/providers/Microsoft.Storage/storageAccounts/miaarchivoslab12",
  "systemData": null,
  "type": "Microsoft.Authorization/roleAssignments",
  "updatedBy": "a085239d-f5a8-4c6a-b0bd-e00288cfc5c0",
}
```

WebStorageSample Home Privacy

Hello Service Connector! UTC Now: 08/10/2026 01:29:37 a. m. +00:00.

[Learn about building Web apps with ASP.NET Core.](#)

© 2021 - WebStorageSample - Privacy

```
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> dotnet run
The ASP.NET Core developer certificate is not trusted. For information about trusting the ASP.NET Core developer certificate, see https://aka.ms/aspnet/https-trust-dev-cert
info: Microsoft.Hosting.Lifetime[14]
      Now listening on: https://localhost:5001
info: Microsoft.Hosting.Lifetime[14]
      Now listening on: http://localhost:5000
info: Microsoft.Hosting.Lifetime[0]
      Application started. Press Ctrl+C to shut down.
info: Microsoft.Hosting.Lifetime[0]
      Hosting environment: Development
info: Microsoft.Hosting.Lifetime[0]
      Content root path: C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet
Hello Service Connector! UTC Now: 08/10/2026 01:29:37 a. m. +00:00.
```



storage browser

Help me save costs by tiering unused blobs

Blob containers > default

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 1 items

Name	Last modified	Access tier	Blob type	Size	Lease state
HelloWorld	10/7/2026, 7:29:38 PM	Hot (Inferred)	Block blob	67 B	Available

Nota: no olvidar subir cambios a repo github fork

File Edit Selection View Go Run Terminal Help

serviceconnector-webapp-storageblob-dotnet

WebStorageSample.csproj 4. M Program.cs M .env .gitignore M .env.production U

Changes not staged for commit:
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified: .gitignore
modified: Program.cs
modified: WebStorageSample.csproj

Untracked files:
(use "git add <file>..." to include in what will be committed)
.env.production

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> git status

main* 0 4 Projects: WebStorageSample Debug Any CPU C# Workspace Dev Mode Live Share Ln 373, Col 5 Spaces: 4 UTF-8 CRLF {} Ignore 08:04 p. m. 07/10/2026



The screenshot shows the Visual Studio Code interface. The Explorer pane on the left shows the file structure of the 'serviceconnector-webapp-storageblob-dotnet' project. The main editor shows the '.gitignore' file with the following content:

```
360
361 # Fody - auto-generated XML schema
362 FodyWeavers.xsd
363
364 src/Cupertino.Web/Properties/ServiceDependencies/
365 src/Cupertino.Web/Properties/serviceDependencies.json
366 src/Cupertino.Web/Properties/serviceDependencies.*.json
367
368 /src/Microsoft.Cupertino.ResourceProvider/Properties/ServiceDependencies/
369 /src/Microsoft.Cupertino.ResourceProvider/Properties/serviceDependencies.*.json
370
371 .azure/
372 **/ServiceDependencies/
373 .env
```

The terminal window at the bottom shows the following commands and output:

```
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> git status
no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> git add .
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> git commit -m "feat(blob): añadiendo .env al .gitignore"
[main 4ee06da] feat(blob): añadiendo .env al .gitignore
4 files changed, 12 insertions(+), 11 deletions(-)
create mode 100644 .env.production
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> git push
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 16 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 707 bytes | 707.00 KiB/s, done.
Total 6 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), completed with 4 local objects.
To https://github.com/BSARAGON/serviceconnector-webapp-storageblob-dotnet.git
ddec11d..4ee06da main -> main
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet>
```

The screenshot shows the GitHub repository page for `serviceconnector-webapp-storageblob-dotnet`. The repository is public and has 1 branch and 0 tags. The main branch is ahead of the upstream branch by 1 commit.

The repository was created by Bernardette Aragon, who has 15 commits. The repository contains the following files and folders:

File/Folder	Commit	Time
.github	.github/PULL_REQUEST_TEMPLATE.md committed	5 years ago
Pages	initial version	5 years ago
Properties	initial version	5 years ago
wwwroot	initial version	5 years ago
.env.production	feat(blob): añadiendo .env al .gitignore	now
.gitignore	feat(blob): añadiendo .env al .gitignore	now
CHANGELOG.md	CHANGELOG.md committed	5 years ago
CONTRIBUTING.md	CONTRIBUTING.md committed	5 years ago
Const.cs	initial version	5 years ago
LICENSE.md	LICENSE.md committed	5 years ago
Program.cs	feat(blob): añadiendo .env al .gitignore	now

The repository also has a README, License, and Code of conduct. There are no releases published and no packages published.



7. Crear Pipeline Yml

En la raíz de tu fork de GitHub crear archivo "azure-pipelines.yml"

Colocar en el archivo lo siguiente:

trigger:

- main

pool:

vmImage: 'windows-latest'

variables:

buildConfiguration: 'Release'

dotnetVersion: '9.x'

Completar posteriormente

azureSubscription: 'NOMBRE-DE-TU-SERVICE-CONNECTION'

appName: 'NOMBRE-DE-TU-APP-SERVICE'

steps:

1. Instalar .NET 9

- task: UseDotNet@2

displayName: 'Instalar .NET 9 SDK'

inputs:

packageType: 'sdk'

version: '\$(dotnetVersion)'

2. Restaurar dependencias

- task: DotNetCoreCLI@2

displayName: 'Restaurar dependencias'

inputs:

command: 'restore'

projects: '**/*.csproj'

3. Configurar ambiente de producción

- powershell: |

Copy-Item ".env.production" ".env" -Force

displayName: 'Configurar .env de producción'

4. Compilar

- task: DotNetCoreCLI@2

displayName: 'Compilar aplicación'

inputs:

command: 'build'

projects: '**/*.csproj'

arguments: '--configuration \$(buildConfiguration) --no-restore'

5. Publicar

- task: DotNetCoreCLI@2

displayName: 'Publicar aplicación'

inputs:



```
command: 'publish'
projects: '**/*.csproj'
arguments: '--configuration $(buildConfiguration) --output $(Build.ArtifactStagingDirectory)/publish --no-build'
zipAfterPublish: true
```

6. Desplegar en Azure App Service

```
- task: AzureWebApp@1
  displayName: 'Desplegar en Azure App Service'
  inputs:
    azureSubscription: '$(azureSubscription)'
    appType: 'webApp'
    appName: '$(appName)'
    package: '$(Build.ArtifactStagingDirectory)/publish/**/*.zip'
```

```
trigger:
- main

pool:
  vmImage: 'windows-latest'

variables:
  buildConfiguration: 'Release'
  dotnetVersion: '9.x'

# Completar posteriormente
  azureSubscription: 'NOMBRE-DE-TU-SERVICE-CONNECTION'
  appName: 'NOMBRE-DE-TU-APP-SERVICE'

steps:
  # 1. Instalar .NET 9
  - task: UseDotNet@2
    displayName: 'Instalar .NET 9 SDK'
    inputs:
      packageType: 'sdk'
      version: '$(dotnetVersion)'
```

8. Crear pipeline CI/CD

Cree un pipeline YAML que restaure dependencias, compile, publique y despliegue la aplicación en Azure App Service.

- Conectarse a Azure DevOps con misma cuenta que azure portal -> <https://aex.dev.azure.com/me>
- Crear pipeline: En Azure devOps -> Menu izquierda -> pipelines -> Create Pipeline -> Seleccionar Github -> Autoriza Azure DevOps para acceder a GitHub -> seleccionar repositorio que hizo fork -> seleccionar Existing Azure Pipelines YAML file -> Branch: main Path: /azure-pipelines.yml
- Probar seleccionando "run"
- Conectar Azure DevOps con Azure Portal: Project Settings -> Service connections -> New service connection -> Azure Resource Manager -> luego, Workload identity federation -> Selecciona tu suscripción de Azure -> y resource group donde estan tus recursos -> Anadir nombre "MIA_Connection" -> Seleccionar "grant access"



permission to all pipelines" -> Save



dev.azure.com/mia-url-2026/MIA_apps/hub/ms.vss-build-web-ci-designer-hub?triggers=ContinuousIntegration%2CPullRequest&connectionId=c2530d57-f865-4af2-a95f-d4470c9de62f...

Azure DevOps mia-url-2026 / MIA / Pipelines

You selected a public repository, but this is not a public project. Go to [project settings](#) to change the visibility of the project. [Learn more](#)

Connect Select Configure **Review**

New pipeline

Review your pipeline YAML

Variables Run

BSARAGON/serviceconnector-webapp-storageblob-dotnet / azure-pipelines.yml

```
1 trigger:
2   - main
3
4 pool:
5   - vmImage: 'windows-latest'
6
7 variables:
8   - buildConfiguration: 'Release'
9   - dotnetVersion: '9.x'
10
11 # Completar posteriormente
12 azureSubscription: 'NOMBRE-DE-TU-SERVICE-CONNECTION'
13 appName: 'NOMBRE-DE-TU-APP-SERVICE'
14
15 steps:
16
17 # 1. Instalar .NET 9
18 task: UseDotNet@2
19 displayName: 'Instalar .NET 9 SDK'
20 inputs:
21   - packageType: 'sdk'
```

23°C Nublado

dev.azure.com/mia-url-2026/MIA_settings/adminservices

mia-url-2026 / MIA / Settings / Service connections

Project Settings

MIA

General

- Overview
- Teams
- Permissions
- Notifications
- Service hooks
- Dashboards

Boards

- Project configuration
- Team configuration
- GitHub connections

Pipelines

- Agent pools
- Parallel jobs
- Settings
- Test management
- Service connections

Service connections

Filter by keywords

Name	Type
BSARAGON	GitHub

New service connection

Choose a service or connection type

Search connection types

- ☐ Azure DevOps
- ☐ Azure Repos/Team Foundation Server
- ☒ Azure Resource Manager
- ☐ Azure Service Bus
- ☐ Bitbucket Cloud
- ☐ Cargo
- ☐ Chef
- ☐ Docker Host
- ☐ Docker Registry
- ☐ Generic

[Learn more](#) [Next](#)

23°C Nublado



dev.azure.com/mia-url-2026/MIA_settings/adminservices

mia-url-2026 / MIA / Settings / Service connections

Project Settings
MIA

- General
 - Overview
 - Teams
 - Permissions
 - Notifications
 - Service hooks
 - Dashboards
- Boards
 - Project configuration
 - Team configuration
 - GitHub connections
- Pipelines
 - Agent pools
 - Parallel jobs
 - Settings
 - Test management
 - Service connections

Service connections

Filter by keywords

Name	Type
BSARAGON	GitHub

New Azure service connection
Azure Resource Manager

☐ Machine Learning Workspace

Subscription
Azure for Students (db2c3b79-fb3f-42ac-9cb2-dfdec7488cfb)
If you can't find subscription you need, please [create manually](#).

Resource group
miaazurestorage_group
Specify to limit access to the chosen resource group only.

Service Connection Name
MIA_Connection

Service Management Reference (optional)

Provide a Service Management Reference if your organization requires one to be configured on Entra ID App registrations.

Description (optional)

Security
☒ Grant access permission to all pipelines

[Learn more](#) [Troubleshoot](#)

[Back](#) [Save](#)

23°C Nublado 08:43 p. m. 07/10/2026

dev.azure.com/mia-url-2026/MIA_settings/adminservices

mia-url-2026 / MIA / Settings / Service connections

Project Settings
MIA

- General
 - Overview
 - Teams
 - Permissions
 - Notifications
 - Service hooks
 - Dashboards
- Boards
 - Project configuration
 - Team configuration
 - GitHub connections
- Pipelines
 - Agent pools
 - Parallel jobs
 - Settings
 - Test management
 - Service connections

Service connections

Filter by keywords

Created by Type Authentication method

BSARAGON	GitHub	Azure Pipelines App
MIA_Connection	Azure Resource Manager	Workload Identity federation (Automatic)

[Security](#) [New service connection](#)

23°C Nublado 08:44 p. m. 07/10/2026



9. Conectar Pipeline con App

- Obtener nombre app: En Azure Portal → App Services → tu aplicación → Copia nombre app
- en github en tu "azure-pipelines.yml" file busca: azureSubscription y appName, cambiar por valores reales.

azureSubscription: TU_Service_Connection_name

appName: Tu_app_name

- Al hacer commit, verificar el pipeline se ejecuta automáticamente

```
1 trigger:
2   - main
3
4 pool:
5   vmImage: 'windows-latest'
6
7 variables:
8   buildConfiguration: 'Release'
9   dotnetVersion: '9.x'
10
11 # Completar posteriormente
12 azureSubscription: 'MIA_Connection'
13 appName: 'storage-container-connector-mia'
14
15 steps:
16
17 # 1. Instalar .NET 9
18 - task: UseDotNet@2
19   displayName: 'Instalar .NET 9 SDK'
20   inputs:
21     packageType: 'sdk'
22     version: '$(dotnetVersion)'
23
```



```
! azure-pipelines.yml
2 - main
3
4 pool:
5   vmImage: 'windows-latest'
6
7 variables:
8   buildConfiguration: 'Release'
9   dotnetVersion: '9.x'
10
11 # Completar posteriormente.
12 azureSubscription: 'MIA_Connection'
13 appName: 'storage-container-connector-mia'
14
15 steps:
16
17 # 1. Instalar .NET 9
18 - task: UseDotNet@2
19   displayName: 'Instalar .NET 9 SDK'
```

Terminal Output:

```
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> git status
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> git add azure-pipelines.yml
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> git commit -m "feat(blob): pipelineyaml change"
[main 3ba896a] feat(blob): pipelineyaml change
1 file changed, 1 insertion(+), 1 deletion(-)
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 316 bytes | 316.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/BSARAGON/serviceconnector-webapp-storageblob-dotnet.git
7c1a26e..3ba896a main -> main
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet>
```

Azure DevOps: mia-url-2026 / MIA / Pipelines / BSARAGON.serviceconnect... / 20261008.1

#20261008.1 • feat(blob): pipelineyaml change
BSARAGON.serviceconnector-webapp-storageblob-dotnet

Summary

Manually run by BERNARDETTE SIBILA ARAGON LEOM

Just now 14s

Repository and version: BSARAGON/serviceconnector-webapp-storageblob-dot...
main 3ba896a7

Related: 0 work items, 0 published

Tests and coverage: [Get started](#)

Stages: 0/1 completed, 12s

Jobs: 12s

Cancel



dev.azure.com/mia-url-2026/MIA_build

Azure DevOps mia-url-2026 / MIA / Pipelines

Pipelines

Recent All Runs

Filter pipelines

Recently run pipelines

Pipeline	Last run
BSARAGON.serviceconnector-webapp-s...	#20261008.1 • feat(blob): pipelineyaml change Manually run by main Just now 1m 8s

23°C Nublado

09:02 p. m. 07/10/2026

dev.azure.com/mia-url-2026/MIA_build/results?buildId=1&view=results

Azure DevOps mia-url-2026 / MIA / Pipelines / BSARAGON.serviceconnect... / 20261008.1

Summary

- WebStorageSample.csproj(0,0): Warning NU1903: Package 'Azure.Identity' 1.4.1 has a known high severity vulnerability, <https://github.com/advisories/GHSA-5mfx-4wxc-rv27>
Publicar aplicación
- WebStorageSample.csproj(0,0): Warning NU1902: Package 'Azure.Identity' 1.4.1 has a known moderate severity vulnerability, <https://github.com/advisories/GHSA-m5vv-6r4h-3...>
Publicar aplicación
- WebStorageSample.csproj(0,0): Warning NU1902: Package 'Azure.Identity' 1.4.1 has a known moderate severity vulnerability, <https://github.com/advisories/GHSA-wxvc-855f-jrvv>
Publicar aplicación
- WebStorageSample.csproj(0,0): Warning NU1902: Package 'Azure.Storage.Blobs' 12.10.0 has a known moderate severity vulnerability, <https://github.com/advisories/GHSA-64x...>
Publicar aplicación

Stages Jobs

Stage

1 job completed 3m 17s

Job 3m 12s

Rerun Stage

23°C Nublado

09:04 p. m. 07/10/2026



dev.azure.com/mia-url-2026/MIA_build/results?buildId=1&view=logs&_j=12f1170f-54f2-53b3-20dd-22fc7dff55f9&t=63e8042a-f367-5aec-692c-fcc654be55e4

Azure DevOps mia-url-2026 / MIA / Pipelines / BSARAGON.serviceconnect... / 20261008.1

Jobs in run #20261008.1
BSARAGON.serviceconnector-webapp-storageblob-dotnet

Job	Duration
Initialize job	13s
Checkout BSARAGON/s...	7s
Instalar .NET 9 SDK	38s
Restaurar dependencias	25s
Configurar .env de prod...	9s
Compilar aplicación	24s
Publicar aplicación	8s
Desplegar en Azure...	1m 1s
Post-job: Checkout BSA...	2s
Finalize Job	<1s

Checkout BSARAGON/serviceconnector-webapp-storageblob-dot...

```
1 ▶ Condition evaluation
9 Starting: Checkout BSARAGON/serviceconnector-webapp-storageblob-dotnet@main to s
10 =====
11 Task : Get sources
12 Description : Get sources from a repository. Supports Git, TfsVC, and SVN repositories.
13 Version : 1.0.0
14 Author : Microsoft
15 Help : [More Information](https://go.microsoft.com/fwlink/?LinkId=798199)
16 =====
17 Syncing repository: BSARAGON/serviceconnector-webapp-storageblob-dotnet (GitHub)
18 Prepending Path environment variable with directory containing 'git.exe'.
19 git version
20 git version 2.55.0.windows.1
21 git lfs version
22 git-lfs/3.7.1 (GitHub; windows amd64; go 1.25.1; git b84b3384)
23 git init "D:\a\1\s"
24 Initialized empty Git repository in D:\a\1\s\.git\
25 git remote add origin https://github.com/BSARAGON/serviceconnector-webapp-storageblob-dotnet
26 git sparse-checkout disable
27 git config gc.auto 0
28 git config core.longpaths true
29 git config --get-all http.https://github.com/BSARAGON/serviceconnector-webapp-storageblob-dotnet.extraheader
30 git config --get-all http.extraheader
31 git config --get-regexp *.extraheader
32 git config --get-all http.proxy
33 git config http.version HTTP/1.1
34 git config --get-all remote.origin.promisor
35 git config --get-all remote.origin.partialclonefilter
```

dev.azure.com/mia-url-2026/MIA_build/results?buildId=1&view=logs&_j=12f1170f-54f2-53b3-20dd-22fc7dff55f9&t=7ead7f30-9997-5ce5-fb3b-d8df586a067d


Azure DevOps mia-url-2026 / MIA / Pipelines / BSARAGON.serviceconnect... / 20261008.1

Jobs in run #20261008.1
BSARAGON.serviceconnector-webapp-storageblob-dotnet

Job	Duration
Initialize job	13s
Checkout BSARAGON/s...	7s
Instalar .NET 9 SDK	38s
Restaurar dependencias	25s
Configurar .env de prod...	9s
Compilar aplicación	24s
Publicar aplicación	8s
Desplegar en Azure...	1m 1s
Post-job: Checkout BSA...	2s
Finalize Job	<1s

Desplegar en Azure App Service

```
1 ▶ Condition evaluation
9 Starting: Desplegar en Azure App Service
10 =====
11 Task : Azure Web App
12 Description : Deploy an Azure Web App for Linux or Windows
13 Version : 1.279.1
14 Author : Microsoft Corporation
15 Help : https://aka.ms/azurewebapptroubleshooting
16 =====
17 [Host] Selected Node version: Node24 (Strategy: Node24Strategy)
18 Got service connection details for Azure App Service: 'storage-container-connector-mia'
19 Updating App Service Application settings. Data: {"WEBSITE_RUN_FROM_PACKAGE": "1"}
20 Deleting App Service Application settings. Data: ["WEBSITE_RUN_FROM_ZIP"]
21 Updated App Service Application settings and Kudu Application settings.
22 Package deployment using ZIP Deploy initiated.
23 Successfully deployed web package to App Service.
24 NOTE: Run From Package makes wwwroot read-only, so you will receive an error when writing files to this directory.
25 Successfully updated App Service configuration details
26 App Service Application URL: https://storage-container-connector-mia-fabbcdhzbckabfn.westus-01.azurewebsites.net
27 Finishing: Desplegar en Azure App Service
```



WebStorageSample Home Privacy

Hello Service Connector! UTC Now: 10/8/2026
3:08:34 AM +00:00.

[Learn about building Web apps with ASP.NET Core.](#)

© 2021 - WebStorageSample - [Privacy](#)



Storage browser Help me save costs by tiering unused blobs

miaarchivoslab12

Favorites

Recently viewed

Blob containers

\$logs

default

miaarchivos

View all

Classic file shares

Queues

Tables



Add Directory



Upload



Change access level



Refresh



Delete



Copy



Paste



Rename



Blob containers > default

Authentication method: Access key ([Switch to Microsoft Entra user account](#))

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 1 items

	Name	Last modified	Access tier	Blob type	Size	Lease state
	HelloWorld	10/7/2026, 9:08:34 PM	Hot (Inferred)	Block blob	62 B	Available





10. Validar la solución


Compruebe desde la URL pública que la aplicación funciona y que el acceso al Blob Storage continúa operativo después del despliegue.

- acceso de la aplicación al Blob: Azure Portal → App Service → Settings → Environment variables → App settings → colocar AZURE_STORAGEBLOB_RESOURCEENDPOINT
https://tu_storage.blob.core.windows.net/
(si existe obviar)
- Verificar app: Azure Portal → App Service → OverView → Default Domain → click en URL publica
- En la app publicada realizar cambios en archivos
- Verificar que los cambios se representen en storage account: Azure Portal → Storage Account → Storage Browser → Blob containers → Seleccionar su container → Verificar cambios

The screenshot shows the Azure portal interface. The left sidebar contains navigation options like 'Access control (IAM)', 'Tags', 'Diagnose and solve problems', 'Microsoft Defender for Cloud', 'Events (preview)', 'AI', 'Resource visualizer', 'Deployment', 'Deployment slots', 'Deployment Center', 'Settings', 'Environment variables', 'Configuration', 'Instances', 'Authentication', 'Identity', and 'Backups'. The main area is titled 'storage-container-connector-mia | Environment variables' and shows a table of environment variables.

Name	Value	Deployment slot setting	Source	Delete
AZURE_STORAGEBLOB_RESOURCEENDPOINT	Show value	✓	App Service	Delete
WEBSITE_ENABLE_SYNC_UPDATE_SITE	Show value		App Service	Delete
WEBSITE_RUN_FROM_PACKAGE	Show value		App Service	Delete

At the bottom of the table are 'Apply' and 'Discard' buttons. A feedback link 'Send us your feedback' is also present.



WebStorageSample Home Privacy

Hello Service Connector! UTC Now: 10/8/2026
3:21:06 AM +00:00.

[Learn about building Web apps with ASP.NET Core.](#)

© 2021 - WebStorageSample - Privacy



Storage browser [Help me save costs by tiering unused blobs](#)

miaarchivoslab12

Favorites

Recently viewed

Blob containers

- \$logs
- default
- miaarchivos

View all

Classic file shares

Queues

Tables

+ Add Directory

↑ Upload

🔒 Change access level

🔄 Refresh

🗑️ Delete

📄 Copy

📄 Paste

🏷️ Rename

⋮

Blob containers > default

Authentication method: Access key ([Switch to Microsoft Entra user account](#))

🔍 Add filter

Only show active blobs

Showing all 1 items

	Name	Last modified	Access tier	Blob type	Size	Lease state	
	HelloWorld	10/7/2026, 9:21:06 PM	Hot (Inferred)	Block blob	62 B	Available	⋮





```
using System;
using System.Threading.Tasks;
using Azure.Identity;
using Azure.Storage.Blobs;
using Microsoft.AspNetCore.Http;
using Microsoft.AspNetCore.Mvc;
using Microsoft.AspNetCore.Mvc.RazorPages;
using Microsoft.Extensions.Logging;

namespace WebStorageSample.Pages
{
    7 references
    public class IndexModel : PageModel
    {
        1 reference
        private readonly ILogger<IndexModel> _logger;

        3 references
        public string ImageBase64 { get; private set; }
    }
}
```

Terminal output:


```
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> git commit -m "feat(blob): añadiendo funcionalidad carga de im
agenes"
[main d860722] feat(blob): añadiendo funcionalidad carga de imagenes
2 files changed, 92 insertions(+), 17 deletions(-)
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet> git push
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 16 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 1.63 KiB | 833.00 KiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/BSARAGON/serviceconnector-webapp-storageblob-dotnet.git
3ba896a..d860722 main -> main
PS C:\Users\berna\OneDrive\Escritorio\url-mia-2026\semana-14\serviceconnector-webapp-storageblob-dotnet>
```

Azure DevOps: mia-url-2026 / MIA / Pipelines / mia-blobconnector-ci-cd

← mia-blobconnector-ci-cd

Runs Stages Branches Analytics

Description	Stages	Time
✓ #20261008.2 • feat(blob): añadiendo funcionalidad carga de imagenes Individual CI for main d860722f	✓	6m ago 2m 38s
✓ #20261008.1 • feat(blob): pipelineyaml change Manually run by main 3ba896a7	Success (02:36) ✓	33m ago 3m 19s



WebStorageSample Home Privacy

Azure Blob Storage

Seleccione una imagen para almacenarla en Azure Blob Storage.

Choose File No file chosen

Subir imagen

© 2021 - WebStorageSample - Privacy



rage browser



Help me save costs by tiering unused blobs



miaarchivoslab12



+ Add Directory ↑ Upload 🔒 Change access level ↻ Refresh | 🗑 Delete 📄 Copy 📄 Paste 🔄 Rename ...

Blob containers > default

Authentication method: Access key (Switch to Microsoft Entra user account)


🔍 Add filter


🔍 Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 2 items

	Name	Last modified	Access tier	Blob type	Size	Lease state	
○	25793.jpg	10/7/2026, 9:37:50 PM	Hot (Inferred)	Block blob	3.29 MiB	Available	...
○	HelloWorld	10/7/2026, 9:21:06 PM	Hot (Inferred)	Block blob	62 B	Available	...





11. Preguntas de analisis

1. ¿Para qué sirve el archivo .env en la aplicación?
Sirve para guardar la dirección del Blob Storage y el nombre del contenedor que utiliza la aplicación para acceder al almacenamiento.
2. ¿Por qué utilizar Blob Storage y no guardar los archivos dentro del proyecto?
Porque Blob Storage está diseñado para almacenar archivos en la nube y permite que la aplicación pueda acceder a ellos desde Azure, incluso después de ser publicada.
3. ¿Cuál es la diferencia entre el endpoint de Blob Storage y la URL de App Service?
El endpoint de Blob Storage es la dirección que utiliza la aplicación para acceder al almacenamiento, mientras que la URL de App Service permite acceder a la aplicación web publicada.
4. ¿Por qué utilizar una identidad administrada en lugar de una Storage Account Key?
Porque la identidad administrada permite que Azure controle la autenticación sin tener que guardar una clave de acceso dentro del código o de la configuración de la aplicación.
5. ¿Qué función cumplen GitHub, Azure DevOps y la Service Connection?
GitHub almacena el código del proyecto, Azure DevOps se encarga del pipeline que compila y despliega la aplicación, y la Service Connection permite conectar Azure DevOps con los recursos de Azure.
6. ¿Qué ocurre después de hacer push a main?
Se ejecuta automáticamente el pipeline, que restaura las dependencias, compila y publica la aplicación para



finalmente desplegarla en Azure App Service.

7. Si el pipeline termina correctamente pero la aplicación recibe un 403 al subir un archivo, ¿qué revisarías?
Revisaría los permisos de acceso al Blob Storage, especialmente los permisos de la identidad administrada, y también verificaría que el endpoint y el contenedor configurados sean correctos.

Entrega

Dentro del repositorio de GitHub, cree la carpeta semana-14/lab1/ y coloque en ella un PDF con la solución del laboratorio.

Incluya también los archivos de respaldo generados durante la práctica, así como los pantallazos que evidencien las pruebas realizadas.

Enviar link de github a plataforma de la universidad.