

COMPLETE USER MANUAL · SEPTEMBER 2026

BSC

A practical, section-by-section guide to the Wedding Follow-up CRM, Store Operations, Recruitment and Administration modules - with step-by-step workflows, live screenshots and the security model behind the three-location deployment.

BSC EXCLUSIVE · Belagavi · Davanagere · Shivamogga

Table of Contents

1. Introduction	2
2. Getting Started	3
3. Executive Dashboard	5
4. Wedding Follow-up CRM	6
5. Store Operations	11
6. Recruitment (Candidate CRM)	12
7. Administration	14
8. Security Centre	15
9. Reliability and Troubleshooting	17
10. Appendix	19

1. Introduction

The **BSC Enterprise Operations Platform** is the internal operating system of BSC EXCLUSIVE, a multi-location retail business with three divisions: **Belagavi**, **Davanagere** and **Shivamogga**. The platform unifies every front-office and back-office workflow in one place - wedding customer follow-ups, store operations, recruitment and administration - and enforces strict branch-level data isolation so that each team sees only the data that belongs to its own division.

This manual walks every role through the platform section by section: how to sign in, how the dashboard reads, how each module is used day to day, and how administrators govern users, security and data. Screenshots are taken from the live system.

1.1 Module Map

Module	Menu Item	What It Does
Wedding Follow-up CRM	Wedding Follow-up CRM	Telecalling desk for wedding shoppers: call queues, follow-ups, calendar, funnel analytics, CSV import/export, WhatsApp and e-mail reach-out.
Store Operations	Hourly Footfall, Feedback, Diverts, VM Checklist, Attendance	Hourly visitor counts, customer feedback with CSAT analytics, sourcing diverts, visual-merchandise checks and the attendance roster.
Recruitment	Candidate CRM, Offer Desk, Manpower Planning	Candidate pipeline from application to offer and joining, with public QR registration and designations.
Daily Operations	Daily MCheck, Reports, History	Management checklists executed daily by store managers, with scoring, reports and audit history.
Administration	Broadcast Center, System Settings	Company-wide announcements, user accounts, kiosk PINs, the DevTools security shield, page visibility and designations.

Table 1 - Platform modules and their purpose

1.2 Roles

Every user signs in with a role that determines both the navigation menu and the data scope. Data scope is enforced on the server, not in the browser: a user assigned to **Belagavi** can never read or change Davanagere or Shivamogga records, even by calling the API directly.

Role	Data Scope	Typical Users
Super Admin / Admin	All locations	Head-office owners and system administrators
HR	Own location	HR specialists running recruitment
Manager	Own location	Store managers running daily operations
Recruiter / Interviewer	Own location	Sourcing and interview panels
Greeter	Own location	Entrance desk - kiosks, footfall and feedback
Employee	Own location	Staff self-service

Table 2 - Roles and data scope

2. Getting Started

2.1 Signing In

1. Open the platform URL in any modern browser (Chrome, Edge, Firefox or Safari). The application works on desktop, tablet and mobile.
2. Enter your **Username / E-mail** - for example **admin@bsctextiles.com**.
3. Enter your **Password**. Passwords are stored as bcrypt hashes; legacy plain-text entries are upgraded automatically on first sign-in.
4. Read the **Security Code** image and type the 4 digits it shows. The code is generated by the server, changes automatically every **30 seconds**, and a fresh one is loaded automatically if you enter it wrong.
5. Press **Sign In to Dashboard**. A green toast confirms the welcome, and your assigned location is loaded automatically from the server - it cannot be changed from the client.




Figure 1 - The sign-in screen with the numeric security code. Location is assigned by the server after authentication.

Recovery credential: the built-in master account **admin@bsctextiles.com** with password **admin@2026** always works - even before the database is seeded - and is reserved for administrators. Keep it private.

2.2 Location Permission and GPS

Immediately after a successful sign-in the browser may ask for **location permission**. Allowing it records the sign-in device's GPS coordinates in the security trail, which administrators can review in the security centre. Denying the prompt is safe - sign-in continues normally, only the location stamp is skipped.

2.3 Signing Out and Sessions

- Click **Sign Out** at the bottom of the sidebar. The server records the sign-out in the authentication trail with its exact timestamp.
- Sessions are managed by the server: the session token is planted as an **httpOnly cookie** that browser JavaScript cannot read or tamper with.
- If you do not sign out, you are **logged out automatically after 6 hours** - the server token, the session cookie and the application timer all enforce the same limit.
- The sidebar collapses to a slim rail (and to a logo-only strip) with the three-line button in the top bar - useful on smaller screens.

3. Executive Dashboard

The dashboard is the first screen after sign-in. It is the operational pulse of the division: live counters for staff, customer feedback, the pending call queue, footfall, conversion, diverts and the feedback QR portal. Every number comes from the database and refreshes automatically every few seconds - nothing on this screen is hard-coded.




Figure 2 - The Executive Operations & Workforce Hub with live KPI cards.

3.1 Authentication Activity (Administrators)

Administrators and Super Admins see an **Authentication Activity** panel on the dashboard. It answers "who is in the building" at a glance:

- **Sign-ins and sign-outs today** and over the last 7 days, with the exact timestamp of every event.
- **Active users (7 days)** - how many distinct people signed in this week.
- **Failed attempts** - repeated failures are visible immediately (and are also rate-limited automatically).
- A timestamped table of the most recent events with the user name, whether it was a sign-in, sign-out or failed attempt, and the IP address.




Figure 3 - Authentication Activity - every sign-in and sign-out is timestamped.

4. Wedding Follow-up CRM

The Wedding Follow-up CRM is the telecalling heart of the platform. Wedding shoppers register an expected shopping date; telecallers work through call queues, log every conversation and drive each customer towards a store visit. The module has four tabs: **Wedding Follow-up Desk**, **Customer Register**, **Follow-up Calendar** and **Funnel & Performance**.

4.1 The Calling Desk




Figure 4 - The calling desk: KPI banner, workload counters and four call queues.

The desk opens on today's workload. The banner on top shows **Calls Pending, Calls Completed, No Answer, Callbacks** and **Remaining Calls**. Below it, customers are sorted into four queues, most urgent first:

Queue	Who Lands Here	What To Do
1. Overdue	Follow-up date already passed and still open	Call first - the card shows how many days overdue
2. Due Today	Scheduled for today	The primary desk - work top to bottom
3. Callback Requests	Customer explicitly asked for a call back	Honour the requested time window
4. Upcoming (Next 7 Days)	Scheduled later this week	Prepare, do not call early

Table 3 - The four calling queues

Each customer card shows the mobile number (tap-to-dial), a copy button, the expected shopping date, the wedding date, family size, assigned telecaller and the full conversation status - everything needed before dialling.

4.2 Adding a Customer

1. Press **Add Wedding Customer** (top right).
2. Fill in the customer name and 10-digit mobile number - the system checks for duplicates in your location as you type and warns before saving.
3. Enter the expected shopping date (required) and, if known, the wedding date.

4. Choose the preferred shopping category (bridal lehengas, silk sarees, sherwanis, family sets, etc.), family size and preferred call time.
5. Optionally assign a telecaller now - otherwise the customer lands in your own queue.
6. Set the first follow-up date and save. The customer receives a unique code like **WED-DAV-2026-0001** (location and year are part of the code).

4.3 Logging a Call

1. Open a customer card and press the **Log Call** button.
2. Choose the **outcome** - Shopping Confirmed, Interested, Connected, Call Back Requested, No Answer, Busy or Not Interested.
3. Add remarks (stored encrypted), and set the **next follow-up date** and time window if the customer remains open.
4. Save. The system updates the customer status automatically, increments the call counter and writes an audit entry.

Call Outcome	Automatic Customer Status	Queue Effect
Shopping Confirmed	Shopping Date Confirmed	Leaves the open queues; visit date updated
Interested	Interested	Stays in follow-up flow
Connected	Contacted (from New)	Normal follow-up continues
Call Back Requested	Follow-up Pending	Moves to the Callback queue
No Answer / Busy	Unchanged	Reappears in tomorrow's desk
Not Interested	Not Interested	Removed from all queues (closed)

Table 4 - Call outcomes and the status machine

4.4 Customer Register

The **Customer Register** tab is the full customer table with search, filters and pagination. Search matches name, mobile, customer code and e-mail. Filters narrow by date view (today, tomorrow, overdue, this week, next week or a custom range), customer status, call status and assigned telecaller. Global admins additionally get a **location selector** in the top bar; branch users are always locked to their own branch.




Figure 5 - Customer Register with filters, sorting and per-row actions.

4.5 Bulk Import from CSV

Lead lists can be uploaded directly from a spreadsheet. Press **Import CSV** above the register and choose a .csv file. The server reads the file, maps the common column spellings and validates every row **before** anything is written:

- A row needs a **customer name**, a **valid 10-digit Indian mobile number** (spaces, dashes and a +91 prefix are cleaned automatically) and a **parseable expected shopping date** (DD/MM/YYYY, DD-MM-YYYY or YYYY-MM-DD).
- Rows that fail validation are **skipped and reported with the exact reason** - nothing half-related enters the database.
- Duplicates (same mobile in the same location) are skipped as well.
- Optional columns: e-mail, wedding date, family size, shopping category, notes and assigned telecaller.
- The result toast reports how many customers were imported and how many rows were skipped.

Column (any spelling)	Required	Validation
name / customer_name	Yes	Non-empty
mobile / phone / contact	Yes	10-digit Indian mobile after normalisation
expected_shopping_date / shopping_date	Yes	DD/MM/YYYY, DD-MM-YYYY or YYYY-MM-DD
wedding_date, email, family_size, category, notes, telecaller	No	E-mail must contain @; family size 1-99
follow_up_date	No	Defaults to today if omitted

Table 5 - Accepted CSV columns and their validation

4.6 Exports: CSV, Excel and PDF

- **Export CSV** - downloads the current view as a plain CSV file (opens anywhere).
- **Export Excel** - downloads a formatted .xlsx workbook of the current view.
- **Export PDF** - opens a print-ready branded report; use the browser's print dialog to save or print it.
- All three exports respect the active filters and the location selector - what you see is exactly what you export.

4.7 WhatsApp and E-mail

Every customer row carries one-tap outreach actions. The **WhatsApp** button opens WhatsApp with a pre-written greeting addressed to the customer; the **E-mail** button opens the mail client with a subject and body already prepared. Both use the customer's own mobile number and e-mail address, and appear wherever a customer row is listed.

4.8 Follow-up Calendar




Figure 6 - The follow-up calendar with colour-coded workload per day.

The calendar shows every follow-up as a colour-coded chip on its date: **red for overdue**, **amber for due today**, **blue for upcoming** and **green for completed**. Navigate with the arrows or jump back with **Today**. Clicking a day lists that day's customers; entries link straight back to the customer record.

4.9 Funnel and Performance




Figure 7 - Conversion funnel, call-outcome breakdown and telecaller league table.

The analytics tab shows how the pipeline converts - from total customers through contacted, interested, shopping-confirmed, visited to converted - together with a call-outcome breakdown and a per-telecaller performance table (assigned customers, calls completed, connections, callbacks, conversions and pending follow-ups).

5. Store Operations

The Store Operations group keeps a finger on the shop floor. All modules are kiosk- and mobile-friendly and are typically operated by the greeter desk and floor managers.

Module	Daily Use
Hourly Footfall	Log visitor counts per hour; the dashboard totals the day and feeds the sales-conversion metric.
Feedback Collection & QR	Customers scan a QR and rate the visit; negative feedback raises an instant call-queue entry for recovery calls.
Feedback Call Queue	Telecallers work through feedback follow-ups; outcomes update the CSAT analytics.
Sourcing Diverts	Record customers diverted between floors/sections; the dashboard counts the open ones.
VM Checklist	Visual-merchandise checklist with photo evidence for the store's display standards.
Attendance & Roster	Daily staff attendance and the section roster.
Daily MCheck	Management checklists with modules, checkpoints, scoring, photo uploads, trend reports and a full audit history.

Table 6 - Store operations modules

6. Recruitment (Candidate CRM)

6.1 Candidate Pipeline




Figure 8 - Candidate CRM: analytics header, status pipeline and the candidate table.

Candidates flow through **New** → **Shortlisted** → **Selected** → **Offer Sent** → **Joined** (with On Hold and Rejected side pockets). The header strip filters the pipeline by status and date range; the table supports search, designation/source filters and sorting. From each row, HR logs screening calls, records interview scores, generates interview tokens and moves the candidate forward.

6.2 Public Registration (QR)

Walk-in applicants scan the QR code at reception and register themselves - no sign-in needed.

The screenshot shows the 'BSC Applicant Registration' form, specifically 'Step 1: Personal & Career Info'. The header includes the BSC logo, 'BSC EXCLUSIVE DAVANAGERE', and a link to the 'Official Recruitment Portal'. The form is divided into two steps: 'Step 1: Personal & Career Info' (active) and 'Step 2: Documents & Declaration'. The form fields are as follows:

- Full Name (As per Aadhaar) ***: Text input field with placeholder 'Enter full name'.
- Mobile Phone Number ***: Text input field with a dropdown for country code (set to '+91') and a placeholder '10-digit mobile number'.
- Email Address (Optional)**: Text input field with placeholder 'name@example.com'.
- Gender ***: Dropdown menu with 'Select Gender'.
- Date of Birth ***: Text input field with placeholder 'dd-mm-yyyy' and a calendar icon.
- Blood Group ***: Dropdown menu with 'Select Blood Group'.
- Complete Residential Address ***: Text input field with placeholder 'House No, Street, Area, City, Pin Code'.
- Aadhaar Number (12 Digits) ***: Text input field with placeholder '12-digit Aadhaar number'.
- Religion ***: Dropdown menu with 'Select Religion'.
- Caste / Category ***: Text input field with placeholder 'e.g. General, OBC, SC, ST, Cat-1, 2A, 3B...'.
- Father's Name & Occupation (Optional)**: Text input field with placeholder 'Father details'.
- Mother's Name & Occupation (Optional)**: Text input field with placeholder 'Mother details'.
- Languages Known ***: Text input field with placeholder 'Languages Known'.

Figure 9 - The public applicant registration form - no sign-in required.

Walk-in applicants scan the QR code at reception and fill the **Applicant Registration** form themselves - personal details, designation applied for and documents. The form is public by design; the candidate lands directly in the pipeline and receives an application number like **BSC-2026-0001**.

6.3 Offer Desk and Employee Directory

The **Offer Desk** manages offer calls, salary and date-of-joining details, and marks candidates as joined - at which point they appear in the **Employee Directory** with their documents, section and designation. **Manpower Planning** tracks required openings per designation so hiring stays aligned with store needs.




Figure 10 - Employee Directory - the joined workforce with profiles and documents.

7. Administration

7.1 User Accounts and Access




Figure 11 - System Settings - user accounts, roles and location assignment.

1. Open System Settings → User Accounts & Access.
2. Add a user with full name, username/e-mail, an initial password and a role.

3. Choose the **location** the user belongs to - this single choice decides which division's data the account can ever see. Admin roles are location-less (all divisions).
4. Toggle an account active/inactive or change its role at any time; changes apply at the next sign-in.

7.2 Kiosk and Cash PINs

Store kiosks (greeter desk, TV display, feedback tablets) and cash-desk actions are protected by separate numeric PINs. PINs are stored as one-way **bcrypt hashes** - they are never displayed anywhere in the application, only set or replaced here. Change them after staff rotation. Until a custom PIN is configured, kiosks accept the factory default 1234, which is immediately hashed on first use.

7.3 Page Visibility Matrix

The visibility matrix decides which menu items each role sees. Untick a row and the page disappears from that role's sidebar (the server enforces the same map, so direct URLs are blocked too).

7.4 Designations and Interview Questions

The designation master feeds registration dropdowns across the system; the interview question bank defines per-designation, per-round scoring sheets used by interview panels.

8. Security Centre

8.1 Developer Tools Shield (Admin-Controlled)

The shield is **off by default**. In **System Settings** → **Security & DevTools Shield** an administrator flips the switch to arm it across every device. While armed, the platform actively monitors for browser developer tools on all devices - desktop and mobile - using several independent detection signals (viewport analysis, debugger timing and a DOM probe). The moment tools are detected, the application locks behind the full-screen shield shown in Figure 12.




Figure 12 - The lock screen shown whenever developer tools are detected.

The lock lifts automatically the moment the tools are closed, and every detection is written to the audit trail - the same panel lists each event with user, timestamp and IP address. Localhost development machines are never locked, so the development team can work with tools open.

8.2 GPS Sign-in Trail

When users allow location permission at sign-in, the device coordinates are stored with the login event. Administrators can therefore see not only **when** someone signed in but **from where** - useful for multi-location discipline.

8.3 Encryption and Data Safety

Layer	Protection
Passwords	bcrypt hashes; legacy plain-text rows upgrade automatically at first sign-in
Sensitive fields	AES-256-GCM encryption at rest (customer notes, call remarks) with tamper detection
Sessions	Signed JWT tokens with a per-deployment secret; 24-hour expiry
Data scope	Location isolation enforced in every SQL query - never in the browser
Brute force	Automatic rate limiting on all sign-in endpoints
Maintenance endpoints	Destructive routes require an admin token and explicit confirmation

Table 7 - Security layers

9. Reliability and Troubleshooting

9.1 Working Without Internet




Figure 13 - The animated offline banner appears the moment the connection drops.

If the internet connection drops, an animated banner appears at the top of the screen - the page itself keeps working and nothing is lost. When the connection returns the banner confirms **"Back online"** and data refreshes automatically.

9.2 Mobile and Tablets




Figure 14 - The full CRM adapts to phone screens - cards stack, tabs scroll, one-thumb use.

Every page is responsive: tables become card lists, menus collapse behind the three-line button and touch targets stay finger-sized. The platform is regularly used from phones on the shop floor.

9.3 Common Questions

Situation	What Happens / What To Do
Too many sign-in attempts	Sign-in pauses for a few minutes after 50 attempts per 10 minutes - wait and retry. This protects every account.
"Could not load..." toast	The server could not be reached or the database is briefly unavailable. Check the connection banner; data refreshes automatically once back online.
A page shows "Something went wrong"	A rendering error was contained. Press Reload Application on the screen - your data is safe.
After a platform update an open tab looks stale	The app detects the new version and refreshes itself once automatically.
Forgot your password	Contact the System Administrator - accounts are managed in System Settings.
Locked by the security shield	Close browser developer tools; the application unlocks immediately and the event is logged.

Table 8 - Troubleshooting reference

10. Appendix

10.1 Wedding Customer Status Glossary

Status	Meaning
New	Registered, not yet called
Contacted	First successful conversation done
Interested	Positive response, follow-up scheduled
Follow-up Pending	Customer asked for a later call
Shopping Date Confirmed	Visit date agreed - high intent
Visited Store	Customer came to the store
Converted	Purchase completed - won
Not Interested / Cancelled	Closed - excluded from all queues

Table 9 - Customer lifecycle statuses

10.2 Technology Summary

Layer	Technology
Frontend	React 18 + TypeScript + Vite + Tailwind CSS (corporate slate-blue design system)
Backend	Node.js + Express REST API with Socket.IO real-time events
Database	MySQL 8 / MariaDB with a self-healing auto-initializer and performance indexes
Security	JWT auth, bcrypt, AES-256-GCM field encryption, rate limiting, audit logging
Testing	61 automated tests: unit, white-box and black-box HTTP suites (npm test)
Deployment	Hostinger Passenger - single entry point, self-building frontend

Table 10 - Technology stack at a glance

For deployment instructions, environment variables and the test suite, see the repository **README.md**. For anything not covered here, contact the System Administrator or the platform development team.