



EDCOM 2:

Spatial and Temporal Analysis of Immunization Coverage

Created by John Francis Viray

Understanding the Data

How to be fully immunized?

A Fully Immunized Child (FIC) has received all required basic vaccines, including:

- One (1) dose of BCG at birth or anytime,
- Three (3) doses of OPV,
- Three (3) doses of Pentavalent vaccines (PCV); and
- One (1) dose of Measles-containing vaccine (MCV)
 - For this one, the FSIS records this as Two (2) doses of Measles Mumps Rubella (2 MMR) vaccine

Where is the data coming from?

All data used come from the Field Health Services Information System (FHSIS), with there being two types:


- annual provincial data starting from 2018 until 2025 and;
- monthly municipal data starting from 2025 until February 2026.

Spatial Analysis


The national baseline for 2024 is 64% FIC coverage nationwide, with a slight increase to 65% in 2025, indicating only marginal year-on-year improvement.

However, only 99 LGUs (6%) reached the 95% DOH target, while the **majority of municipalities and cities (63%) continue to underperform relative to the 2024 benchmark.**

Among individual vaccines, HEPAB has the lowest coverage at 39%, whereas PCV 2 has the highest coverage at 72%.



FIC Coverage (%)



Income Class	FIC Coverage (%) Median (IQR)
All	60 (51–71)
1st	62 (54–74)
2nd	62 (52–72)
3rd	59 (50–70)
4th	57 (48–70)
5th	58 (50–70)
6th	56 (42–69)

Temporal Analysis

FIC coverage has slightly declined from 66% in 2018 to 65% in 2025, with **over 12 regions showing negative growth, offsetting gains in others**. The largest declines are seen in NIR, Region 8, and Region 11.

