AirBV

Generated by Doxygen 1.9.1

	i
1 Namespace Index	1
1.1 Packages	1
2 Hierarchical Index	3
2.1 Class Hierarchy	3
3 Class Index	5
3.1 Class List	5
4 File Index	7

6.7.1 Detailed Description	25
6.7.2 Constructor & Destructor Documentation	25

6.17.2.1 RemoveAccountWindow	10	. 42
------------------------------	----	------

6.30.3.4 getLocation()																74
6.30.3.5 getModel() .																74
6.30.3.6 getPricePerDa	ay()															74
6.30.3.7 getUser()																74
6.30.3.8 hasKitchen()																75
6.30.3.9 hasShower()																75
6.30.3.10 isOffRoad()																75
6.30.3.11 setBrand()																75
6.30.3.12 setCapacity()															75
6.30.3.13 setKitchen()																75

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

client.main

This is the documentation for the Java package client.main intended to work as a wrapper for tr
Domain Object Model (DOM) of the EasyFilmin Project. This package is composed by 2 classe
EasyFilmin and EasyFilminAdmin. The purpose of this classes is to run the User interface or the
Admin interface
es.deusto.bspq21e1.client.controller
es.deusto.bspq21e1.client.gui
es.deusto.bspq21e1.client.main
es.deusto.bspq21e1.serialization
es.deusto.bspq21e1.server
es.deusto.bspq21e1.server.dao
es.deusto.bspq21e1.server.data
es.deusto.bspq21e1.server.dto
es.deusto.bspq21e1.server.remote

Namespace Index

Hierarchical Index

2.1 Class Hierarchy

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

es.deusto.bspq21e1.server.remote.AirBV .	 13
es.deusto.bspq21e1.client.main.AirBVClient	 16
es.deusto.bspq21e1.server.AirBVService	
es.deusto.bspq21e1.server.AirBVService	 0556(.)-555(.)-556(.)-556(.)-555(.)-556(.)-55
es.deusto.bspq21e1.server.remote.AirBV	 22-555(.)-556(.)-556(.)-555(.)-556(.)-555(.)-

Namespace Documentation

5.1 Package client.main

This is the documentation for the Java package client.main intended to work as a wrapper for the Domain Object

5.4 Package es.deusto.bspq21e1.client.main

Class Documentation

6.1 es.deusto.bspq21e1.server.remote.AirBV Class Reference

Public Member Functions

Definition at line 87 of file AirBV.java.

6.1.3.10 searchVans()

Definition at line 144 of file AirBV.java.

The documentation for this class was generated from the following file:

src/main/java/es/deusto/bspq21e1/server/remote/AirBV.java

6.2 es.deusto.bspq21e1.client.main.AirBVClient Class Reference

Static Public Member Functions

• static void main (String[] args)

6.2.1 Detailed Description

This class is the main class of our project, gets the arguments of the

Author

BSPQ21-E1

Definition at line 18 of file AirBVClient.java.

6.2.2 Member Function Documentation

6.2.2.1 main()

```
static void es. deusto. bspq21e1. client. main. AirBVClient. main ( String[] args ) [static]
```

Definition at line 22 of file AirBVClient.java.

The documentation for this class was generated from the following file:

• src/main/java/es/deusto/bspq21e1/client/main/AirBVClient.java

6.3.3.10 searchVans()

```
ArrayList<Van> es. deusto. bspq21e1. server. AirBVService. searchVans ( String\ \textit{location}, \\ String\ \textit{pickUpDateString}, \\ String\ \textit{returnDateString} \ )
```

Definition at line 72 of file AirBVService.java.

6.3.3.11 searchVansByLocation()

```
ArrayLi st <Van> es. deusto. bspq21e1. server. Ai rBVServi ce. searchVansByLocati on ( Stri ng l ocati on )
```

Definition at line 100 of file AirBVService.java.

The documentation for this class was generated from the following file:

• src/main/java/es/deusto/bspq21e1/server/AirBVService.java

6.4 es.deusto.bspq21e1.server.AirBVServiceTest Class Reference

Public Member Functions

- void setUp () throws Exception
- void tearDown () throws Exception
- void searchVansTest ()
- void loginTest ()
- void getUserReservationsTest ()
- void getUserVans ()

6.4.1 Detailed Description

Definition at line 24 of file AirBVServiceTest.java.

6.4.2 Member Function Documentation

6.4.2.1 getUserReservationsTest()

```
voi\ d\ es.\ deus to.\ bspq21e1.\ server.\ Ai\ rBVServi\ ceTest.\ getUserReservati\ onsTest\ \ (\ \ )
```

Definition at line 120 of file AirBVServiceTest.java.

6.8.3.7 loginUser()

```
UserData es. deusto. bspq21e1. client. controller. Controller. loginUser ( $\sf String \ \it email.$, $\sf String \ \it email.$,
```

Parameters

Static Public Member Functions

• static DBManager getInstance ()

6.10.1 Detailed Description

Singleton DBManager class.

Author

Group E1

Version

1.0-SNAPSHOT

Definition at line 26 of file DBManager.java.

6.10.2 Member Function Documentation

6.10.2.1 deleteReservation()

bool ean es. deusto. bspq21e1. server. dao. DBManager. del eteReservati on ($$\operatorname{Stri}$ ng $\operatorname{\it reservati}$ on)

Deletes a reservation from the DB.

Parameters

6.10.2.3 deleteVan()

```
bool ean es. deusto. bspq21e1. server. dao. DBManager. del eteVan ( $\sf String\ \it licensePl\ \it ate\ \it )$
```

Definition at line 198 of file DBManager.java.

6.10.2.4 getInstance()

```
static DBManager es. deusto. bspq21e1. server. dao. DBManager. getInstance ( ) [static]
```

Method that creates a DBManager instance if needed and returns it.

Returns

DBManager instance

Definition at line 40 of file DBManager.java.

6.10.2.5 getReservationsByUser()

```
List<Reservation> es. deusto. bspq21e1. server. dao. DBManager. getReservationsByUser ( $\sf String \ \it vanRenter} )
```

Method that finds and returns all of the reservations given a user.

Parameters

Definition at line 81 of file DBManager.java.

6.10.2.12 store() [2/4]

```
bool ean es. deusto. bspq21e1. server. dao. DBManager. store ( $\operatorname{Revi}$ ewRevi 4]
```

6.10.2.15 validateLogin()

```
User es. deusto. bspq21e1. server. dao. DBManager. validateLogin ( {\it String email}, \\ {\it String password} )
```

6.11.2.6 suite()

static j uni t. framework. Test es. deusto. bspq21e1. server. dao. DBManagerTest. sui te () [static]

Definition at line 56 of file DBManagerTest.java.

6.11.2.7 tearDown()

static void es. deusto. bspq21e1. server. dao. DBManagerTest. tearDown () throws Exception [static]

Removes everything not needed after executing a test

Definition at line 97 of file DBManagerTest.java.

6.11.2.8 validateUserTest()

voi d es. deusto. bspq21e1. server. dao. DBManagerTest. val i dateUserTest ()

Definition at line 119 of file DBManagerTest.java.

6.11.3 Member Data Documentation

6.11.3.1 rule

Conti PerfRul e es. deusto. bspq21e1. server. dao. DBManagerTest. rul e = new Conti PerfRul e()

Definition at line 54 of file DBManagerTest.java.

The documentation for this class was generated from the following file:

Public Member Functions

LogInWindow (Controller controller)

6.13.1 Detailed Description

Window for the user to log in to the application

Author

BSPQ21-E1

Definition at line 26 of file LogInWindow.java.

6.13.2 Constructor & Destructor Documentation

6.13.2.1 LogInWindow()

Create the application.

Definition at line 44 of file LogInWindow.java.

The documentation for this class was generated from the following file:

• src/main/java/es/deusto/bspq21e1/client/gui/LogInWindow.java

6.14 es.deusto.bspq21e1.client.gui.MainWindow Class Reference

Inheritance diagram for es.deusto.bspq21e1.client.gui.MainWindow:

Public Member Functions MainWindownsControllmbescontrollmbe50(,ns)]TJ0 0 rg1 0 0 RG [-

6.15.2 Constructor & Destructor Documentation

6.15.2.1 RegisterUserWindow() [1/2]

```
es. deusto. bspq21e1. client. gui. RegisterUserWindow. RegisterUserWindow (
Controller controller)
```

Definition at line 35 of file RegisterUserWindow.java.

6.15.2.2 RegisterUserWindow() [2/2]

```
es. deusto. bspq21e1. client. gui. RegisterUserWindow. RegisterUserWindow ()
```

Definition at line 44 of file RegisterUserWindow.java.

The documentation for this class was generated from the following file:

• src/main/java/es/deusto/bspq21e1/client/gui/RegisterUserWindow.java

6.16 es.deusto.bspq21e1.client.gui.RegisterVanWindow Class Reference

Inheritance diagram for es.deusto.bspq21e1.client.gui.RegisterVanWindow:

Public Member Functions

• RegisterVanWindow (Controller controller, UserData user, JFrame frmMain)

6.16.1 Detailed Description

Definition at line 24 of file RegisterVanWindow.java.

6.16.2 Constructor & Destructor Documentation

6.19.3.3 getDuration()

int es. deusto. bspq21e1. server. data. Reservation. getDuration ()

Definition at line 46 of file Reservation.java.

6.19.3.4 getVan()

String es. deusto. bspq21e1. server. data. Reservation. getVan ()

Definition at line 54 of file Reservation.java.

6.19.3.5 getVanRenter()

String es. deusto. bspq21e1. server. data. Reservation. getVanRenter ()

Definition at line 62 of file Reservation.java.

6.19.3.6 setBookingDate()

voi d es. deusto. bspq21e1. server. data. Reservati on. setBooki ngDate (${\tt Date}\ booki\ ngDate\)$

Definition at line 42 of file Reservation.java.

6.19.3.7 setCode()

void es. deusto. bspq21e1. server. data. Reservation. setCode ($$\operatorname{Stri} \operatorname{ng} \operatorname{code} \mbox{}$)

Definition at line 34 of file Reservation.java.

6.19.3.8 setDuration()

void es. deusto. bspq21e1. server. data. Reservation. setDuration ($int \ \textit{duration} \)$

Definition at line 50 of file Reservation.java.

Definition at line 47 of file ReservationData.java.

Definition at line 79 of file ReservationData.java.

6.20.3 Member Function Documentation

6.20.3.1 getBookingDate() Date es. deusto. bspq21e1. seri al i zati on. Reservati onData. getBooki ngDate () Definition at line 61 of file ReservationData.java. 6.20.3.2 getCode() String es. deusto. bspq21e1. serialization. ReservationData. getCode () Definition at line 55 of file ReservationData.java. 6.20.3.3 getDuration() int es. deusto. bspq21e1. serialization. ReservationData. getDuration () Definition at line 67 of file ReservationData.java. 6.20.3.4 getVan() String es. deusto. bspq21e1. serialization. ReservationData. getVan () Definition at line 73 of file ReservationData.java. 6.20.3.5 getVanRenter() String es. deusto. bspq21e1. seri al i zati on. Reservati onData. getVanRenter ()

6.20.3.6 setBookingDate()

```
voi d es. deusto. bspq21e1. seri al i zati on. Reservati onData. setBooki ngDate ( {\tt Date}\ booki\ ngDate\ )
```

Definition at line 64 of file ReservationData.java.

6.20.3.7 setCode()

```
void es. deusto. bspq21e1. serialization. ReservationData. setCode ( $\operatorname{String}\ code )
```

Definition at line 58 of file ReservationData.java.

6.20.3.8 setDuration()

```
void es. deusto. bspq21e1. serialization. ReservationData. setDuration ( int duration )
```

Definition at line 70 of file ReservationData.java.

6.20.3.9 setVan()

```
void es. deusto. bspq21e1. seri al i zati on. Reservati onData. setVan ( String\ van )
```

Definition at line 76 of file ReservationData.java.

6.20.3.10 setVanRenter()

```
voi d es. deusto. bspq21e1. seri al i zati on. Reservati onData. setVanRenter ( $\operatorname{Stri} \operatorname{ng} \operatorname{\textit{vanRenter}} )
```

Definition at line 82 of file ReservationData.java.

6.21.2.3 setUp()

voi d es. deusto. bspq21e1. server. data. Reservati on Test. set Up ()

Definition at line 30 of file ReservationTest.java.

6.21.2.4 suite()

static junit. framework. Test es. deusto. bspq21e1. server. data. ReservationTest. suite () [static]

Definition at line 25 of file ReservationTest.java.

The documentation for this class was generated from the following file:

• src/test/java/es/deusto/bspq21e1/server/data/ReservationTest.java

6.22 es.deusto.bspq21e1.server.data.Review Class Reference

Publasserence

Publasserence6s6s

6.22.2.1 Review() [1/2]

String van)

Definition at line 17 of file Revi2420(w)t04e 3TJ/F44 8.9663 Tf -114.078 -24.319 Td [(dt)25(a.1)]TJ/F.210.759656 7.97/n Tf9750)Defi

6.23.3.6 setComment()

6.25 es.deusto.bspq21e1.client.gui.SearchWindow Class Reference

Parameters

dni	DNI of the	
	user.	
name	Name of the	
	user.	
email	Email of the	
	user.	

6.27.3.5 getStars()

List<Integer>

6.29.1 Detailed Description

Definition at line 7 of file Van.java.

6.29.2 Constructor & Destructor Documentation

6.29.2.1 Van() [1/2]

```
es. deusto. bspq21e1. server. data. Van. Van ( )
```

Definition at line 23 of file Van.java.

6.29.2.2 Van() [2/2]

Definition at line 27 of file Van.java.

6.29.3 Member Function Documentation

6.29.3.1 equals()

```
bool ean es. deusto. bspq21e1. server. data. Van. equal s ( \mbox{Obj ect } \mbox{\it obj} )
```

6.30.2.1 VanData() [1/2]

es. deusto. bspq21e1. seri al i zati on. VanData. VanData ()

Definition at line 23 of file VanData.java.

6.30.2.2 VanData() [2/2]

es. deusto. bspq21e1. seri al i zati on. VanData. VanData (Stri ng *l i censePl ate*,

6.30.3.14 setLicensePlate()

```
voi d es. deusto. bspq21e1. seri al i zati on. VanData. setLi censePl ate ( $\sf String\ \it li\, censePl\, ate} )
```

Definition at line 124 of file VanData.java.

6.30.3.15 setLocation()

```
void es. deusto. bspq21e1. seri alization. VanData. setLocation ( $\operatorname{Stri} \operatorname{ng} \operatorname{Iocation}$)
```

Definition at line 76 of file VanData.java.

6.30.3.16 setModel()

```
void es. deusto. bspq21e1. serialization. VanData. setModel ( $\operatorname{String}$ \textit{model}$ )
```

6.31.2.2 setterGettersTest()

void es. deusto. bspq21e1. server. data. VanTest. setterGettersTest () $\,$

Definition at line 86 of file VanTest.java.

Definitin at line 86 of ´le VanTest.java.

File Documentation

Packages

package

R5 package

86 File Documentation

Packages

• package es.deusto.bspq21e1.sev.0(ac)20(ka)10(g)-10(es)]TJ0 g 0 G/F44 8.9663 Tf 16.787 -22.519 Td [(•)]TJ19 T95()]Tkage es.deusto.bspq21e1.sev.0(ac)20(ka)10(g)-10(es)]TJ0 g 0 G/F44 8.9663 Tf 16.787 -22.519 Td [(•)]TJ19 T95()]Tkage es.deusto.bspq21e1.sev.0(ac)20(ka)10(g)-10(es)]TJ0 g 0 G/F44 8.9663 Tf 16.787 -22.519 Td [(•)]TJ19 T95()]Tkage es.deusto.bspq21e1.sev.0(ac)20(ka)10(g)-10(es)]TJ0 g 0 G/F44 8.9663 Tf 16.787 -22.519 Td [(•)]TJ19 T95()]Tkage es.deusto.bspq21e1.sev.0(ac)20(ka)10(g)-10(es)]TJ0 g 0 G/F44 8.9663 Tf 16.787 -22.519 Td [(•)]TJ19 T95()]Tkage es.deusto.bspq21e1.sev.0(ac)20(ka)10(g)-10(es)]TJ0 g 0 G/F44 8.9663 Tf 16.787 -22.519 Td [(•)]TJ19 T95()]Tkage es.deusto.bspq21e1.sev.0(ac)20(ka)10(g)-10(es)20(ka)10(g)-10(es)20(ka)20(k

7.31 src/test/java/es/deusto/bspqc1/4/-server/data*BJI*a/nTat2..582sbile582sRef

90 INDEX

```
es.deusto.bspq21e1.client.gui.RemoveAccountWindow,
42
RemoveAccountWindow, 42
es.deusto.bspq21e1.client.gui.RemoveVanWindow, 43
RemoveVanWindow, 43
es.deusto.bspq21e1.client.gui.SearchWindow, 58
SearchWindow, 58
es.deusto.bspq21e1.client.main, 10
es.deusto.bspq21e1.client.main.AirBVClient, 16
main, 16
es.deusto.bspq21e1.serialization, 10
```

92 INDEX92

INDEX 93