

AWS ARCHITECTURE DESIGN, IMPLEMENTATION STEPS

Areeba Mahnoor BSSE23033

Zainab Faisal BSSE23045

PROJECT


MedStorePro Inventory Management System

Table of Contents

AWS ARCHITECTURE DESIGN, IMPLEMENTATION STEPS	1
AWS Architecture and Design	3
Main Operational Flow (Application).....	3
Analytics / Export Flow (Querying Later).....	3
Networking & Scalability	4
Security Highlights	4
AWS Services Used	4
Implementation Steps.....	5
1) AWS Account Setup	5
1.1 Sign in / Lab session	5
1.2 Verify service access (IAM restrictions).....	6
2) IAM Roles & Policies	6
2.1 Identify Lambda execution role	6
2.2 S3 permissions (least privilege)	7
3) VPC / Subnets / Security Groups	8
3.1 VPC overview	8
3.2 Subnets.....	9
3.3 Security Groups	11

4) NAT Gateway + Internet Egress	12
4.1 Create NAT Gateway (public)	12
4.2 Private route table update	13
5) MongoDB Atlas Configuration (External DB)	14
5.1 Confirm DB & collections	14
5.2 IP allowlist for NAT.....	14
6) S3 Bucket Setup.....	15
6.1 Create bucket.....	15
6.2 Required folder structure	15
7) Lambda Export Function	16
7.1 Create Lambda.....	16
7.2 Upload zip deployment	17
7.3 Environment variables	18
7.4 Test workflow.....	18
8) EC2 Backend Deployment (MANDATORY if you use EC2)	19
8.1 Launch EC2 instance	20
8.2 Backend running proof.....	20
9) Load Balancer	21
9.1 Target Group.....	21
9.2 Auto Scaling Group	22
10) AWS Glue Setup	22
10.1 Create Glue database.....	22
10.2 Create crawlers (one per collection).....	23
10.3 Tables created	24
11) Athena Setup & Querying	25
11.1 Set query results location	25
11.2 Query data	25
12) Monitoring / Logging (CloudWatch).....	26
12.1 Lambda logs	26

AWS Architecture and Design



Main Operational Flow (Application)

- **Users → AWS Amplify (React Frontend)**
- Frontend calls the backend through **Amazon API Gateway** (as shown in diagram)
- Requests are handled by **Backend on Amazon EC2 (Node/Express)**
- Data is stored in **MongoDB (Atlas)**

Analytics / Export Flow (Querying Later)

- **AWS Lambda (Export Job)** runs in a **private subnet**
- Uses **NAT Gateway** → **Internet Gateway** for outbound access to MongoDB Atlas (stable IP for allowlisting)
- Writes exported datasets to **Amazon S3** under exports/<collection>/...
- **AWS Glue Crawler + Glue Data Catalog** creates tables from S3 data
- **Amazon Athena** queries those Glue tables and reads data from S3

- Athena query outputs go to **S3 (athena-results/)**

Networking & Scalability

- **VPC** provides isolation with **public + private subnets** across AZs.
- **ALB + Auto Scaling** are shown for scalable EC2 backend

Security Highlights

- **Private subnet Lambda + NAT** (no public Lambda exposure)
- **S3 encryption + block public access**
- **Role-based access control (JWT) on backend**

AWS Services Used

AWS Service	Justification
AWS Amplify	Hosts and deploys the React frontend with CI/CD from GitHub.
Amazon EC2	Runs the Node/Express backend API as a long-running server.
Amazon VPC	Provides network isolation and subnet control for EC2/Lambda resources.
Public & Private Subnets	Separate internet-facing components (public) from internal compute (private).
Internet Gateway (IGW)	Enables internet connectivity for resources in public subnets (and NAT).
NAT Gateway	Gives private Lambda outbound internet access with a stable public IP for Atlas allowlisting.
AWS Lambda	Executes the serverless export job to move MongoDB data into S3.


AWS Service	Justification
Amazon S3	Stores exported datasets (exports/...) and Athena query results (athena-results/...).
AWS Glue Crawler	Automatically discovers schema from S3 exports and creates catalog tables.
AWS Glue Data Catalog	Stores table metadata so Athena can query S3 data easily.
Amazon Athena	Runs SQL queries directly on exported S3 datasets without managing servers.

Implementation Steps

1) AWS Account Setup

1.1 Sign in / Lab session

- Start AWS Academy Learner Lab (or your AWS account).
- Open AWS Console.



- Account ID (top bar)
- Selected region (top bar)

“AWS Console initialized with active lab session and region set to us-east-1.”

1.2 Verify service access (IAM restrictions)

Because this is an Academy account, some IAM actions (like `iam:CreateRole`) may be restricted.




“Lab IAM restrictions: role creation may be blocked; solution uses existing execution roles and bucket policies.”

2) IAM Roles & Policies

2.1 Identify Lambda execution role


- AWS Console → **Lambda** → **Functions** → **lambda-exports**

- Configuration → **Permissions**
- Note **Execution role ARN**



“Lambda execution role identified for least-privilege access configuration.”

2.2 S3 permissions (least privilege)



“S3 least-privilege: Lambda can write only to exports/* prefix.”

3) VPC / Subnets / Security Groups


3.1 VPC overview

The screenshot shows the AWS VPC console interface. The left sidebar contains the 'VPC dashboard' and a list of 'Virtual private cloud' resources including 'Your VPCs', 'Subnets', 'Route tables', 'Internet gateways', 'Egress-only internet gateways', 'Carrier gateways', 'DHCP option sets', 'Elastic IPs', and 'Managed prefix lists'. The main content area is titled 'Your VPCs' and shows a table with one VPC listed: 'vpc-027a9eccc4580fdb / inventory-management-project-vpc'. The VPC is in an 'Available' state. Below the table, the 'Details' section for the selected VPC is visible, showing various configuration options like 'Block Public Access' (Off), 'DNS hostnames' (Enabled), 'DNS resolution', 'Tenancy', 'DHCP option set', and 'Main route table'.

This screenshot shows the 'IPv4 CIDRs' section for the same VPC. It displays a table with one entry: 'IPv4' with a CIDR of '10.0.0.0/20' and a status of 'Associated'. The 'Edit CIDRs' button is visible in the top right corner of this section.


“Project VPC created for networking isolation and controlled outbound access.”

3.2 Subnets



The screenshot shows the AWS VPC console interface. On the left, the 'VPC dashboard' sidebar is visible with options like 'Subnets', 'Route tables', and 'Internet gateways'. The main area displays a list of subnets under the heading 'Subnets (1/10) Info'. The first subnet, 'inventory-management-project-subnet-public1-us-east-1a', is selected. The details panel for this subnet shows the following information:

Subnet ID	Subnet ARN	State	Block Public Access
subnet-0c54afbdecf559e74	arn:aws:ec2:us-east-1:304804093781:subnet/subnet-0c54afbdecf559e74	Available	Off



The screenshot shows the AWS VPC console interface, similar to the previous one, but with the second subnet selected. The details panel for 'inventory-management-project-subnet-public2-us-east-1b' shows the following information:

Subnet ID	Subnet ARN	State	Block Public Access
subnet-054142d3e2af4df3e	arn:aws:ec2:us-east-1:304804093781:subnet/subnet-054142d3e2af4df3e	Available	Off

Subnets (1/10) Info

Find subnets by attribute or tag

Name	Subnet ID	State	VPC
inventory-management-project-subnet...	subnet-0c54afbdecf559e74	Available	vpc-027a9eccc4580fdb8 inven...
inventory-management-project-subnet...	subnet-054142d3e2af4df3e	Available	vpc-027a9eccc4580fdb8 inven...
-	subnet-04e85bd1fea42599b	Available	vpc-0ec60f2cd11bd4d56
inventory-management-project-subnet...	subnet-06984fae00f9f3a61	Available	vpc-027a9eccc4580fdb8 inven...

subnet-06984fae00f9f3a61 / inventory-management-project-subnet-private1-us-east-1a

Details

Subnet ID subnet-06984fae00f9f3a61	Subnet ARN arn:aws:ec2:us-east-1:304804093781:subnet/subnet-06984fae00f9f3a61	State Available	Block Public Access Off
--	---	---------------------------	-----------------------------------

Subnets (1/10) Info

Find subnets by attribute or tag

Name	Subnet ID	State	VPC
-	subnet-07650e8dfa68c103b	Available	vpc-0ec60f2cd11bd4d56
-	subnet-02a75fd5b28bc52ed	Available	vpc-0ec60f2cd11bd4d56
inventory-management-project-subnet...	subnet-03e12ea5d584817a1	Available	vpc-027a9eccc4580fdb8 inven...
-	subnet-007c7ebe3b29b9b20	Available	vpc-0ec60f2cd11bd4d56

subnet-03e12ea5d584817a1 / inventory-management-project-subnet-private2-us-east-1b

Details

Subnet ID subnet-03e12ea5d584817a1	Subnet ARN arn:aws:ec2:us-east-1:304804093781:subnet/subnet-03e12ea5d584817a1	State Available	Block Public Access Off
--	---	---------------------------	-----------------------------------

“Public and private subnets across AZs to support NAT and private Lambda execution.”

3.3 Security Groups

The screenshot shows the AWS Management Console for the 'us-east-1' region. The left sidebar is expanded to 'Network & Security' > 'Security Groups'. The main content area displays the 'Inbound rules' tab for the security group 'sg-0bbce0ec9c459eb49 - inventory_backendSG'. The console shows the owner (304804093781), 4 inbound rules, and 1 outbound rule. The 'Inbound rules' table lists four rules:

Name	Security group rule ID	IP version	Type	Protocol
-	sgr-051a14041a2ed1d52	IPv4	HTTP	TCP
-	sgr-09e33ea4eb5ff6edc	IPv4	HTTPS	TCP
-	sgr-0298a2afb0cf4097	IPv4	Custom TCP	TCP
-	sgr-00a49d8332a0a2a8a	IPv4	SSH	TCP

The screenshot shows the AWS Management Console for the 'us-east-1' region. The left sidebar is expanded to 'VPC' > 'Security Groups'. The main content area displays the 'Outbound rules' tab for the security group 'sg-0bbce0ec9c459eb49 - inventory_backendSG'. The console shows the security group name, ID, description, owner, 4 inbound rules, and 1 outbound rule. The 'Outbound rules' table lists one rule:

Name	Security group rule ID	IP version	Type	Protocol
-	sgr-0301ea6ac461756f6	IPv4	All traffic	All

“Security group rules configured for least exposure and required outbound connectivity.”

4) NAT Gateway + Internet Egress

4.1 Create NAT Gateway (public)

The screenshot shows the AWS VPC console interface. The left sidebar contains navigation links for Virtual private cloud, Security, and CloudShell. The main content area displays the 'NAT gateways' page. A table lists two NAT gateways, both with a 'Public' connectivity type and an 'Available' state. The first gateway, 'nat-0fc13b26002fe12ce', is selected, and its details are shown below the table. The details include the NAT gateway ID, connectivity type (Public), state (Available), and state message. The second gateway, 'nat-0427a3fb0d1e91aea', is also listed with the same details.

Name	NAT gateway ID	Connectivity...	State	State message	Availabi
inventory-managem...	nat-0fc13b26002fe12ce	Public	Available	-	Zonal
inventory-managem...	nat-0427a3fb0d1e91aea	Public	Available	-	Zonal

nat-0fc13b26002fe12ce / inventory-management-project-ngw1

Details

NAT gateway ID	Connectivity type	State	State message
nat-0fc13b26002fe12ce	Public	Available	-

NAT gateway ARN

Primary public IPv4 address	Primary private IPv4 address	Primary network interface ID

The screenshot shows the AWS VPC console interface. The left sidebar contains navigation links for Virtual private cloud, Security, and CloudShell. The main content area displays the 'NAT gateways' page. A table lists two NAT gateways, both with a 'Public' connectivity type and an 'Available' state. The second gateway, 'nat-0427a3fb0d1e91aea', is selected, and its details are shown below the table. The details include the NAT gateway ID, connectivity type (Public), state (Available), and state message. The first gateway, 'nat-0fc13b26002fe12ce', is also listed with the same details.

Name	NAT gateway ID	Connectivity...	State	State message	Availabi
inventory-managem...	nat-0fc13b26002fe12ce	Public	Available	-	Zonal
inventory-managem...	nat-0427a3fb0d1e91aea	Public	Available	-	Zonal

nat-0427a3fb0d1e91aea / inventory-management-project-ngw2

Details

NAT gateway ID	Connectivity type	State	State message
nat-0427a3fb0d1e91aea	Public	Available	-

NAT gateway ARN

Primary public IPv4 address	Primary private IPv4 address	Primary network interface ID

“NAT Gateway provides stable outbound IP for private Lambda to access MongoDB Atlas.”

4.2 Private route table update

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#RouteTables:

Account ID: 3048-0409-3781
voclabs/user4628833=im.areeba.dev@gmail.com

VPC > Route tables

Route tables (1/5) Info

Find route tables by attribute or tag

Name	Route table ID	Explicit subnet associ...	Edge associations	Main
☒ inventory-management-project-rtb-private1-us-east-1a	rtb-05ed4d61dade1069b	subnet-06984fae00f9f3a61	-	No
☐ inventory-management-project-rtb-private2-us-east-1b	rtb-06a1d1523d69d01fe	subnet-03e12ea5d584817a1	-	No
☐ -	rtb-085fa39a393e28313	-	-	Yes
☐ -	rtb-0252d5a3ea9b8dacad	-	-	Yes

rtb-05ed4d61dade1069b / inventory-management-project-rtb-private1-us-east-1a

Details

Route table ID: rtb-05ed4d61dade1069b

Main: No

Explicit subnet associations: subnet-06984fae00f9f3a61 / inventory-management-project-subnet-private1-us-east-1a

Edge associations: -

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#RouteTables:

Account ID: 3048-0409-3781
voclabs/user4628833=im.areeba.dev@gmail.com

VPC > Route tables

Route tables (1/5) Info

Find route tables by attribute or tag

Name	Route table ID	Explicit subnet associ...	Edge associations	Main
☐ inventory-management-project-rtb-private1-us-east-1a	rtb-05ed4d61dade1069b	subnet-06984fae00f9f3a61	-	No
☒ inventory-management-project-rtb-private2-us-east-1b	rtb-06a1d1523d69d01fe	subnet-03e12ea5d584817a1	-	No
☐ -	rtb-085fa39a393e28313	-	-	Yes
☐ -	rtb-0252d5a3ea9b8dacad	-	-	Yes

rtb-06a1d1523d69d01fe / inventory-management-project-rtb-private2-us-east-1b

Details

Route table ID: rtb-06a1d1523d69d01fe

Main: No

Explicit subnet associations: subnet-03e12ea5d584817a1 / inventory-management-project-subnet-private2-us-east-1b

Edge associations: -

“Private subnet route updated to forward internet-bound traffic to NAT Gateway.”

5) MongoDB Atlas Configuration (External DB)

5.1 Confirm DB & collections

The screenshot shows the MongoDB Atlas Data Explorer interface. On the left, the 'CLUSTERS (1)' sidebar shows a cluster named 'test' under the 'Pharmacy' project. The main panel displays the 'test' cluster's collections. A table lists the collections with their properties, storage size, document count, average document size, index count, and total index size.

Collection name	Properties	Storage size	Document	Avg. document size	Index	Total index size
orders	-	278.53 kB	598	1.01 kB	10	376.83 kB
products	-	61.44 kB	120	521.00 B	8	335.87 kB
suppliers	-	45.06 kB	25	566.00 B	9	331.78 kB
users	-	36.86 kB	3	429.00 B	4	147.46 kB

“MongoDB Atlas database structure used by the application.”

5.2 IP allowlist for NAT


The screenshot shows the MongoDB Atlas IP Access List interface. The main panel displays a table of IP addresses with their comments, status, and actions. A yellow banner at the top indicates that only the listed IP addresses are allowed for connection.

IP Address	Comment	Status	Actions
103.179.241.125/32	Created as part of the Auto Setup process	Active	EDIT DELETE
52.44.94.68/32	AWS NAT for Lambda (exports)2.	Active	EDIT DELETE
0.0.0.0/0 (includes your current IP address)	Vercel Functions	Active	EDIT DELETE
100.28.7130/32	AWS NAT for Lambda (exports)	Active	EDIT DELETE

“Atlas network security: only NAT public IP is allowlisted for Lambda export connectivity.”


6) S3 Bucket Setup

6.1 Create bucket



“S3 bucket created with encryption enabled and public access blocked.”


6.2 Required folder structure




“S3 prefixes organized per dataset for clean Glue table creation and Athena querying.”

7) Lambda Export Function

7.1 Create Lambda






“Lambda export function created for scheduled/on-demand data export.”

7.2 Upload zip deployment

Name	Type	Compressed size	Password pr...	Size	Ratio	Date modified
node_modules	File folder					
index.js	JSFile	2 KB	No	3 KB	60%	12/31/2025 3:28 AM
package	JSON Source File	1 KB	No	1 KB	39%	12/31/2025 2:15 AM


“Lambda deployed using zip artifact containing code and node_modules.”

7.3 Environment variables




“Lambda configured using environment variables (DB, bucket, and collection list).”

7.4 Test workflow



“Successful Lambda invocation exporting MongoDB collections to S3




“Export artifacts written to S3 in per-collection folders.”

8) EC2 Backend Deployment (MANDATORY if you use EC2)

(Only include this section if your backend is running on EC2.)

8.1 Launch EC2 instance




The screenshot shows the AWS Management Console with the EC2 Instance Connect terminal open. The terminal displays the output of the `npm run dev` command, showing that the `medical-store-backend@1.0.0` is running on `http://localhost:5001`. The terminal also shows the `node` version `18.12.1` and the `npm` version `9.8.1`. The terminal output is as follows:

```
/home/ec2-user/.pm2/logs/inventory-management-system-error.log last 15 lines:
/home/ec2-user/.pm2/logs/inventory-management-system-out.log last 15 lines:
0|inventor | GET /api/products/inventory-distribution 304 399.642 ms - -
0|inventor | GET /api/products/low-stock?limit=10 304 560.839 ms - -
0|inventor | GET /api/orders?limit=10&populate=true 304 802.917 ms - -
0|inventor |
0|inventor | > medical-store-backend@1.0.0 dev
0|inventor | > node index.js
0|inventor |
0|inventor | [nodemon] 3.1.11
0|inventor | [nodemon] to restart at any time, enter `rs`
0|inventor | [nodemon] watching path(s): *.*
0|inventor | [nodemon] watching extensions: js,mjs,cjs,json
0|inventor | [nodemon] starting `node index.js`
0|inventor | Server is running on http://localhost:5001
0|inventor | Health check: http://localhost:5001/api/health
0|inventor | Environment: development
```

Below the terminal output, the instance details for `i-049ccb71435886675 (inventory-management-backend)` are shown, including the public IP `44.202.238.99` and private IP `10.0.0.228`.

“EC2 instance hosting the Node/Express backend API.”

8.2 Backend running proof



The screenshot shows the AWS Management Console with the EC2 Instance Connect terminal open. The terminal displays the output of the `npm run dev` command, showing that the `medical-store-backend@1.0.0` is running on `http://localhost:5001`. The terminal also shows the `node` version `18.12.1` and the `npm` version `9.8.1`. The terminal output is as follows:

```
0|inventory_management_system | Using cached MongoDB connection
0|inventory_management_system | GET /api/products/inventory-distribution 304 375.581 ms - -
0|inventory_management_system | GET /api/dashboard/stats?dataPoints=20&timeRange=6m 304 375.766 ms - -
0|inventory_management_system | GET /api/dashboard/top-products 304 382.622 ms - -
0|inventory_management_system | GET /api/products/low-stock?limit=10 304 567.242 ms - -
0|inventory_management_system | GET /api/orders?limit=10&populate=true 200 755.988 ms - 12777
0|inventory_management_system | Using cached MongoDB connection
0|inventory_management_system | POST /api/products 201 1033.533 ms - 980
0|inventory_management_system | Using cached MongoDB connection
0|inventory_management_system | Using cached MongoDB connection
0|inventory_management_system | Using cached MongoDB connection
0|inventory_management_system | GET /api/products/stats 200 413.188 ms - 811
0|inventory_management_system | GET /api/products?limit=10&page=1 200 823.855 ms - 9904
0|inventory_management_system | POST /api/products 201 1040.176 ms - 980
0|inventory_management_system | Using cached MongoDB connection
0|inventory_management_system | Using cached MongoDB connection
0|inventory_management_system | GET /api/products?limit=10&page=1 200 822.524 ms - 9860
0|inventory_management_system | GET /api/products/stats 200 847.098 ms - 811
```

Below the terminal output, the instance details for `i-049ccb71435886675 (inventory-management-backend)` are shown, including the public IP `44.202.238.99` and private IP `10.0.0.228`.

“Backend health check confirms API is running on EC2.”

9) Load Balancer

The screenshot shows the AWS Management Console for the 'us-east-1' region. The left sidebar contains navigation links for Security Groups, Elastic IPs, Placement Groups, Key Pairs, Network Interfaces, Load Balancing, and Auto Scaling. The 'Load Balancing' section is selected, showing 'Load Balancers', 'Target Groups', and 'Trust Stores'. The main content area displays the details for the 'MedStore-loadBalancer'.

MedStore-loadBalancer Details

Load balancer type	Status	VPC	Load balancer IP address type
Application	Active	vpc-027a9eccc4580fdb	IPv4
Scheme	Hosted zone	Availability Zones	Date created
Internet-facing	Z35SXDOTRQ7X7K	subnet-0c54afbdecf559e74 us-east-1a (use1-az2) subnet-054142d3e2af4df3e us-east-1b (use1-az4)	January 1, 2026, 21:08 (UTC+05:00)
Load balancer ARN	DNS name		
arn:aws:elasticloadbalancing:us-east-1:304804093781:loadbalancer/app/MedStore-loadBalancer/785c4bf51ecf2a3b	MedStore-loadBalancer-2136306744.us-east-1.elb.amazonaws.com (A Record)		


9.1 Target Group

The screenshot shows the AWS Management Console for the 'us-east-1' region. The left sidebar contains navigation links for Security Groups, Elastic IPs, Placement Groups, Key Pairs, Network Interfaces, Load Balancing, and Auto Scaling. The 'Load Balancing' section is selected, showing 'Load Balancers', 'Target Groups', and 'Trust Stores'. The main content area displays the details for the 'MedStore-TargetGroup'.

MedStore-TargetGroup Details


Target type	Protocol : Port	Protocol version	VPC		
Instance	HTTP: 5001	HTTP1	vpc-027a9eccc4580fdb		
IP address type	Load balancer				
IPv4	MedStore-loadBalancer				
Total targets	Healthy	Unhealthy	Unused	Initial	Draining
2	2	0	0	0	0
0 Anomalous					
Distribution of targets by Availability Zone (AZ)					
Select values in this table to see corresponding filters applied to the Registered targets table below.					

9.2 Auto Scaling Group



10) AWS Glue Setup

10.1 Create Glue database



“Glue Data Catalog database created to store table metadata.”


10.2 Create crawlers (one per collection)

Create crawlers for:


- s3://<bucket>/exports/orders/
- s3://<bucket>/exports/products/
- s3://<bucket>/exports/users/
- s3://<bucket>/exports/suppliers/

Settings:

- Data source: S3
- Network connection: none
- Run crawler




“Glue crawler configured to infer schema from NDJSON exports in S3.”.



“Glue crawler executed successfully and cataloged tables.”

10.3 Tables created

- Glue → Data Catalog → Tables
- Filter by database medstore_exports




“Glue tables created from S3 exports and ready for Athena queries.”

11) Athena Setup & Querying

11.1 Set query results location

- Athena → Settings → set:
- `s3://<bucket>/athena-results/`



“Athena configured with S3 output location for query results.”

11.2 Query data

- Select Data source: AwsDataCatalog
- Database: medstore_exports
- Run:

```
SELECT * FROM orders LIMIT 10;
```

us-east-1.console.aws.amazon.com/athena/home?region=us-east-1#/query-editor/history/8e5e8509-545c-4976-9cd2-358b7473f131

Account ID: 3048-0409-3781
voclabs/user4628833=im.areeba.dev@gmail.com

Amazon Athena > Query editor

users

Views (0) < 1 >

Completed Time in queue: 100 ms Run time: 520 ms Data scanned: 683.07 KB

Results (10) Copy Download results CSV

Search rows

#	_id	ordernumber	customer
1	68bb48420b8296121420c53d	ORD-000002	{name=Faisal Dar, phone=+923001916071, email=customi
2	68bb48420b8296121420c54d	ORD-000005	{name=Omar Rashid, phone=+923001988727, email=cust
3	68bb48420b8296121420c565	ORD-000012	{name=Ahmad Ali, phone=+923009621123, email=custorr
4	68bb48420b8296121420c578	ORD-000017	{name=Aisha Malik, phone=+923005982296, email=custor
5	68bb48420b8296121420c589	ORD-000022	{name=Muhammad Hassan, phone=+923005875413, ema
6	68bb48420b8296121420c5a0	ORD-000028	{name=Muhammad Hassan, phone=+923008857795, ema


CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 11:39 PM 12/31/2025

“Athena successfully queried exported data via Glue Data Catalog.”

12) Monitoring / Logging (CloudWatch)

12.1 Lambda logs



- CloudWatch → Log groups → /aws/lambda/lambda-exports
- Show latest invocation logs



“CloudWatch logs confirm export job execution and help troubleshoot failures.”

13) Final Output (MANDATORY)

Provide final proof screenshots:



Medical Store

Dashboard

Inventory

Orders

Suppliers

User Management

Dark Theme

Admin User

Inventory Management

Manage your medical store inventory - 110 products tracked

Total Products

110

Low Stock Items

7

Expiring Soon

2

Total Value

PKR 3,116,640.00

Search & Filter Products

Search Products

Product name, category, s

Status

Category

Product Name	Category	Price	Stock	Status	Expiry	Actions
Adhesive Plaster 116	Vitamins & Supplements	PKR 254.00	52	In Stock	Aug 6, 2028	
Omeprazole 115	Prescription Drugs	PKR 210.00	148	In Stock	Aug 6, 2026	
Thermometer 114	Vitamins & Supplements	PKR 175.00	202	In Stock	Oct 6, 2027	
Pain Relief Gel 113	Prescription Drugs	PKR 89.00	4	Low Stock	Apr 6, 2026	
Omeprazole 112	Baby Care	PKR 280.00	112	In Stock	Mar 6, 2028	

Medical Store

Dashboard

Inventory

Orders

Suppliers

User Management

Dark Theme

Admin User

Orders Management

Track and manage customer orders, payments, and delivery status across 598 orders

Total Orders

598

Pending Orders

243

Completed Orders

217

Total Revenue

PKR 2,355,966.00

Search & Filter Orders

Search Orders

Customer name, order num

Status

Filter by Date

mm/dd/yyyy

Order #	Customer	Date	Status	Payment Status	Total	Actions
ORD-1758292287701-0601	Fatima bse23092@huanapk	Sep 19, 2025	Confirmed	Paid	PKR 1,561.00	
ORD-00048	Sana Butt customer48@email.com	Sep 4, 2025	Cancelled	Failed	PKR 2,063.00	
ORD-000539	Hamza Tariq customer539@email.com	Sep 1, 2025	Confirmed	Paid	PKR 6,939.00	
ORD-000365	Nadia Aslam	Sep 1, 2025	Confirmed	Paid	PKR 2,437.00	

Medical Store

Dashboard

Inventory

Orders

Suppliers

User Management

Dark Theme

Admin User

Suppliers Management

Manage your medical supply partners and vendor relationships

Total Suppliers

10

Active Suppliers

10

Taking Returns

0

Items On The Way

0

Search Suppliers

Search by name, email, or

Specialization

Status

Suppliers Directory (24 suppliers)

Medical Supplier 18

★★★★☆ (0)

active

Vitamins & SupplementsFirst Aid

supplier18@medstore18.com

+923005306365

Street 86, Block X, Karachi, Gilgit-Baltistan, 5947...

Products: Multiple

Medical Supplier 15

★★★★☆ (4)

active

Medical DevicesGeneral Medical

supplier15@medstore15.com

+923003777727

Street 4, Block A, Peshawar, Gilgit-Baltistan, 821...

Products: Multiple

Medical Supplier 13

★★★★☆ (0)

active

Vitamins & Supplements

supplier13@medstore13.com

+923001515543

Street 66, Block D, Karachi, Sindh, 59669, Pakistan

Products: Multiple

Medical Supplier 11

★★★★★ (0)

active

Vitamins & SupplementsGeneral Medical

Products: Multiple

Medical Supplier 24

★★★★☆ (0)

active

General Medical

Products: Multiple

Medical Supplier 19

★★★★☆ (0)

active

General Medical

Products: Multiple