‘MMwood Chequered Plywood’





MMwood Fire Retardant Marine Plywood
CLOSED


Selected Hardwood Veneers
High-Solid-Content PF Resin Bond
Full-Cell Vacuum-Pressure Treated Core
Fire Retardant Barrier Layer
Rotary-Cut Marine Veneer
EXTENDED




Gurgam Club – Marine Plywood Variant



Uses naturally heavy and mechanically strong timber




Tree Leaf – Marine Plywood Variant



Designed to offer quality at an affordable price
Provides resistance against Borer and Termite



MMwood Film Faced Shuttering Plywood – FFSP



Standard size: 8' × 4'
Designed for multiple reuses and a smooth concrete finish




MMwood Machinability & Care



Easy to saw, drill, and route
Follow proper storage and cleaning practices



strong core and premium looks



Conforms to IS:2202
Available in Marine, One-Side Teak, Both-Side Teak




strong core & added fire protection




Conforms to IS:5509:2000
Available in 35mm, 40mm & 45mm thicknesses



MMwood Laminated Veneer Lumber – LVL



Engineered wood for structural applications
High strength, stiffness, and reliability for beams and columns




MMwood® Marine Plywood



Built for harsh and demanding conditions
Performs reliably in adverse weather conditions and saline environments




MMwood Boiling Water Resistant Plywood – BWR



Conforms to IS:303
Reliable 8-hour water resistance for furniture and paneling




MMwood Moisture Resistance Plywood – MR



Conforms to IS:303
Melamine-fortified adhesive for durable interior applications



MMwood High-Quality Flexible Plywood – Flexi Ply



High-quality flexible plywood for curved designs
Can be formed into predetermined rigid shapes after bonding