Form Controls and Corresponding Code				
Component	Common constructor parameters	Important methods	Useful Listeners	
Press me JButton	TextIconText/iconAction	setText() getText()	ActionListener	
Quit on close JCheckBox	Text Text/selected	setSelected() isSelected()	ActionListener ChangeListener	
Option 1 JRadioButton	TextText/selected	setSelected() isSelected() ButtonGroup.add()	ActionListener ChangeListener	

Component	Common constructor parameters	Important methods	Useful Listeners
Item 1 Item 2 Item 3 Item 4	Array of itemsListModel	<pre>getSelectedValue() getSelectedItem()</pre>	ListSelectionListe ner
Text <u>JTextField</u>	No columnsInitial text		
Red lorry. Yellow lorry. Green potatoes. JTextArea	No rows/columnsRows/cols/text	<pre>getText() setText() getDocument()</pre>	DocumentListener (Added to Document object returned bygetDocument().)
Tab 1 Tab 2 JTabbedPane	Tab placement	addTab() insertTab() getSelectedComponent () setSelectedComponent ()	ChangeListener
JScrollPane	ComponentComponent,scrollbar options	setViewportView()	
	• Orientation, 2 components For orientation, use JScrollPane.HORIZON TAL_SPLIT orJScrollPane .VERTICAL_SPLIT.	setDividerLocation()	
JSplitPane			Mongo Lightson
<u>JComponent</u>			MouseListener