

Thanks for ordering at Fog!

Here is your material-lists:

### Cladding Materials

| Material ID | Name                             | Quantity | Length | Height/Depth | Width | Description                                |
|-------------|----------------------------------|----------|--------|--------------|-------|--|
| 28          | Barn-door-grip<br>50x75          | 1        | 4.62   | 0.0          | 4.0   | For closing & locking door to the shed.    |
| 29          | T hinges 390mm                   | 1        | 24.0   | 0.3          | 0.8   | For shed-door                              |
| 38          | Lath                             | 8        | 166.15 | 4.5          | 0.76  | Wood for shed gable                        |
| 39          | Lath                             | 2        | 147.69 | 4.5          | 0.76  | Wood for shed sides                        |
| 6           | Batten                           | 1        | 258.46 | 3.8          | 5.84  | For z, on backside of the door             |
| 7           | Lath                             | 8        | 166.15 | 4.5          | 0.76  | Wood for gable                             |
| 8           | Lath                             | 2        | 147.69 | 4.5          | 0.76  | Wood for sides                             |
| 9           | Plywood                          | 1        | 369.23 | 4.5          | 15.6  | Strap in sides, digs into posts            |
| 10          | Plywood                          | 1        | 295.38 | 4.5          | 15.6  | Strap in sides, digs down into shed-posts  |
| 11          | Plywood                          | 10       | 369.23 | 4.5          | 15.6  | Raft, mounted on strap                     |
| 12          | Pressure Impregnated Post        | 6        | 184.62 | 9.7          | 7.76  | Post, dig 90 cm into earth, for carport    |
| 36          | Arena-Capucino stone wall        | 33       | 15.69  | 8.5          | 8.0   | For stone-cladding                         |
| 14          | Pressure Impregnated Board       | 2        | 332.31 | 1.9          | 8.0   | Slanted board, for the fascia on the sides |
| 15          | Pressure Impregnated Board       | 1        | 221.54 | 1.9          | 8.0   | Slanted board, for the fascia on the front |
| 19          | Perforated Tape                  | 1        | 0.0    | 0.1          | 1.6   | For wind-secure on Plywood Straps          |
| 20          | Universal fitting - Right        | 10       | 0.31   | 1.9          | 0.39  | For mounting plywood onto straps           |
| 21          | Universal fitting - Left         | 10       | 0.31   | 1.9          | 0.39  | For mounting plywood onto straps           |
| 22          | 4.5 x 60 mm. Screws (200 pieces) | 1        | 3.69   | 0.0          | 0.36  | For mounting fascia and slanted boards     |

|    |  |    |        |      |      |   |
|----|--|----|--------|------|------|---|
| 23 | 4.0 x 50 mm. fitting-screws (250 pieces) | 2  | 3.08   | 0.0  | 0.36 | For mounting Universal Fitting + Perforated Tape            |
| 24 | Board bolt 10 x 120mm                    | 12 | 7.38   | 0.0  | 0.8  | For mounting Straps onto Posts                              |
| 25 | Square washer 40x40x11mm                 | 8  | 2.46   | 0.0  | 3.2  | For mounting straps on posts                                |
| 29 | T hinges 390mm                           | 1  | 24.0   | 0.3  | 0.8  | For shed-door   |
| 30 | Angled mounting-brackets 35              | 22 | 3.08   | 0.35 | 4.0  | For mounting transom to shed                                |
| 37 | Stone-cladding configuration glue        | 1  | 0.0    | 0.0  | 0.0  | For mounting the stone cladding onto beams                  |
| 40 | Pressure Impregnated Post                | 5  | 184.62 | 9.7  | 7.76 | Post, dig 90 cm into earth, for shed                        |
| 41 | 4.5 x 60 mm. Screws (200 pieces)         | 1  | 3.69   | 0.0  | 0.36 | For mounting fascia and slanted boards - For Shed           |
| 42 | 4.0 x 50 mm. fitting-screws (250 pieces) | 2  | 3.08   | 0.0  | 0.36 | For mounting Universal Fitting + Perforated Tape - For Shed |
| 43 | Board bolt 10 x 120mm                    | 12 | 7.38   | 0.0  | 0.8  | For mounting Straps onto Posts - For Shed                   |
| 44 | Square washer 40x40x11mm                 | 8  | 2.46   | 0.0  | 3.2  | For mounting straps on posts - For Shed                     |
| 45 | 4.5 x 70 mm Screws (400 pieces)          | 1  | 4.31   | 0.0  | 0.36 | For mounting outer-cladding - For Shed                      |
| 46 | 4.5 x 50 mm. Screws (300 pieces)         | 1  | 3.08   | 0.0  | 0.36 | For mounting inner-cladding - For Shed                      |

### Roofing Materials

| Material ID | Name                       | Quantity | Length | Height/Depth | Width | Description                                  |
|-------------|----------------------------|----------|--------|--------------|-------|--|
| 1           | Asphalt Roofing            | 1        | 369.23 | 0.0          | 384.0 | Asphalt Roofing, usually used for flat roofs |
| 2           | Pressure Impregnated Board | 2        | 221.54 | 2.5          | 16.0  | Sub-fascia boards for front and rear end     |

|    |                            |    |        |     |      |  |
|----|----------------------------|----|--------|-----|------|--|
| 3  | Pressure Impregnated Board | 2  | 221.54 | 2.5 | 16.0 | Sub-fascia board for the sides.                    |
| 4  | Pressure Impregnated Board | 1  | 221.54 | 2.5 | 10.0 | Over-fascia board for the front                    |
| 5  | Pressure Impregnated Board | 2  | 332.31 | 2.5 | 10.0 | Over-fascia board for the sides                    |
| 33 | Smooth aluminium profile   | 32 | 61.54  | 0.0 | 6.4  | For mounting asphalt roofing                       |
| 34 | Adhesive asphalt           | 1  | 0.0    | 0.0 | 0.0  | For mounting asphalt roofing to aluminium profiles |