2020

CEN 590 Term Project

Wavelet Transform of These Images

PREPARED BY: BAFTJAR TABAKU
EPOKA UNIVERSITY, TIRANE ALBANIA

Discrete Wavelet transform

The DWT provides a sparse representation for many natural signals. In other words, the important features of many natural signals are captured by a subset of DWT coefficients that is typically much smaller than the original signal. This “compresses” the signal. With the DWT, you always end up with the same number of coefficients as the original signal, but many of the coefficients may be close to zero in value.

As a result, you can often throw away those coefficients and still maintain a high-quality signal approximation.

‘https://www.mathworks.com’

Problem to be treated

Providing the following images;

1. 10 iris images
2. 10 finger print images
3. 10 finger vein images

Then we need to calculate the Discrete Wavelet transform of these images. We will get 4 outputs. Determine the frequency components of these 4 outputs of each image (30 images in total).

Put next to each other:

1. the original image of an iris and its Fourier transform
2. the 1st output (of discrete wavelet transform) and Fourier transform
3. the 2nd output (of discrete wavelet transform) and its Fourier transform
4. the 3rd output (of discrete wavelet transform) and its Fourier transform
5. the 4th output (of discrete wavelet transform) the Fourier transform

MATLAB Implementation

Code will be separated into three files, one will be the main file where the execution will happen step by step the ‘main.m’ file, the other one the ‘DWT_function.m’ file, implemented as a function and the ‘furier_function.m’ that will calculate the furrier function.

Doing such work, we need to be precise, according to the paths and directories. Images are saved according to a root and folder, with specific names according to the following schema:



The folders will be created automatically if they do not exist, and according to root and sub-root everything will be precise.

Project Code

The 'main.m' file that will call and execute the respective functions functions.

```
clc, clear all, close all

fprintf('Cen Master, Epoka Univesity, Computer Engenieering\n===Discrete Wavelet
Transform===\n');
% DWT Part
% NOTE: The script images should run one by one, uncomment, run , comment,
% go to next and so on.
% Creating the folders according to the root

% ======== Iris Part - 10 images ========
% creating root folder for the output
if ~exist('output_images\iris_output', 'dir')
   mkdir('output_images\iris_output')
end

DWT_function('output_images\iris_output','images\iris\','image1_eye_iris','.jpg');%1
% DWT_function('output_images\iris_output','images\iris\','image2_eye_iris','.jpg');%2
% DWT_function('output_images\iris_output','images\iris\','image3_eye_iris','.jpg');%3
% DWT_function('output_images\iris_output','images\iris\','image4_eye_iris','.jpg');%4
% DWT_function('output_images\iris_output','images\iris\','image5_eye_iris','.jpg');%5
% DWT_function('output_images\iris_output','images\iris\','image6_eye_iris','.jpg');%6
% DWT_function('output_images\iris_output','images\iris\','image7_eye_iris','.jpg');%7
% DWT_function('output_images\iris_output','images\iris\','image8_eye_iris','.jpg');%8
% DWT_function('output_images\iris_output','images\iris\','image9_eye_iris','.jpg');%9
% DWT_function('output_images\iris_output','images\iris\','image10_eye_iris','.jpg');%10

% ======== Finger Print Part - 10 images ========
% creating root folder for the output

if ~exist('output_images\finger_print_output', 'dir')
   mkdir('output_images\finger_print_output')
end
%
%
DWT_function('output_images\finger_print_output','images\finger_print\','image1_finger_prin
t','.jpg');%1
%
DWT_function('output_images\finger_print_output','images\finger_print\','image2_finger_prin
t','.jpg');%2
%
DWT_function('output_images\finger_print_output','images\finger_print\','image3_finger_prin
t','.jpg');%3
%
DWT_function('output_images\finger_print_output','images\finger_print\','image4_finger_prin
t','.jpg');%4
%
DWT_function('output_images\finger_print_output','images\finger_print\','image5_finger_prin
t','.jpg');%5
```

```
%
DWT_function('output_images\finger_print_output','images\finger_print\','image6_finger_prin
t','.jpg');%6
%
DWT_function('output_images\finger_print_output','images\finger_print\','image7_finger_prin
t','.jpg');%7
%
DWT_function('output_images\finger_print_output','images\finger_print\','image8_finger_prin
t','.jpg');%8
%
DWT_function('output_images\finger_print_output','images\finger_print\','image9_finger_prin
t','.jpg');%9
%
DWT_function('output_images\finger_print_output','images\finger_print\','image10_finger_pri
nt','.jpg');%10



% ======== Finger Vain Part - 10 images ========
if ~exist('output_images\finger_vein_output', 'dir')
   mkdir('output_images\finger_vein_output')
end
%
%
DWT_function('output_images\finger_vein_output','images\finger_vein\','image1_finger_vein',
'.jpg');%1
%
DWT_function('output_images\finger_vein_output','images\finger_vein\','image2_finger_vein',
'.jpg');%2
%
DWT_function('output_images\finger_vein_output','images\finger_vein\','image3_finger_vein',
'.jpg');%3
%
DWT_function('output_images\finger_vein_output','images\finger_vein\','image4_finger_vein',
'.jpg');%4
%
DWT_function('output_images\finger_vein_output','images\finger_vein\','image5_finger_vein',
'.jpg');%5
%
DWT_function('output_images\finger_vein_output','images\finger_vein\','image6_finger_vein',
'.jpg');%6
%
DWT_function('output_images\finger_vein_output','images\finger_vein\','image7_finger_vein',
'.jpg');%7
%
DWT_function('output_images\finger_vein_output','images\finger_vein\','image8_finger_vein',
'.jpg');%8
%
DWT_function('output_images\finger_vein_output','images\finger_vein\','image9_finger_vein',
'.jpg');%9
%
DWT_function('output_images\finger_vein_output','images\finger_vein\','image10_finger_vein'
,'.jpg');%10
```

In the following code we run each image one by one, in a way not to mix the results and keeping track on what we are doing.

The other will be the 'DWT_function.m' this will be the part of the Discrete Wavelet transform that will take an image input and will make the respective calculations.

```
function [] =
DWT_function(output_folder,image_path_location,image_to_proceed,image_extensi
on)
```

the first one will be the main folder of output, then the image path, then the image name and the extension at the end, so due to the fact that we had to work on multiple files and high volume we need to save them properly in a automatic mode.

```
function [] =
DWT_function(output_folder,image_path_location,image_to_proceed,image_extensi
on)
%  Join location strings
path_location=strcat(image_path_location,image_to_proceed,image_extension);

input_image = imread(path_location);
input_image=rgb2gray(input_image);% convert Gray
% Original Image
% figure(1)
% imshow(input_image);
% title('Original Image');
% resizing the image
size_of_output_result_image=size(input_image);

[LL,LH,HL,HH]=dwt2(input_image,'db1');

% processingd Discrete Wavelet transform with levels
figure(1)
subplot(2,3,1);imshow(input_image);title('Original Image');
subplot(2,3,2);imshow(LL);title('LL band of image');
subplot(2,3,3);imshow(LH);title('LH band of image');
subplot(2,3,5);imshow(HL);title('HL band of image');
subplot(2,3,6);imshow(HH);title('HH band of image');
output_result_transformed_image =
idwt2(LL,LH,HL,HH,'db1',size_of_output_result_image);
subplot(2,3,4);imshow(output_result_transformed_image);
title('Transformed Image DWT');
% increase size of image to display united
set(figure(1),'units','points','position',[0,0,820,450])

%0-Saving the original image

original_path=strcat(output_folder,'\Original_images\');
if ~exist(original_path, 'dir')
```

```
   mkdir(original_path)
end

original_path=strcat(original_path,'original_',image_to_proceed,image_extensi
on);

original_image = figure(8);
set(original_image,'Visible','off');
imshow(input_image);
saveas(original_image,original_path);



% creating path for final result according to the root, but checking it
% first, ex 'output_images\iris_output'
% Creating final result folder -> \final_results_DWT\
transformed_result_image=strcat(output_folder,'\final_results_DWT\');
if ~exist(transformed_result_image, 'dir')
   mkdir(transformed_result_image)
end
%Adding file with the extension to the string
transformed_result_image=strcat(transformed_result_image,'DWT_',image_to_proc
eed,image_extension);

% Discrete Wavelet transform image
main_output_image = figure(2);
saveas(imshow(output_result_transformed_image),transformed_result_image);
% imshow(output_result_transformed_image)
% title('Transformed Image DWT');
set(main_output_image,'Visible','off');% close image after if needed to be
closed


% Working with each output step by step
% storing outputs on separated variables
% Saving images LL (low-low), LH(low-high), HL(high-low), HH(high-high)

% Check if path exist, if not we create it

% 1 LL path
LL_path=strcat(output_folder,'\LL_images\');
if ~exist(LL_path, 'dir')
   mkdir(LL_path)
end

LL_path=strcat(LL_path,'LL_',image_to_proceed,image_extension);


image_1_LL = figure(4);
set(image_1_LL,'Visible','off');%image visible off
imshow(LL);
saveas(image_1_LL,LL_path);

% 2 LH Path
```

```
LH_path=strcat(output_folder,'\LH_images\');
if ~exist(LH_path, 'dir')
   mkdir(LH_path)
end

LH_path=strcat(LH_path,'LH_',image_to_proceed,image_extension);

image_2_LH = figure(5);
set(image_2_LH,'Visible','off');
imshow(LH);
saveas(image_2_LH,LH_path);

% 3 HL path creation
HL_path=strcat(output_folder,'\HL_images\');
if ~exist(HL_path, 'dir')
   mkdir(HL_path)
end

HL_path=strcat(HL_path,'HL_',image_to_proceed,image_extension);

image_3_HL = figure(6);
set(image_3_HL,'Visible','off');
imshow(HL);
saveas(image_3_HL,HL_path);

% 4 HH image path creation
HH_path=strcat(output_folder,'\HH_images\');
if ~exist(HH_path, 'dir')
   mkdir(HH_path)
end

HH_path=strcat(HH_path,'HH_',image_to_proceed,image_extension);

image_4_HH = figure(7);
set(image_4_HH,'Visible','off');
imshow(HH);
saveas(image_4_HH,HH_path);

% Fourier Transform part, each
% image output will be included into the function fourier transform

% 1-Low-Low image
furier_function(LL_path,2)
% 2-Low-High image
furier_function(LH_path,3);
% 3-High-Low image
furier_function(HL_path,4);
% 4-High-high image
furier_function(LH_path,5);

end
```

The upper code will take the image as input, join the folders path and locations under a single location, loading the image, calculating the 4-outptus and the final result image, then images will be plotted and saved.

```
% Fourier Transform part, each
% image output will be included into the function fourier transform

% 1-Low-Low image
furier_function(LL_path,2)
% 2-Low-High image
furier_function(LH_path,3);
% 3-High-Low image
furier_function(HL_path,4);
% 4-High-high image
furier_function(LH_path,5);
```

Each of 4 outputs will be proceed and pass thought a Fourier transform function, according to the outputs that will be taken as input by this function named

```
furier_function(image_path,2)
```

The number 2 will be the image name ex: “figure 2”, the code will be shown below;

```
function [] = furier_function(path_image_location, fig_num)
% First we will be loading image
imdata =imread(path_image_location);
figure(fig_num)
subplot(2,3,1);imshow(imdata); title('Original Image');
imdata = rgb2gray(imdata);
subplot(2,3,2); imshow(imdata); title('Gray Image');
%Get Fourier Transform of an image
F = fft2(imdata);
% Fourier transform of an image
S = abs(F);
subplot(2,3,3);imshow(S,[]);title('Fourier transform of an image');
%get the centered spectrum
Fsh = fftshift(F);
subplot(2,3,4);imshow(abs(Fsh),[]);title('Centered fourier transform of
Image')
%apply log transform
S2 = log(1+abs(Fsh));
subplot(2,3,5);imshow(S2,[]);title('log transformed Image')
%reconstruct the Image
F = ifftshift(Fsh);
f = ifft2(F);
subplot(2,3,6) ;imshow(f,[]),title('reconstructed Image')

% increase image size
set(figure(fig_num),'units','points','position',[0,0,820,450])
end
```

Image will be taken, and proceed, converted in gray color, passing thought Fourier functions and plotted according to the respective calculations.

Proceeding with the images

Iris part, the 10 images analysis with the respective Fourier transform part for each output,

DWT



Fourier Part for LL image



LH Fourier



HL Fourier



HH Fourier



Iris, image 2 DWT



LL Fourier



LH Fourier



HL Fourier



HH Fourier


Original Image
Gray Image
Fourier transform of an image
Centered fourier transform of Image
log transformed Image
reconstructed Image

Finger Print DWT,



LL Fourier



LH Fourier



HL Fourier



HH Fourier



Finger Vein DWT,

LL Fourier,



LH Fourier,



HL Fourier,



HH Fourier,



There are the displayed each image using the DWT, then each DWT output image is processed using the Fourier transform.