C# Assignment 1

By: Christine Bittle

This assignment is worth 10% of your final grade in the course

For each question, accomplish the following tasks:

- (Quantitative: 2 Marks) Create ASP.NET Core Web API Controllers that implement the desired functionality. If you have trouble, describe your approach using code comments.
- (Qualitative: 2 Marks) Use descriptive variable names, and a <summary> block above each method, with the following:
 - A general <summary> of what the endpoint does
 - A description of what the endpoint <returns>
 - A description of each input <param>eter
 - At least one <example>
- (Testing: 2 Marks) Include evidence of thoroughly testing your work using cURL

RUBRIC

	0 Marks	1 Mark	2 Marks
Quantitative	Method not implemented	Method partially implemented / implemented with room for improvements	Method implemented, no improvements required
Qualitative	Documentation not included	Documentation partially included / included with room for improvements	Documentation included, no improvements required
Testing	Testing not included	Testing partially included / included with room for improvements	Testing included, no improvements required

How to submit

- 1. Use Visual Studio / git to push your work to a remote repository
- 2. Verify the repository:
 - a. contains the work you wish to submit (i.e. the files are there)
 - b. is public (if it is set to private, change it to public!)
- 3. Include repository github link as part of your assignment submission (Do not share the link or your work with anyone else)
- 4. Include evidence of your testing as a PDF with screenshots of your cURL commands

GET http://localhost:xx/api/q1/welcome

Returns a welcome message

Request	Response
GET http://localhost:xx/api/q1/welcome	Welcome to 5125!

Question 2

GET http://localhost:xx/api/q2/greeting?name={name}

Returns a greeting to {name}

Request	Response
GET http://localhost:xx/api/q2/greeting?name=Gary	Hi Gary!
GET http://localhost:xx/api/q2/greeting?name=Ren%C3%A9e	Hi Renée!

Hint: For names with non-alpha characters [A-Za-z], test with a url encoding tool

GET http://localhost:xx/api/q3/cube/{base}

Returns the cube of the integer {base}

Request	Response
GET http://localhost:xx/api/q3/cube/4	64
GET http://localhost:xx/api/q3/cube/-4	-64
GET http://localhost:xx/api/q3/cube/10	1000

Question 4

POST http://localhost:xx/api/q4/knockknock

Returns the start of a knock knock joke

Request	Response
POST http://localhost:xx/api/q4/knockknock REQUEST HEADERS: (NONE) REQUEST BODY: (NONE)	Who's there?

POST http://localhost:xx/api/q5/secret

Returns an acknowledgement of the {secret} integer

Request	Response
POST http://localhost:xx/api/q5/secret Content-Type: application/json REQUEST BODY: 5	Shh the secret is 5
POST http://localhost:xx/api/q5/secret Content-Type: application/json REQUEST BODY: -200	Shh the secret is -200

Hint 1: [FromBody]

Hint 2: To test, you can use the following (windows command prompt) cURL command,

replacing the values {secret} and {port}:

curl -H "Content-Type: application/json" -d "{secret}"

https://localhost:{port}/api/Q5/secret

Question 6

GET http://localhost:xx/api/q6/hexagon?side={S}

Returns the area of a regular hexagon with side length double {S} using the formula $\frac{3\times\sqrt{3}}{2}\times S^2$. You may assume {S}>0.

Request	Response
GET http://localhost:xx/api/q6/hexagon?side=1	2.598076211353316
GET http://localhost:xx/api/q6/hexagon?side=1.5	5.845671475544961
GET http://localhost:xx/api/q6/hexagon?side=20	1039.2304845413264

Hint 1: Order of operations

Hint 2: Math.Pow({base},{exponent})

Hint 3: Math.Sqrt({number})

GET http://localhost:xx/api/q7/timemachine?days={days}

Returns a string representation of the current date (formatted yyyy-MM-dd), adjusted by {days}

Request	Response
<pre>(if called on January 1, 2000) GET http://localhost:xx/api/q7/timemachine?days=1</pre>	2000-01-02
<pre>(if called on January 1, 2000) GET http://localhost:xx/api/q7/timemachine?days=-1</pre>	1999-12-31

Hint 1: DateTime.Today
Hint 2: AddDays({days})

Hint 3: DateTime.ToString({format}))
Hint 4: String formats of dates

POST http://localhost/api/q8/squashfellows

You are running an online store which sells SquashFellows plushies in two sizes: Small = \$25.50 CAD and Large = \$40.50 CAD. Assuming the order is in Ontario, the prices are in CAD and the store charges 13% HST. {Small} and {Large} represent the number of units respectively. You may also assume the inputs {Small}>=0 and {Large}>=0.

Returns the checkout summary for an order

Request	Response
POST http://localhost/api/q8/squashfellows Content-Type: application/x-www-form-urlencoded REQUEST BODY: Small=1&Large=1	1 Small @ \$25.50 = \$25.50; 1 Large @ \$40.50 = \$40.50; Subtotal = \$66.00; Tax = \$8.58 HST; Total = \$74.58
POST http://localhost/api/q8/squashfellows Content-Type: application/x-www-form-urlencoded REQUEST BODY: Small=2&Large=1	2 Small @ \$25.50 = \$51.00; 1 Large @ \$40.50 = \$40.50; Subtotal = \$91.50; Tax = \$11.90 HST; Total = \$103.40
POST http://localhost/api/q8/squashfellows Content-Type: application/x-www-form-urlencoded REQUEST BODY: Small=100&Large=100	100 Small @ \$25.50 = \$2550.00; 100 Large @ \$40.50 = \$4050.00; Subtotal = \$6600.00; Tax = \$858.00 HST; Total = \$7458.00

Hint 1: Try to approach the problem one step at a time. For example, receiving the values of {Small} and {Large} before worrying about the calculation.

Hint 2: Math.Round
Hint 3: Currency Format