

- NOTES:**
1. SUSPENSION WIRE PLACEMENT TO BE IN ACCORDANCE WITH GRID MANUFACTURER'S SPEC
 2. INSTALL ANCHORS IN ACCORDANCE WITH MANUFACTURER'S SPEC
 3. REPRESENTATIVE ONLY. SEE BREVITY FOR DETAILS
 4. ANY CHANGES ON SITE TO BE APPROVED BY BREVITY
 5. ACOUSTICS & FIRE PERIMETER GAP DESIGN REQUIREMENTS TO BE CONFIRMED BY OTHERS

DESIGNER:

Brevity

Victoria Park Market,
Unit 72B,
210 Victoria Street West
Auckland 1010

+64 9 216 7104
www.teambrevity.com

Tolerances (unless specified)	1-100	<1000	>1000
	± 2	± 10	± 70


All dim.
in mm

Rev	Description
A	PRELIMINARY DESIGN


Designed	BREVITY LTD	16/01/23
Drawn	BREVITY LTD	16/01/23

RONDO SCREWFIX PERIMETER CONNECTIONS

Scale Do not Scale
DRG No. 050-11B Sheet 1 OF 4



FIXED PERIMETER CONNECTION
PRIMARY 'C' CHANNEL
OPTION 1: SHADOWLINE



FLOATING PERIMETER CONNECTION
PRIMARY 'C' CHANNEL
OPTION 1: SHADOWLINE

TABLE 1 - WALL FIXINGS

WALL TYPE	FIXING
CONCRETE	HILTI HUS-3 H6x40
METAL STUD	10G TEK 16 TPI
TIMBER STUD	10Gx50mm SCREW

- NOTES:**
1. SUSPENSION WIRE PLACEMENT TO BE IN ACCORDANCE WITH GRID MANUFACTURER'S SPEC
 2. INSTALL ANCHORS IN ACCORDANCE WITH MANUFACTURER'S SPEC
 3. REPRESENTATIVE ONLY. SEE BREVITY FOR DETAILS
 4. ANY CHANGES ON SITE TO BE APPROVED BY BREVITY
 5. ACOUSTICS & FIRE PERIMETER GAP DESIGN REQUIREMENTS TO BE CONFIRMED BY OTHERS

DESIGNER:

Brevity

Victoria Park Market,
Unit 72B,
210 Victoria Street West
Auckland 1010

+64 9 216 7104
www.teambrevity.com

Tolerances (unless specified)	1-100	<1000	>1000
	± 2	± 10	± 70

All dim.
in mm

Rev Description


A PRELIMINARY DESIGN

Designed	BREVITY LTD	16/01/23
Drawn	BREVITY LTD	16/01/23


RONDO SCREWFIX PERIMETER CONNECTIONS

Scale Do not Scale

DRG No. Sheet
050-11B 3 OF 4



FIXED PERIMETER CONNECTION
FURRING CHANNEL
OPTION 1: SHADOWLINE



FLOATING PERIMETER CONNECTION
FURRING CHANNEL
OPTION 1: SHADOWLINE

TABLE 1 - WALL FIXINGS

WALL TYPE	FIXING
CONCRETE	HILTI HUS-3 H6x40
METAL STUD	10G TEK 16 TPI
TIMBER STUD	10Gx50mm SCREW

- NOTES:**
1. SUSPENSION WIRE PLACEMENT TO BE IN ACCORDANCE WITH GRID MANUFACTURER'S SPEC
 2. INSTALL ANCHORS IN ACCORDANCE WITH MANUFACTURER'S SPEC
 3. REPRESENTATIVE ONLY. SEE BREVITY FOR DETAILS
 4. ANY CHANGES ON SITE TO BE APPROVED BY BREVITY
 5. ACOUSTICS & FIRE PERIMETER GAP DESIGN REQUIREMENTS TO BE CONFIRMED BY OTHERS

DESIGNER:

Brevity

Victoria Park Market,
Unit 72B,
210 Victoria Street West
Auckland 1010

+64 9 216 7104
www.teambrevity.com

Tolerances (unless specified)	1-100	<1000	>1000
	± 2	± 10	± 70

All dim.
in mm

Rev Description

A PRELIMINARY DESIGN


Designed BREVITY LTD 16/01/23

Drawn BREVITY LTD 16/01/23


RONDO SCREWFIX
PERIMETER CONNECTIONS

Scale Do not Scale

DRG No. Sheet
050-11B 2 OF 4



FIXED PERIMETER CONNECTION
PRIMARY 'C' CHANNEL
OPTION 2: SQUARE STOP



FLOATING PERIMETER CONNECTION
PRIMARY 'C' CHANNEL
OPTION 2: SQUARE STOP

TABLE 1 - WALL FIXINGS

WALL TYPE	FIXING
CONCRETE	HILTI HUS-3 H6x40
METAL STUD	10G TEK 16 TPI
TIMBER STUD	10Gx50mm SCREW

- NOTES:
1. SUSPENSION WIRE PLACEMENT TO BE IN ACCORDANCE WITH GRID MANUFACTURER'S SPEC
 2. INSTALL ANCHORS IN ACCORDANCE WITH MANUFACTURER'S SPEC
 3. REPRESENTATIVE ONLY. SEE BREVITY FOR DETAILS
 4. ANY CHANGES ON SITE TO BE APPROVED BY BREVITY
 5. ACOUSTICS & FIRE PERIMETER GAP DESIGN REQUIREMENTS TO BE CONFIRMED BY OTHERS

DESIGNER:

Brevity

Victoria Park Market,
Unit 72B,
210 Victoria Street West
Auckland 1010

+64 9 216 7104
www.teambrevity.com

Tolerances (unless specified)	1-100	<1000	>1000
	± 2	± 10	± 70

All dim.
in mm

Rev Description

A PRELIMINARY DESIGN


Designed BREVITY LTD 16/01/23

Drawn BREVITY LTD 16/01/23


RONDO SCREWFIX
PERIMETER CONNECTIONS

Scale Do not Scale

DRG No. Sheet
050-11B 4 OF 4



FIXED PERIMETER CONNECTION
FURRING CHANNEL
OPTION 2: SQUARE STOP



FLOATING PERIMETER CONNECTION
FURRING CHANNEL
OPTION 2: SQUARE STOP

TABLE 1 - WALL FIXINGS

WALL TYPE	FIXING
CONCRETE	HILTI HUS-3 H6x40
METAL STUD	10G TEK 16 TPI
TIMBER STUD	10Gx50mm SCREW