

Code & Output

Code:

Tableau

No code

Python

```
# Julia Cuellar
# DSC 640
# Dashboard

import numpy as np
import pandas as pd
import matplotlib.pyplot as plt

def read_file():
    accident = pd.read_csv('Accidents and fatalities per year - Accidents and
fatalities per year.csv')
    print("Display data with null:\n", accident.isnull())
    print("Display counts of null from data:\n", accident.isnull().sum())
    accident = accident.fillna(" ")
    print("Display data with replaced nulls:\n", accident)
    print("Display recounts of null from data:\n", accident.isnull().sum())
    print('Data:\n', accident)
    accident.to_csv('Accident.csv')

# Will use in Dashboard
def read_file2():
    air = pd.read_csv('air-safety.csv')
    print("Display data with null:\n", air.isnull())
    print("Display counts of null from data:\n", air.isnull().sum())
    print('Data:\n', air)
    plt.hist(air)
    plt.title('Histogram of Air')
    # plt.show()

def read_file3():
    seat = pd.read_excel('Departed Seats.xls', index_col=0)
    print("Display data with null:\n", seat.isnull())
    print("Display counts of null from data:\n", seat.isnull().sum())
    seat = seat.fillna(" ")
    print("Display data with replaced nulls:\n", seat)
    print("Display recounts of null from data:\n", seat.isnull().sum())
    print('Data:\n', seat)
    seat.to_csv('Seat.csv')

# Will use in Dashboard
def read_file4():
    financial = pd.read_csv('Financials_Full_Data_data.csv')
    print("Display data with null:\n", financial.isnull())
```

```

print("Display counts of null from data:\n", financial.isnull().sum())
print('Data:\n', financial)
plt.hist(financial)
plt.title('Histogram of Financials')
# plt.show()

# Will use in Dashboard
def read_file5():
    safety = pd.read_csv('Safety Record of U.S. Air Carriers.csv')
    print("Display data with null:\n", safety.isnull())
    print("Display counts of null from data:\n", safety.isnull().sum())
    print('Data:\n', safety)
    plt.hist(safety)
    plt.title('Histogram of Safety')
    # plt.show()


def read_file6():
    traffic = pd.read_csv('Traffic & Capacity Full Data_data.csv')
    print("Display data with null:\n", traffic.isnull())
    print("Display counts of null from data:\n", traffic.isnull().sum())
    traffic = traffic.fillna(" ")
    print("Display data with replaced nulls:\n", traffic)
    print("Display recounts of null from data:\n", traffic.isnull().sum())
    print('Data:\n', traffic)
    traffic.to_csv('Traffic.csv')

if __name__ == "__main__":
    read_file()
    read_file2()
    read_file3()
    read_file4()
    read_file5()
    read_file6()

```

Output:

Tableau



Python

Display data with null:

Accidents \n(excl. suicide, sabotage, hijackings etc.) ... Unnamed: 20			
0	False	...	False
1	False	...	True
2	False	...	True
3	False	...	True
4	False	...	True
..
72	False	...	False
73	False	...	False
74	False	...	False

75	False	...	False
76	False	...	True

[77 rows x 21 columns]

Display counts of null from data:

Accidents \n(excl. suicide, sabotage, hijackings etc.)	0
Unnamed: 1	0
Unnamed: 2	0
Unnamed: 3	77
Accidents \n(incl. suicide, sabotage, hijackings etc.)	0
Unnamed: 5	0
Unnamed: 6	77
Accidents with passenger flights \n(incl. suicide, sabotage, hijackings etc.)	0
Unnamed: 8	0
Unnamed: 9	77
Accidents with passenger + cargo flights\n(incl. suicide, sabotage, hijackings etc.)	0
Unnamed: 11	0
Unnamed: 12	77
Unnamed: 13	26
Unnamed: 14	26
Unnamed: 15	26
Unnamed: 16	77
Unnamed: 17	18
Corporate jets (civilian)	16
Unnamed: 19	16
Unnamed: 20	21
dtype: int64	

Display data with replaced nulls:

Accidents \n(excl. suicide, sabotage, hijackings etc.) ...

Unnamed: 20

0	Year	... moving 5 year average # of accidents
1	1946	...
2	1947	...
3	1948	...
4	1949	...
..
72	2017	7.6
73	2018	7.4
74	2019	6.8
75	2020	7.6
76	TOTAL	...

[77 rows x 21 columns]

Display recounts of null from data:

Accidents \n(excl. suicide, sabotage, hijackings etc.)	0
Unnamed: 1	0
Unnamed: 2	0
Unnamed: 3	0
Accidents \n(incl. suicide, sabotage, hijackings etc.)	0
Unnamed: 5	0
Unnamed: 6	0
Accidents with passenger flights \n(incl. suicide, sabotage, hijackings etc.)	0
Unnamed: 8	0
Unnamed: 9	0
Accidents with passenger + cargo flights\n(incl. suicide, sabotage, hijackings etc.)	0
Unnamed: 11	0
Unnamed: 12	0

```

Unnamed: 13      0
Unnamed: 14      0
Unnamed: 15      0
Unnamed: 16      0
Unnamed: 17      0
Corporate jets (civilian)      0
Unnamed: 19      0
Unnamed: 20      0

```

dtype: int64

Data:

```

Accidents \n(excl. suicide, sabotage, hijackings etc.) ...      Unnamed: 20
0      Year      ...      moving 5 year average # of accidents
1      1946      ...
2      1947      ...
3      1948      ...
4      1949      ...
..      ...      ...      ...
72      2017      ...      7.6
73      2018      ...      7.4
74      2019      ...      6.8
75      2020      ...      7.6
76      TOTAL      ...

```

[77 rows x 21 columns]

Display data with null:

```

airline avail_seat_km_per_week ... fatal_accidents_00_14 fatalities_00_14
0  False      False ...      False      False
1  False      False ...      False      False

```

2	False	False ...	False	False
3	False	False ...	False	False
4	False	False ...	False	False
5	False	False ...	False	False
6	False	False ...	False	False
7	False	False ...	False	False
8	False	False ...	False	False
9	False	False ...	False	False
10	False	False ...	False	False
11	False	False ...	False	False
12	False	False ...	False	False
13	False	False ...	False	False
14	False	False ...	False	False
15	False	False ...	False	False
16	False	False ...	False	False
17	False	False ...	False	False
18	False	False ...	False	False
19	False	False ...	False	False
20	False	False ...	False	False
21	False	False ...	False	False
22	False	False ...	False	False
23	False	False ...	False	False
24	False	False ...	False	False
25	False	False ...	False	False
26	False	False ...	False	False
27	False	False ...	False	False
28	False	False ...	False	False
29	False	False ...	False	False

30	False	False ...	False	False
31	False	False ...	False	False
32	False	False ...	False	False
33	False	False ...	False	False
34	False	False ...	False	False
35	False	False ...	False	False
36	False	False ...	False	False
37	False	False ...	False	False
38	False	False ...	False	False
39	False	False ...	False	False
40	False	False ...	False	False
41	False	False ...	False	False
42	False	False ...	False	False
43	False	False ...	False	False
44	False	False ...	False	False
45	False	False ...	False	False
46	False	False ...	False	False
47	False	False ...	False	False
48	False	False ...	False	False
49	False	False ...	False	False
50	False	False ...	False	False
51	False	False ...	False	False
52	False	False ...	False	False
53	False	False ...	False	False
54	False	False ...	False	False
55	False	False ...	False	False

[56 rows x 8 columns]

Display counts of null from data:

```
airline          0
avail_seat_km_per_week  0
incidents_85_99    0
fatal_accidents_85_99  0
fatalities_85_99    0
incidents_00_14    0
fatal_accidents_00_14  0
fatalities_00_14    0
dtype: int64
```

Data:

	airline ...	fatalities_00_14
0	Aer Lingus ...	0
1	Aeroflot* ...	88
2	Aerolineas Argentinas ...	0
3	Aeromexico* ...	0
4	Air Canada ...	0
5	Air France ...	337
6	Air India* ...	158
7	Air New Zealand* ...	7
8	Alaska Airlines* ...	88
9	Alitalia ...	0
10	All Nippon Airways ...	0
11	American* ...	416
12	Austrian Airlines ...	0
13	Avianca ...	0
14	British Airways* ...	0
15	Cathay Pacific* ...	0

16	China Airlines ...	225
17	Condor ...	0
18	COPA ...	0
19	Delta / Northwest* ...	51
20	Egyptair ...	14
21	El Al ...	0
22	Ethiopian Airlines ...	92
23	Finnair ...	0
24	Garuda Indonesia ...	22
25	Gulf Air ...	143
26	Hawaiian Airlines ...	0
27	Iberia ...	0
28	Japan Airlines ...	0
29	Kenya Airways ...	283
30	KLM* ...	0
31	Korean Air ...	0
32	LAN Airlines ...	0
33	Lufthansa* ...	0
34	Malaysia Airlines ...	537
35	Pakistan International ...	46
36	Philippine Airlines ...	1
37	Qantas* ...	0
38	Royal Air Maroc ...	0
39	SAS* ...	110
40	Saudi Arabian ...	0
41	Singapore Airlines ...	83
42	South African ...	0
43	Southwest Airlines ...	0

44	Sri Lankan / AirLanka ...	0
45	SWISS* ...	0
46	TACA ...	3
47	TAM ...	188
48	TAP - Air Portugal ...	0
49	Thai Airways ...	1
50	Turkish Airlines ...	84
51	United / Continental* ...	109
52	US Airways / America West* ...	23
53	Vietnam Airlines ...	0
54	Virgin Atlantic ...	0
55	Xiamen Airlines ...	0

[56 rows x 8 columns]

Display data with null:

	Unnamed: 1 ...	Unnamed: 25
Departed Seats	...	
thousands	True ...	True
NaN	False ...	False
American	False ...	False
Continental	False ...	False
Delta	False ...	False
Northwest	False ...	False
United	False ...	False
US Airways	False ...	False
America West	False ...	False
--sub Network	False ...	False
NaN	True ...	True

Southwest	False ...	False
jetBlue	False ...	False
AirTran	False ...	False
Frontier	False ...	False
Virgin America	False ...	False
-- sub LCC	False ...	False
NaN	True ...	True
Alaska	False ...	False
Hawaiian	False ...	False
Spirit	False ...	False
Allegiant	False ...	False
-- sub Other	False ...	False
NaN	True ...	True
NaN	True ...	True
Total All Sectors	False ...	False
NaN	True ...	True
* system departures times average seat size	True ...	True
Data Source: US DOT Form 41, Schedules P52	True ...	True

[29 rows x 25 columns]

Display counts of null from data:

```

Unnamed: 1    8
Unnamed: 2    8
Unnamed: 3    8
Unnamed: 4    8
Unnamed: 5    8
Unnamed: 6    8
Unnamed: 7    8

```

Unnamed: 8 8
Unnamed: 9 8
Unnamed: 10 8
Unnamed: 11 8
Unnamed: 12 8
Unnamed: 13 8
Unnamed: 14 8
Unnamed: 15 8
Unnamed: 16 8
Unnamed: 17 8
Unnamed: 18 8
Unnamed: 19 8
Unnamed: 20 8
Unnamed: 21 8
Unnamed: 22 8
Unnamed: 23 8
Unnamed: 24 8
Unnamed: 25 8
dtype: int64

Display data with replaced nulls:

	Unnamed: 1 ...	Unnamed: 25
Departed Seats	...	
thousands	...	
NaN	1995.0 ...	2019.0
American	138791.859742 ...	206966.756692
Continental	66446.625991 ...	0.0
Delta	171218.709802 ...	218030.151843
Northwest	103591.049146 ...	0.0

United	151622.474413 ... 158584.01143
US Airways	104190.314308 ... 0.0
America West	28310.536129 ... 0.0
--sub Network	764171.569531 ... 583580.919965
NaN	...
Southwest	91880.946572 ... 210160.903489
jetBlue	0.0 ... 56134.610026
AirTran	125.598338 ... 0.0
Frontier	1602.710778 ... 26755.381575
Virgin America	0.0 ... 0.0
-- sub LCC	93609.255687 ... 293050.89509
NaN	...
Alaska	19047.688578 ... 45954.987838
Hawaiian	14666.252974 ... 21395.61867
Spirit	858.553056 ... 41450.00377
Allegiant	0.0 ... 18206.276307
-- sub Other	34572.494608 ... 127006.886585
NaN	...
NaN	...
Total All Sectors	892353.319826 ... 1003638.701639
NaN	...
* system departures times average seat size	...
Data Source: US DOT Form 41, Schedules P52	...

[29 rows x 25 columns]

Display recounts of null from data:

Unnamed: 1 0

Unnamed: 2 0

Unnamed: 3 0
Unnamed: 4 0
Unnamed: 5 0
Unnamed: 6 0
Unnamed: 7 0
Unnamed: 8 0
Unnamed: 9 0
Unnamed: 10 0
Unnamed: 11 0
Unnamed: 12 0
Unnamed: 13 0
Unnamed: 14 0
Unnamed: 15 0
Unnamed: 16 0
Unnamed: 17 0
Unnamed: 18 0
Unnamed: 19 0
Unnamed: 20 0
Unnamed: 21 0
Unnamed: 22 0
Unnamed: 23 0
Unnamed: 24 0
Unnamed: 25 0

dtype: int64

Data:

	Unnamed: 1 ...	Unnamed: 25
Departed Seats	...	
thousands	...	

NaN	1995.0 ...	2019.0
American	138791.859742 ...	206966.756692
Continental	66446.625991 ...	0.0
Delta	171218.709802 ...	218030.151843
Northwest	103591.049146 ...	0.0
United	151622.474413 ...	158584.01143
US Airways	104190.314308 ...	0.0
America West	28310.536129 ...	0.0
--sub Network	764171.569531 ...	583580.919965
NaN	...	
Southwest	91880.946572 ...	210160.903489
jetBlue	0.0 ...	56134.610026
AirTran	125.598338 ...	0.0
Frontier	1602.710778 ...	26755.381575
Virgin America	0.0 ...	0.0
-- sub LCC	93609.255687 ...	293050.89509
NaN	...	
Alaska	19047.688578 ...	45954.987838
Hawaiian	14666.252974 ...	21395.61867
Spirit	858.553056 ...	41450.00377
Allegiant	0.0 ...	18206.276307
-- sub Other	34572.494608 ...	127006.886585
NaN	...	
NaN	...	
Total All Sectors	892353.319826 ...	1003638.701639
NaN	...	
* system departures times average seat size	...	
Data Source: US DOT Form 41, Schedules P52	...	

[29 rows x 25 columns]

Display data with null:

	Year	Aircraft Ownership	...	Total Operating Revenue	Transport-Related
0	False	False	...	False	False
1	False	False	...	False	False
2	False	False	...	False	False
3	False	False	...	False	False
4	False	False	...	False	False
5	False	False	...	False	False
6	False	False	...	False	False
7	False	False	...	False	False
8	False	False	...	False	False
9	False	False	...	False	False
10	False	False	...	False	False
11	False	False	...	False	False
12	False	False	...	False	False
13	False	False	...	False	False
14	False	False	...	False	False
15	False	False	...	False	False
16	False	False	...	False	False
17	False	False	...	False	False
18	False	False	...	False	False
19	False	False	...	False	False
20	False	False	...	False	False
21	False	False	...	False	False
22	False	False	...	False	False
23	False	False	...	False	False

24	False	False ...	False	False
25	False	False ...	False	False
26	False	False ...	False	False
27	False	False ...	False	False
28	False	False ...	False	False
29	False	False ...	False	False
30	False	False ...	False	False
31	False	False ...	False	False
32	False	False ...	False	False
33	False	False ...	False	False
34	False	False ...	False	False
35	False	False ...	False	False
36	False	False ...	False	False
37	False	False ...	False	False
38	False	False ...	False	False
39	False	False ...	False	False
40	False	False ...	False	False
41	False	False ...	False	False
42	False	False ...	False	False

[43 rows x 19 columns]

Display counts of null from data:

Year	0
Aircraft Ownership	0
Airport Rents and Fees	0
Cargo RTMs (mil)	0
Departures (000)	0
Fuel Expense	0

Labor Expense	0
Load Factor	0
Net Profit	0
Operating Profit	0
Other Expense	0
Other Expense*	0
Passenger Enplanements (000) - Scheduled	0
Pre-Tax Profit	0
Scheduled ASMs (000)	0
Scheduled RPMs (000)	0
Total Operating Expense	0
Total Operating Revenue	0
Transport-Related	0

dtype: int64

Data:

	Year	Aircraft Ownership	...	Total Operating Revenue	Transport-Related
0	1977	1309.986787	...	19423.189822	444.721644
1	1978	1300.781563	...	22244.524955	624.912835
2	1979	1399.176618	...	26411.246006	624.608911
3	1980	1585.431658	...	31950.494785	681.886651
4	1981	1706.651661	...	34390.155130	661.857945
5	1982	1904.429109	...	34819.529349	676.592429
6	1983	2116.988966	...	37124.284829	745.055554
7	1984	2413.753214	...	41998.424794	815.990696
8	1985	2786.120746	...	44537.198193	891.357307
9	1986	3123.037292	...	44867.074694	891.964231
10	1987	3536.982041	...	50957.331942	1094.115349
11	1988	4130.832209	...	56657.281188	1208.239793

12	1989	4639.063966 ...	60577.084691	1283.104717
13	1990	5407.866273 ...	65817.160180	1399.739016
14	1991	5714.750355 ...	64687.719272	1215.166491
15	1992	6255.759329 ...	67307.909583	1123.971481
16	1993	6585.691600 ...	72801.484125	1193.327554
17	1994	6883.721606 ...	74632.276964	1441.888811
18	1995	7087.987269 ...	79081.478638	1609.829691
19	1996	7686.799645 ...	84733.354615	1973.612027
20	1997	7543.407241 ...	90142.867217	2297.589953
21	1998	7836.391168 ...	91949.406798	2400.591763
22	1999	8666.676286 ...	96163.206985	2712.254698
23	2000	9620.986817 ...	105310.768099	3303.480147
24	2001	9756.205466 ...	92011.562431	3809.540147
25	2002	9625.034475 ...	84254.838096	4010.829153
26	2003	9638.787055 ...	92949.783354	7803.975598
27	2004	10152.149541 ...	106734.055168	13211.553209
28	2005	9882.208514 ...	119010.006048	16297.738793
29	2006	9582.559609 ...	130961.304939	17470.493839
30	2007	9294.450927 ...	138221.429247	17942.646243
31	2008	8977.311286 ...	146392.299174	20997.289352
32	2009	8920.487208 ...	123455.192484	17135.976352
33	2010	9004.872272 ...	138641.575267	17708.751814
34	2011	9074.711307 ...	153049.358928	20806.862381
35	2012	8982.599188 ...	156373.972558	20289.316813
36	2013	9405.997205 ...	161595.499584	20960.615347
37	2014	9602.753571 ...	169276.541196	20710.983703
38	2015	9942.298549 ...	168874.498994	18172.544284
39	2016	10715.168612 ...	168129.458305	17956.503295

40	2017	10880.833845 ...	175552.931352	19009.023852
41	2018	11321.146435 ...	187473.715422	21492.551810
42	2019	11857.440156 ...	196214.618159	22462.580380

[43 rows x 19 columns]

Display data with null:

	Year	Accidents: Total ...	Fatalities: Total	Fatalities: Onboard
0	False	False ...	False	False
1	False	False ...	False	False
2	False	False ...	False	False
3	False	False ...	False	False
4	False	False ...	False	False
5	False	False ...	False	False
6	False	False ...	False	False
7	False	False ...	False	False
8	False	False ...	False	False
9	False	False ...	False	False
10	False	False ...	False	False
11	False	False ...	False	False
12	False	False ...	False	False
13	False	False ...	False	False
14	False	False ...	False	False
15	False	False ...	False	False
16	False	False ...	False	False
17	False	False ...	False	False
18	False	False ...	False	False
19	False	False ...	False	False

[20 rows x 6 columns]

Display counts of null from data:

Year	0
Accidents: Total	0
Accidents: Fatal	0
Fatal Accidents per 100,000 Departures	0
Fatalities: Total	0
Fatalities: Onboard	0

dtype: int64

Data:

	Year	Accidents: Total	...	Fatalities: Total	Fatalities: Onboard
0	2000	49 ...		89	89
1	2001	41 ...		531	525
2	2002	34 ...		0	0
3	2003	51 ...		22	21
4	2004	23 ...		13	13
5	2005	34 ...		22	20
6	2006	26 ...		50	49
7	2007	26 ...		0	0
8	2008	19 ...		0	0
9	2009	26 ...		50	49
10	2010	28 ...		0	0
11	2011	29 ...		0	0
12	2012	23 ...		0	0
13	2013	18 ...		0	0
14	2014	29 ...		0	0
15	2015	27 ...		0	0
16	2016	26 ...		0	0

17	2017	29 ...	0	0
18	2018	27 ...	1	1
19	2019	36 ...	1	1

[20 rows x 6 columns]

Display data with null:

	Year	Aircraft Ownership	...	Total Operating Revenue	Transport-Related
0	False	True	...	True	True
1	False	True	...	True	True
2	False	True	...	True	True
3	False	True	...	True	True
4	False	True	...	True	True
..
66	False	False	...	False	False
67	False	False	...	False	False
68	False	False	...	False	False
69	False	False	...	False	False
70	False	False	...	False	False

[71 rows x 19 columns]

Display counts of null from data:

Year	0
Aircraft Ownership	21
Airport Rents and Fees	21
Cargo RTMs (mil)	0
Departures (000)	0
Fuel Expense	21
Labor Expense	21

Load Factor	0
Net Profit	21
Operating Profit	21
Other Expense	21
Other Expense*	21
Passenger Enplanements (000) - Scheduled	0
Pre-Tax Profit	21
Scheduled ASMs (000)	0
Scheduled RPMs (000)	0
Total Operating Expense	21
Total Operating Revenue	21
Transport-Related	21

dtype: int64

Display data with replaced nulls:

	Year	Aircraft Ownership	...	Total Operating Revenue	Transport-Related
0	1950	...			
1	1951	...			
2	1952	...			
3	1953	...			
4	1954	...			
..
66	2016	10715.168612	...	168129.458305	17956.503295
67	2017	10880.833845	...	175552.931352	19009.023852
68	2018	11321.146435	...	187473.715422	21492.55181
69	2019	11857.440156	...	196214.618159	22462.58038
70	2020	8733.928387	...	59145.917938	10944.502949

[71 rows x 19 columns]

Display recounts of null from data:

Year	0
Aircraft Ownership	0
Airport Rents and Fees	0
Cargo RTMs (mil)	0
Departures (000)	0
Fuel Expense	0
Labor Expense	0
Load Factor	0
Net Profit	0
Operating Profit	0
Other Expense	0
Other Expense*	0
Passenger Enplanements (000) - Scheduled	0
Pre-Tax Profit	0
Scheduled ASMs (000)	0
Scheduled RPMs (000)	0
Total Operating Expense	0
Total Operating Revenue	0
Transport-Related	0

dtype: int64

Data:

	Year	Aircraft Ownership	...	Total Operating Revenue	Transport-Related
0	1950	...			
1	1951	...			
2	1952	...			
3	1953	...			
4	1954	...			

..
66	2016	10715.168612	...	168129.458305
67	2017	10880.833845	...	175552.931352
68	2018	11321.146435	...	187473.715422
69	2019	11857.440156	...	196214.618159
70	2020	8733.928387	...	59145.917938
				10944.502949

[71 rows x 19 columns]