Final Project Case Study

Julia Cuellar

DSC 550

Final Project CS

Introduction:

Given the health trends of today's society, a case study for pizza seems irrelevant or not worth the investment for a data analysis. However, most Americans still enjoy pizza; whether it is in the form of a "cheat day", a party, a celebration, or enjoying a timeless classic of American culture, pizza is still a delicious commodity. As a fellow American who stills enjoys pizza and has not grown tired of it, an analysis of a pizza joint with a varying menu somewhere in the United States in the year 2015 should be done.

Description:

A synthetic dataset that describes pizza sales for a pizza place somewhere in the US. While the contents are artificial, the ingredients used to make the pizzas are far from it. There are 32 different pizzas that fall into 4 different categories: *classic* (classic pizzas: 'You probably had one like it before, but never like this!'), *chicken* (pizzas with chicken as a major ingredient: 'Try the Southwest Chicken Pizza! You'll love it!'), *supreme* (pizzas that try a little harder: 'My Soppressata pizza uses only the finest salami from my personal salumist!'), and *veggie* (pizzas without any meats whatsoever: 'My Five Cheese pizza has so many cheeses, I can only offer it in Large Size!').

Usage:

pizzaplace

R: A year of pizza sales from a pizza place (vincentarelbundock.github.io)

Format:

A tibble with 49574 rows and 7 variables:

id

The ID for the order, which consists of one or more pizzas at a given date and time

date

A character representation of the **order** date, expressed in the ISO 8601 date format (YYYY-MM-DD)

time

A character representation of the **order** time, expressed as a 24-hour time the ISO 8601 extended time format (hh:mm:ss)

name

The short name for the pizza

size

The size of the pizza, which can either be S, M, L, XL (rare!), or XXL (even rarer!); most pizzas are available in the S, M, and L sizes but exceptions apply

type

The category or type of pizza, which can either be classic, chicken, supreme, or veggie

price

The price of the pizza and the amount that it sold for (in USD)

Details:

Each pizza in the dataset is identified by a short name. The following listings provide the full names of each pizza and their main ingredients.

Classic Pizzas:

- *classic_dlx*: The Classic Deluxe Pizza (Pepperoni, Mushrooms, Red Onions, Red Peppers, Bacon)
- big_meat: The Big Meat Pizza (Bacon, Pepperoni, Italian Sausage, Chorizo Sausage)
- *pepperoni*: The Pepperoni Pizza (Mozzarella Cheese, Pepperoni)
- hawaiian: The Hawaiian Pizza (Sliced Ham, Pineapple, Mozzarella Cheese)
- *pep_msh_pep*: The Pepperoni, Mushroom, and Peppers Pizza (Pepperoni, Mushrooms, and Green Peppers)
- *ital_cpcllo*: The Italian Capocollo Pizza (Capocollo, Red Peppers, Tomatoes, Goat Cheese, Garlic, Oregano)
- *napolitana*: The Napolitana Pizza (Tomatoes, Anchovies, Green Olives, Red Onions, Garlic)
- *the_greek*: The Greek Pizza (Kalamata Olives, Feta Cheese, Tomatoes, Garlic, Beef Chuck Roast, Red Onions)

Chicken Pizzas:

- *thai_ckn*: The Thai Chicken Pizza (Chicken, Pineapple, Tomatoes, Red Peppers, Thai Sweet Chilli Sauce)
- *bbq_ckn*: The Barbecue Chicken Pizza (Barbecued Chicken, Red Peppers, Green Peppers, Tomatoes, Red Onions, Barbecue Sauce)
- *southw_ckn*: The Southwest Chicken Pizza (Chicken, Tomatoes, Red Peppers, Red Onions, Jalapeno Peppers, Corn, Cilantro, Chipotle Sauce)
- *cali_ckn*: The California Chicken Pizza (Chicken, Artichoke, Spinach, Garlic, Jalapeno Peppers, Fontina Cheese, Gouda Cheese)
- *ckn_pesto*: The Chicken Pesto Pizza (Chicken, Tomatoes, Red Peppers, Spinach, Garlic, Pesto Sauce)
- *ckn_alfredo*: The Chicken Alfredo Pizza (Chicken, Red Onions, Red Peppers, Mushrooms, Asiago Cheese, Alfredo Sauce)

Supreme Pizzas:

- *brie_carre*: The Brie Carre Pizza (Brie Carre Cheese, Prosciutto, Caramelized Onions, Pears, Thyme, Garlic)
- *calabrese*: The Calabrese Pizza ('Nduja Salami, Pancetta, Tomatoes, Red Onions, Friggitello Peppers, Garlic)
- *soppressata*: The Soppressata Pizza (Soppressata Salami, Fontina Cheese, Mozzarella Cheese, Mushrooms, Garlic)
- *sicilian*: The Sicilian Pizza (Coarse Sicilian Salami, Tomatoes, Green Olives, Luganega Sausage, Onions, Garlic)
- *ital_supr*: The Italian Supreme Pizza (Calabrese Salami, Capocollo, Tomatoes, Red Onions, Green Olives, Garlic)
- *peppr_salami:* The Pepper Salami Pizza (Genoa Salami, Capocollo, Pepperoni, Tomatoes, Asiago Cheese, Garlic)
- prsc_argla: The Prosciutto and Arugula Pizza (Prosciutto di San Daniele, Arugula, Mozzarella Cheese)
- *spinach_supr*: The Spinach Supreme Pizza (Spinach, Red Onions, Pepperoni, Tomatoes, Artichokes, Kalamata Olives, Garlic, Asiago Cheese)
- *spicy_ital*: The Spicy Italian Pizza (Capocollo, Tomatoes, Goat Cheese, Artichokes, Peperoncini verdi, Garlic)

Vegetable Pizzas

- *mexicana*: The Mexicana Pizza (Tomatoes, Red Peppers, Jalapeno Peppers, Red Onions, Cilantro, Corn, Chipotle Sauce, Garlic)
- *four_cheese*: The Four Cheese Pizza (Ricotta Cheese, Gorgonzola Piccante Cheese, Mozzarella Cheese, Parmigiano Reggiano Cheese, Garlic)
- *five_cheese*: The Five Cheese Pizza (Mozzarella Cheese, Provolone Cheese, Smoked Gouda Cheese, Romano Cheese, Blue Cheese, Garlic)
- *spin_pesto*: The Spinach Pesto Pizza (Spinach, Artichokes, Tomatoes, Sun-dried Tomatoes, Garlic, Pesto Sauce)
- *veggie_veg*: The Vegetables + Vegetables Pizza (Mushrooms, Tomatoes, Red Peppers, Green Peppers, Red Onions, Zucchini, Spinach, Garlic)

- *green_garden*: The Green Garden Pizza (Spinach, Mushrooms, Tomatoes, Green Olives, Feta Cheese)
- *mediterraneo*: The Mediterranean Pizza (Spinach, Artichokes, Kalamata Olives, Sundried Tomatoes, Feta Cheese, Plum Tomatoes, Red Onions)
- *spinach_fet*: The Spinach and Feta Pizza (Spinach, Mushrooms, Red Onions, Feta Cheese, Garlic)
- *ital_veggie*: The Italian Vegetables Pizza (Eggplant, Artichokes, Tomatoes, Zucchini, Red Peppers, Garlic, Pesto Sauce)

Original Pizza Place Data

	Unnamed: 0	id	date size	type price
0	1 2015-00	00001	2015-01-01	M classic 13.25
1	2 2015-00	00002	2015-01-01	M classic 16.00
2	3 2015-00	00002	2015-01-01	M veggie 16.00
3	4 2015-00	00002	2015-01-01	L chicken 20.75
4	5 2015-00	00002	2015-01-01	L veggie 18.50

Statistical questions:

- 1) Is there a relationship between the size of a pizza versus the type of pizza purchased?
- 2) Is there a relationship between the name of a pizza versus the price of pizza purchased?

Hypotheses:


- 1. There will be more large classic pizzas purchased.
- 2. There will be more classic dlx pizzas purchased at \$12 or \$16.

Graphical Analysis


Plots/Graphs:

Harnessing the four column names of **name**, **size**, **type**, and **price** from the pizza place data set, the best way to portray graphical analysis is through various plots. The first plot is a bar chart for the **name** column due to it being a categorical variable. The second plot is another bar chart for the **size** column because it is once again a categorical variable. The third graph is a pie chart that represents the **type** column the best by percentages of the categorical variable. Lastly, the fourth plot is a boxplot for the **price** column to distinguish outliers for the numerical variable.


Pizza Name Bar Chart



Pizza Size Bar Chart




Pizza Type Pie Chart



Pizza Price Boxplot





Feature Reduction

EDA:

I dropped the unnamed, **id**, and **date** columns because they were irrelevant from the year of 2015. I also removed the rows of prices that ranged from \$35 or greater because they were outliers.

Updated Format:


A tibble with 49546 rows and 5 variables


Updated Pizza Place Data

	time	name	size	type	price
0	11:38:36	hawaiian	M	classic	13.25
1	11:57:40	classic_dlx	M	classic	16.00
2	11:57:40	mexicana	M	veggie	16.00

3	11:57:40	thai_ckn	L	chicken	20.75
4	11:57:40	five cheese	L	veggie	18.50

Updated Pizza Price Boxplot





Model Selection

Regression Model:

The regression model is the best model to create and select for answering the statistical questions for this case study. Given that the first statistical question proposed was of the relationship between the size of pizza vs. the type of pizza purchased, both of which are categorical variables, a multiple linear regression model was formed. Displayed from the multiple linear regression plot, there is a significant relationship between the size of pizza vs. the type of pizza purchased and referenced from the cross table of the two variants showcases that small classic pizza was purchased the most. For the second statistical question of the relationship between the name of pizza vs. the price of pizza purchased, one categorical while the other a numerical variable, a simple linear regression model was configured. Presented from the simple linear regression plot, there is a significant relationship between the name of pizza vs. the price of pizza purchased and

extracted from the cross table of the two variants produces that classic dlx was purchased the most at \$12.

Multiple linear regression model for size of pizza vs type of pizza purchased:

OLS Regression Results

Dep. Variable: price R-squared: 0.847

Model: OLS Adj. R-squared: 0.847

Method: Least Squares F-statistic: 4.570e+04

Date: Wed, 17 Feb 2021 Prob (F-statistic): 0.00

Time: 14:44:08 Log-Likelihood: -87171.

No. Observations: 49546 AIC: 1.744e+05

Df Residuals: 49539 BIC: 1.744e+05

Df Model: 6

Covariance Type: nonrobust

coef std err t P>|t| [0.025 0.975]

Intercept 20.5052 0.015 1343.493 0.000 20.475 20.535

C(size)[T.M] -3.8127 0.015 -250.543 0.000 -3.843 -3.783

C(size)[T.S] -7.1114 0.016 -448.156 0.000 -7.143 -7.080

7.0274 0.062 113.857

C(type)[T.supreme] 0.1538 0.019 8.277 0.000 0.117 0.190

C(type)[T.veggie] -1.0795 0.019 -57.800 0.000 -1.116 -1.043

0.000

6.906

7.148

C(size)[T.XL]

Omnibus: 38426.463 Durbin-Watson: 2.006

Prob(Omnibus): 0.000 Jarque-Bera (JB): 1319807.442

Skew: 3.452 Prob(JB): 0.00


Kurtosis: 27.324 Cond. No. 11.7

========

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Multiple linear regression plot for size of pizza vs type of pizza purchased



Cross table of size of pizza vs type of pizza purchased:

type chicken classic supreme veggie

size

L 4932 4057 4564 5403

M 3894 4112 4046 3583

S 2224 6139 3377 2663

XL 0 552 0 0

Simple linear regression model for name of pizza vs price of pizza purchased:

OLS Regression Results

Dep. Variable: price R-squared: 0.315

Model: OLS Adj. R-squared: 0.314

Method: Least Squares F-statistic: 733.8

Date: Wed, 17 Feb 2021 Prob (F-statistic): 0.00

Time: 14:44:17 Log-Likelihood: -1.2431e+05

No. Observations: 49546 AIC: 2.487e+05

Df Residuals: 49514 BIC: 2.490e+05

Df Model: 31

Covariance Type: nonrobust

coef std err t P>|t| [0.025 0.975]

Intercept	17.58	55 (0.060	291.4	68 0	.000	17.4	467	17.7	704
C(name)[T.big_mea	t]	-5.58	55	0.091	-61.436	5 0	.000	-5.7	64	-5.407
C(name)[T.brie_carr	re]	6.064	15	0.147	41.161	0.0	000	5.77	6	6.353
C(name)[T.calabrese	e]	-0.579	9	0.114	-5.069	0.0	000	-0.80	4	-0.356
C(name)[T.cali_ckn]	-0.113	2 (0.086	-1.318	0.1	88	-0.28	1	0.055
C(name)[T.ckn_alfre	edo]	-0.46	527	0.112	-4.120	0 0	.000	-0.6	83	-0.243
C(name)[T.ckn_pest	to]	-0.42	03	0.113	-3.724	0.	000	-0.64	12	-0.199
C(name)[T.classic_c	dlx]	-2.02	07	0.085	-23.733	3 0	.000	-2.13	88	-1.854
C(name)[T.five che	esel	0.91	45	0.100	9.180	0.	000	0.71	9	1.110

C(name)[T.four cheese] -0.6214 0.091 -6.823 0.000 -0.800-0.443 C(name)[T.green garden] -3.5878 0.112 -32.065 0.000 -3.807-3.368 C(name)[T.hawaiian] -4.2605 0.085 -49.881 0.000 -4.428 -4.093 C(name)[T.ital_cpcllo] -0.1349 0.099 -1.363 0.173 -0.329 0.059 C(name)[T.ital_supr] 0.1834 0.091 2.009 0.045 0.004 0.362 C(name)[T.ital veggie] -1.25600.113 -11.161 0.000 -1.477 -1.035 0.000 -0.915 C(name)[T.mediterraneo] -1.1396 0.115 -9.950 -1.364 C(name)[T.mexicana] 0.4608 0.098 4.702 0.000 0.269 0.653 C(name)[T.napolitana] -1.1327 0.098 -11.508 0.000 -1.326-0.940C(name)[T.pep_msh_pep] -3.7264 0.101-36.980 0.000 -3.924 -3.529 C(name)[T.pepperoni] -5.1117 0.085 -59.821 0.000 -5.279 -4.944 C(name)[T.peppr salami] 0.0694 0.099 0.702 0.483 -0.124 0.263 0.099 C(name)[T.prsc_argla] -0.9807 -9.949 0.000 -1.174 -0.787-1.6204 0.000 -1.798C(name)[T.sicilian] 0.091 -17.885 -1.443 C(name)[T.soppressata] -0.49320.113 -4.350 0.000 -0.715 -0.2710.697 C(name)[T.southw_ckn] 0.5187 0.091 5.707 0.000 0.341 0.091 5.706 0.000 0.340 0.696 C(name)[T.spicy_ital] 0.5180 C(name)[T.spin_pesto] -1.5072 -13.339 0.000 -1.729 -1.286 0.113 C(name)[T.spinach fet] -1.49200.099 -15.100 0.000 -1.686 -1.298-13.209 C(name)[T.spinach_supr] -1.5037 0.114 0.000 -1.727-1.281C(name)[T.thai_ckn] 0.7334 0.086 8.541 0.000 0.565 0.902 C(name)[T.the_greek] 2.1325 0.100 21.325 0.000 1.937 2.329 C(name)[T.veggie_veg] -1.6126 0.097 -16.596 0.000 -1.803-1.422

=======

Omnibus: 4627.087 Durbin-Watson: 1.993

Prob(Omnibus): 0.000 Jarque-Bera (JB): 1698.323

Skew: -0.211 Prob(JB): 0.00


Kurtosis: 2.197 Cond. No. 26.7

======== ========


Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Simple linear regression plot for name of pizza vs price of pizza purchased



Catplot for price vs name of pizza purchased



Cross table of price of pizza vs name of pizza purchased:

name bbq_ckn big_meat brie_carre ... thai_ckn the_greek veggie_veg

price			•••			
9.75	0	0	0	0	0	0
10.50	0	0	0	0	0	0
11.00	0	0	0	0	0	0
12.00	0	1914	0	0	304	464
12.25	0	0	0	0	0	0
12.50	0	0	0	0	0	0
12.75	484	0	0	480	0	0
13.25	0	0	0	0	0	0
14.50	0	0	0	0	0	0
14.75	0	0	0	0	0	0
15.25	0	0	0	0	0	0
16.00	0	0	0	0	281	635
16.25	0	0	0	0	0	0
16.50	0	0	0	0	0	0

16.75	956	0	0	481	0	0
17.50	0	0	0	0	0	0
17.95	0	0	0	0	0	0
18.50	0	0	0	0	0	0
20.25	0	0	0	0	0	427
20.50	0	0	0	0	255	0
20.75	992	0	0	1410	0	0
21.00	0	0	0	0	0	0
23.65	0	0	490	0	0	0
25.50	0	0	0	0	552	0

[24 rows x 32 columns]

Conclusion:

A regression model was made for both size of pizza vs type of pizza purchased, and name of pizza vs price of pizza purchased. For the first regression model (multiple linear), the relationship between size and type of pizza is concluded with more small classic pizzas were purchased. For the second regression model (simple linear), the relationship between name and price of pizza is concluded with more classic_dlx pizzas purchased at \$12.

Summary:

From the conclusion of the first regression model (small classic pizzas) for size of pizza vs type of pizza purchased, it can be determined that customers would prefer to purchase smaller pizzas with meats and several different vegetables. From the conclusion of the second regression model (classic_dlx pizzas purchased at \$12) for name of pizza vs price of pizza purchased, it can be determined that customers would prefer to purchase classic_dlx pizzas at \$12.

Final results:

Customers at this pizza place would prefer purchasing small classic deluxe pizzas that are worth \$12. This classic pizza encompasses the ingredients of pepperoni, mushrooms, red onions, red peppers, and bacon. If the trend of customers is purchasing the smallest size of pizza with a mix of meats and vegetables at the somewhat cheapest price for a pizza at this pizza place, then the pizza place is doing well off for what they charge as well as the variety of their menu.