

precog-data-intake: Automated discovery, validation, and optimized download management of Earth system model data from Earth System Grid Federation nodes.

Leonardo Bertini¹, Sam Ditkovsky¹, and Jamie Wilson¹

¹ Department of Earth, Ocean and Ecological Sciences, University of Liverpool, UK ¶ Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Open Journals](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

precog-data-intake is a Python command-line-interface (CLI) software for automated discovery, checking, validation, and download of Earth System Model outputs from Earth System Grid Federation (ESGF) archives. The software is designed for research workflows that require reproducible access to large, distributed climate-model datasets and is particularly aimed at bulk screening of Earth system archives before downstream analysis. The software builds on inherited ESGF access functionality from intake-esgf (Collier et al., 2026), while introducing interactive CLI workflows for archive interrogation, file-availability checks, grid-consistency cross-checks, temporal validation, export of search results in tabular formats, and optimised download management of shortlisted Earth System Model data products.

Statement of need

Modern Earth System science workflows frequently rely on climate-model data distributed across ESGF nodes. Although ESGF provides a federated infrastructure for searching and accessing these archives, practical research workflows often require additional automation to determine whether a given combination of variables, experiments, ensemble members, and grid configurations is both scientifically suitable and operationally downloadable before substantial time is spent retrieving files.

This issue is especially important for CMIP6-style analyses in which researchers may need to confirm that the same Earth System Model provides paired pre-industrial, historical and ssp-scenario simulations, that multiple variables of interest are available on compatible grids for downstream analyses, and that temporal coverage is continuous across archived files. Manual inspection of catalogue search results can become slow, repetitive, and error-prone when screening many candidate models or variables across multiple ESGF nodes.

Among its features, precog-data-intake provides an interactive workflow for shortlisting Earth System Model datasets that satisfy compound criteria across experiments and variables. The software validates temporal coverage, grid consistency, and file availability across published ESGF archives before download. Users can export search results as tabular summaries, inspect and refine shortlisted datasets, and initiate batch downloads or trigger file integrity checks with locally assigned output paths. Retrieved data are then organised into a directory structure suitable for reproducible downstream analysis. This workflow is particularly useful when researchers need to screen many candidate models and variables before selecting datasets that are both scientifically appropriate and operationally accessible within their computational and storage constraints.

State of the field

CMIP data are currently distributed through ESGF, which provides web-based discovery and download services for CMIP5, CMIP6, CMIP6Plus, and the upcoming CMIP7 phases. Recent development efforts have focused on analysis-ready, cloud-optimised approaches based on in-memory object storage (Mizielinski et al., 2026), with catalogue sweep tools enabling more scalable access through Python and xarray.

precog-data-intake builds on the ESGF catalogue node sweeping implementation from intake-esgf (Collier et al., 2026), but targets a different level of the workflow: rather than focusing only on data access primitives and caching data-responses to in-memory use, it provides an interactive command-line environment for ample discovery, screening, validating and managing downloads of published ESGF archive products that satisfy scientific constraints relevant to Earth system and ocean biogeochemistry applications. The software is intended for situations in which researchers need to move efficiently from broad discovery and catalogue searches to a smaller, analysis-ready subset of model output that satisfies practical and scientific constraints.

Key functionality

The software provides several features tailored to archive-scale Earth system data workflows:

- automated ESGF node-based searches using project, activity, experiment, frequency, variable, and grid filters (inherited from intake-esgf);
- interactive user prompts for download paths and variable selections within CLI workflows;
- bulk screening of CMIP6 archive holdings for paired piControl and historical availability;
- validation of continuity in date stamps for CMIP6 pre-industrial and historical simulations;
- checks for consistent availability of model output across compatible grids such as gn and gr;
- conditional multi-variable screening for models that satisfy compound search criteria, including cases where several required variables must be available simultaneously;
- export of tabular ESGF catalogue search results for easy inspection, search snapshot logging, and reproducible shortlist generation;
- parallel URL pre-checks with verification of server responses and flagging of shortlisted outputs as downloadable,
- download manager with parallel transfers that select responsive ESGF node locations and include retry or integrity checks for corrupted files
- in cases where the same file is available across many nodes, the fastest download option is prioritised based on the user's connection
- retrieval of ocean grid-cell measure variables such as areacello and volcello for selected models, together with saved ESGF archive snapshots for later inspection.

Software design and workflow overview


precog-data-intake implements a staged workflow for archive-scale ESGF data discovery and retrieval. Rather than moving directly from catalogue search to cached download, the software separates archive interrogation, shortlist generation, downloadability checks, and file retrieval into distinct command-line steps, allowing users to inspect and validate intermediate results before proceeding. In a typical workflow (Figure 1), the user first specifies a parent download directory and one or more target variables. The catalogue search stage then queries ESGF holdings for matching CMIP6 products, filters results to retain scientifically relevant combinations such as paired piControl and historical simulations, and exports tabular search summaries for inspection. Subsequent stages verify whether shortlisted files are reachable on

remote nodes, assign local destination paths, and download both target variables and required supporting grid-cell measures such as areacello and volcello. This staged design is intended to improve transparency and reproducibility in archive-based Earth system workflows. By treating search results, validation outputs, and downloadable file lists as explicit intermediate artifacts, the software supports both interactive use and later auditing of dataset selection decisions.



PRECOG
Predicting Biological Carbon in the Ocean Globally

precog-data-intake: Python CLI toolkit



94 {width=90%} *Figure 1. precog-data-intake toolkit overview and directory structure of an*
 95 *example ESGF download. The top-level directory contains search outputs and model-specific*
 96 *CMIP6 data organized by model, experiment, variable, and annual files.*

97 Research impact and applications

98 A representative use case is the identification of CMIP6 models that simultaneously provide
 99 both pre-industrial and historical outputs for ocean biogeochemical variables such as expc and
 100 epc100, together with auxiliary or supporting variables and the associated grid-cell measures
 101 required for downstream analyses. The repository accompanying this software includes a
 102 [workflow example](#), demonstrating this type of archive screening and retrieval process.

103 This is particularly relevant for ocean biogeochemistry and carbon-cycle studies for example,
 104 where analyses often depend on coherent combinations of physical and biogeochemical fields
 105 rather than isolated variables (e.g., retrieval of carbonate system fields as well as ocean
 106 state physical variables). In such cases, the time spent screening archive holdings, checking
 107 consistency, and organising downloads can be substantial, and purpose-built automation
 108 improves both efficiency and reproducibility.

109 Therefore, precog-data-intake fills a workflow gap between catalogue access and scientific
 110 analysis. The software capabilities support workflows in which data access is itself a significant
 111 part of the scientific process, particularly when analyses depend on assembling coherent,
 112 scientifically consistent, and analysis-ready ensemble subsets of Earth system model output
 113 from distributed archives.

114 AI usage disclosure

115 AI assistance was used solely to improve readability of selected software documentation
 116 (Claude Sonnet 5 by Anthropic). No AI tools were used to design, implement, or validate
 117 the software. All AI-assisted documentation was reviewed and edited by the authors, who
 118 retain full responsibility for its accuracy and content. Authors made all the core design and
 119 architectural decisions.

120 Acknowledgements

121 This work is part of the [PRECOC - Predicting Biological Carbon in the Ocean Globally](#) project,
 122 funded by UK Research and Innovation (UKRI) through a Future Leaders Fellowship Award
 123 (Project Reference MR/Y016629/1). The authors thank the developers of intake-esgf and
 124 the wider ESGF infrastructure for making climate-model archives programmatically accessible
 125 to the research community. precog-data-intake builds directly on the core implementation
 126 by intake-esgf, and this dependency is gratefully acknowledged.

127 References

- 128 Collier, N., Grover, M., Stachelek, J., Huard, D., & Andela, B. (2026). *Intake-esgf* (Version
 129 v2026.6.4). Zenodo. <https://doi.org/10.5281/zenodo.20544597>
- 130 Mizieliński, M., Anstey, J., Kershaw, P., Pascoe, C., Radhakrishnan, A., Schupfner, M., &
 131 Hoffman, F. (2026). *Accessing and using CMIP data*. Zenodo. <https://doi.org/10.5281/zenodo.18934629>