Supplement: methods, sensitivities and correction record

Figure and build review preview. Scientific prose is not yet drafted. Barry W. Brook*[1], Claude Opus 5.5 (Anthropic) and GPT-6 Codex (OpenAI)[2]

Figure/build review preview; scientific prose is not drafted. Release and submission are Barry W. Brook's decision.

1. University of Tasmania, Hobart, Tasmania, Australia
2. AI research collaborators; roles are stated in "Roles of AI systems and humans"

Corresponding author: Barry W. Brook

S1. Definitions, readings and units

S2. Methods

S3. Results and sensitivities

S4. Analyses superseded during review

Interpretation corrections checked in A10k

Earlier reading	Corrected scope	Evidence
Global recentering isolates drift-free information	It defines an approximately additive descriptive score contrast; within-period drift remains possible	
All predictive information is in outburst type	A class indicator has greater in-sample likelihood; within-class equivalence was not tested	
The entire frozen class rule cannot shorten short-event forecasts	That restriction concerns its type component; the within-class component can shorten them	
Negative lag excludes a dominant slow driver	Alternation and a slow component can coexist; no mechanism allocation follows	
A rounded SE boundary is a safe inclusive margin	The decision is strict; the rescaling boundary is exclusive and does not validate dependence	

The original exploratory numbers are retained. These corrections do not alter the frozen primary comparison, its outcomes or the predeclared type-rule result. The independent audit implementations and their limitations are recorded in the A10k review.

S5. Reproduction and navigation

References