

MRC Number [ ] Hospital Number [ ]

Mother's Surname [ ]

Address [ ]

Postcode [ ]

Telephone number [ ]

Data abstracted by [ ] Julia 04  
Lyn 07  
Valerie 08  
Jane 09

Postnatal assessment sheet data

Date of delivery [ ]

Time of delivery [ ]

Neonatal hypoglycaemia Yes / No [ ]

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Abnormalities Yes / No [ ]

If YES, enter code if on Details 1 [ ]  
coding guide or description Details 2 [ ]  
if not Details 3 [ ]

Were you in paid employment when we saw you at 34 weeks Yes / No [ ]  
If YES, on what date did you last work [ ]

(if stopped more than 1 working day previously) & was this planned,  
or was it because of a health problem [ ]

- 1 Planned
- 2 Health problem

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Since we saw you at 34 weeks have you been taking any pills, tonics or tablets  
to supplement your diet Yes / No [ ]

Supplement name	Suppl code	Amount (over last 6 weeks (42 days)) *
<	> [ ]	[ ]
<	> [ ]	[ ] * irrespective
<	> [ ]	[ ] of gest age
<	> [ ]	[ ] at birth
<	> [ ]	[ ]

Did you have any antibiotic tablets for a kidney, bladder or urine infection  
at any stage in the pregnancy [ ] Yes / No

Have you ever had treatment for vaginal candidiasis or thrush [ ] Yes / No

Was the baby delivered directly onto your abdomen [ ] Yes / No / Don't know

Have you decided on the baby's [ ] Forenames  
name (Enter X if not decided) [ ] Surname

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

What time did the baby's last feed finish [ ]

How has the baby been fed since delivery [ ]

1 Breast 2 Bottle 3 Both 4 NGT - br milk 5 NGT formula  
6 NG formula + IVI 7 IVI 8 Oral formulation 0 NGT+Breast+IVI 9 Not Known

Bottle type [ ], [ ]

A Farley's First B Wyeth SMA Gold C C&G Premium D Other  
[ ]

How do you intend to feed the baby when you go home [ ] 1 Breast / 2 Bottle

Brand if bottle [ ]

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Date of measurement [ ] (To sick / prem to measure enter 888888)  
Time of measurement [ ] 24 hr clock

Occipito-frontal [ ] [ ] [ ]  
Left mid-upper arm [ ] [ ] [ ]  
Upper abdominal [ ] [ ] [ ]  
Lower abdominal [ ] [ ] [ ]

Triceps skinfold [ ] [ ] [ ]  
Subscapular skinfold [ ] [ ] [ ]  
Thigh skinfold [ ] [ ] [ ]

#### HIP STABILITY

Crown - rump [ ] [ ] [ ]  
Crown - heel [ ] [ ] [ ]

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Measurer [ ] Helper [ ] - 1. Parent 2. KG  
3. Midwife 4. Julia  
5. Sue Beare  
6. Auxillary  
7. Lyn 8. Valerie  
9. Student Midwife

Hair colour [ ] \* \* 1 Blond 2 Pale brown/blond  
3 Medium brown 4 Dark brown  
5 Black 6 Redhead

hair extent [ ]

Anthropometer used [ ]  
Min carriage reading [ ]

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Link card data

Preg	* Date	Place	a Dur.	b Onset	c S.D.	Bld loss	d Sex	e Bwt	f I/M	g Status
1.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
2.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
3.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
4.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
5.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]

\* if year only recorded code as midpoint i.e. 1506xx

a wks.days	c 1 S.D.	e Fractions of	g 1 LB	7 Miscarriage
	2 Inst	oz coded as	2 SB	8 TOP
b 1 Normal	3 C.S.	decimal	3 PND	
2 Induced			5 Ectopic	
3 Emerg CS	d M Male	f I Imp (lb.oz)	6 Mole	
	F Female	M Met (Grams)		

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Preg	* Date	Place	a Dur.	b Onset	c S.D.	Bld loss	d Sex	e Bwt	f I/M	g Status
6.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
7.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
8.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
9.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
10.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]

\* if year only recorded code as midpoint i.e. 1506xx

a wks.days	c 1 S.D.	e Fractions of	g 1 LB	7 Miscarriage
	2 Inst	oz coded as	2 SB	8 TOP
b 1 Normal	3 C.S.	decimal	3 PND	
2 Induced	d M Male	f I Imp (lb.oz)	5 Ectopic	
3 Emerg CS	F Female	M Met (Grams)	6 Mole	

Previous history UTI/cystitis No / Yes [ ]  
 Previous infertility investigations No / Yes [ ]  
 Family history of hypertension No / Yes / Adopted [ ]  
 Family history of diabetes No / Yes / Adopted [ ]

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Ultra sound	Date	CRL	BPD	FL	AC	HC
1.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
2.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
3.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
4.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]
5.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ]

Placental Position [ ] 0 Not low 1 Low

Anterior/Posterior [ ] 0 Anterior 1 Posterior 2 Fundal 3 Lateral  
 4 posterior + fundal 5 Posterior + lateral

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Data from patient held white notes/ green hospital notes

Urine 0 Nil 1 Trace 2 + 3 ++ 4 +++ 5 ++++ 9 No specimin  
Oedema 0 Nil 1 Minimal/slight 2 Present 3 Marked

	Date	Weight	Imp/Metric	Urine alb.	Urine Sug.	B.P.	Oedema
1.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
2.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
3.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
4.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
5.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
6.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
7.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
8.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
9.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
10.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

	Date	Weight	Imp/metric	Urine alb.	Urine Sug.	B.P.	Oedema
11.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
12.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
13.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
14.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
15.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
16.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
17.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
18.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
19.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
20.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
21.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
22.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
23.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
24.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]
25.	[ ]	[ ]	[ ]	[ ]	[ ]	[ ] [ ]	[ ]

Urine 0 Nil 1 Trace 2 + 3 ++ 4 +++ 5 ++++ 9 No specimin  
Oedema 0 Nil 1 Minimal/slight 2 Present 3 Marked

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

A/N complications from patient held white notes/green hosp notes

Threatened abortion No / Yes / Loss of co-twin [ ]  
(vag. bleeding <28 weeks)

Antepartum haemorrhage No / Yes [ ]

Amniocentesis performed No / Yes [ ]

Chorconic villus sampling No / Yes [ ]

Clinical suspicion of growth retardation No / Yes [ ]  
(SFD / light for dates / placental deficiency)

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

MSU 0 <10 0 <10,000/skin flora  
 --- 1 10-20 1 10,000-100,000  
 2 >20 2 >100,000

Date	Pus Cells	Bacteria
[ ]	[ ]	[ ]
[ ]	[ ]	[ ]
[ ]	[ ]	[ ]
[ ]	[ ]	[ ]
[ ]	[ ]	[ ]
[ ]	[ ]	[ ]
[ ]	[ ]	[ ]
[ ]	[ ]	[ ]

Serum AFP [ ] date [ ]  
 2nd AFP [ ] 2nd date [ ]

Mum's blood group [ ] A / B / AB / O  
 Rhesus Pos/Neg [ ]

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Pregnancy outcome [ ] 1 Loss <28 wks Reason if 2/3 < >  
 2 SB  
 3 NN Death  
 4 LB  
 5 Delivered elsewhere ? outcome  
 6 Delivered elsewhere liveborn

Mode of delivery [ ] Reasons [ ] [ ] < >  
 1 Normal/spont 2 Forceps 3 LSCS (See coding guide)  
 4 Ventouse

Presentation [ ]  
 1 Vx/cephalic 2 Breech 3 Other

Duration of labour - length 1st [ ] hrs [ ] mins  
 2nd [ ] hrs [ ] mins  
 3rd [ ] hrs [ ] mins

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Fetal distress [ ] No / Yes  
 Evidence [ ] 1 CTG only 2 CTG + FBS 3 CTG + CBpH

Meconium [ ] No / Yes

Other Complications [ ] [ ]  
 of labour - see coding guide

Retroplacental clot [ ] No / Yes  
 Calcification [ ]  
 Infarction [ ] No / Yes

Other 1 [ ] Other 2 [ ] 1 Gritty 3 Clot between membranes 7 looked  
 2 Succ lobe 4 Pale 5 Thin 6 Grey unhealthy

Placenta weight [ ]

Membranes [ ] 0 Complete 1 Doubtful 2 Incomplete 9 Not charted

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

No of Vessels [ ]  
 Insertion type [ ] 0 Central 1 Lateral 2 Battledore 3 Velamentous  
 8 Not recorded

Blood loss (ml) [ ]

INFANT

Infant sex [ ] Male / Female  
 Birthweight [ ]  
 Head circumference [ ]

Apgar 1 [ ]  
 Apgar 5 [ ]

Admitted to SCBU [ ] No / Yes Reason(s) [ ] [ ] See coding guide  
 [ ] [ ]  
 [ ] [ ]  
 Temperature [ ]

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Labour onset [ ] 0 Spont / Normal  
 1 Elective CS  
 2 ARM / Other surgical  
 3 IV oxytoin  
 4 Im / Nasal / buccal oxytocin  
 5 Other oxytocin agent  
 6 ARM and oxytocin  
 7 Other induction  
 8 Prostin  
 9 ARM, prostin & oxytocin  
 A Emergency CS

Tear [ ] 0 Nil  
 1 1st degree 2 2nd degree 3 3rd degree  
 4 Episiotomy 8 CSection

Placental delivery [ ] 1 Simple 2 CCT 3 Manual

Placenta [ ] 1 Complete 2 Incomplete 3 Uncertain

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Amniotic fluid samples taken [ ] No / Yes

Date placental samples taken [ ] Time [ ]

Date cord blood separated [ ] Time [ ]

Umbilical cord [ ] see coding Comment 1 [ ] < >  
 No / Yes guide Comment 2 [ ] < >  
 Comment 3 [ ] < >

F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

-----  
 Admitted before labour No / Yes [ ] (exclude labour induction for post maturity)

	Date	Main indication	2nd indication	3rd indication
1.	[ ]	[ ]	[ ]	[ ]
2.	[ ]	[ ]	[ ]	[ ]
3.	[ ]	[ ]	[ ]	[ ]
4.	[ ]	[ ]	[ ]	[ ]
5.	[ ]	[ ]	[ ]	[ ]

Clinical evidence of hypertension No / Yes [ ]  
 (diastolic BP>90 x 2 >4 hrs apart +/- proteinuria)

Max severity BP [ ] 1 91-99 2 100-109 3 >110

Max proteinuria [ ] 0 None 1 Trace 2 + 3 ++ 4 +++ 5 ++++

Date of onset

Raised BP [ ]  
 Proteinuria [ ]

-----  
 F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit

Maximum 24 hour proteinnuria [ ]

Eclamptic fit [ ] No / Yes

Fetal distress [ ]

0 CTG normal 1 CTG suspicious 2 CTG abnormal 3 2nd stage abnormality only

Lowest scalp Ph [ ]

Cord pH if taken [ ]

-----  
 F1: Help F3: Prev F4: Next F5: Goto F6: Search F10: Save Alt-F10: Exit