




Parts List			
Item	Qty	Part Name	Material
1	1	Bottom Plate	Steel
2	4	Square Standoff	Steel
3	1	Top Plate	Steel
4	2	Bearing block	Steel
5	1	Main cylinder v65	
6	1	Cover plates	
7	1	Posotioning plate v6	Steel
8	4	Hexagon Socket Countersunk Head Screw ISO 10642 - M4 x 16 Steel 8.8 Plain v1	Steel 8.8, Plain
9	4	Hexagon Socket Head Cap Screw ISO 4762 - M4 x 12 Steel 4.6 Plain v1	Steel 4.6, Plain
10	16	Hexagon Socket Button Head Screw ISO 7380-1 - M3 x 6 Steel 4.6 Plain v1	Steel 4.6, Plain
11	4	Hexagon Socket Countersunk Head Screw ISO 10642 - M4 x 10 Steel 8.8 Plain v1	Steel 8.8, Plain
12	4	Hexagon Socket Countersunk Head Screw ISO 10642 - M3 x 8 Steel 8.8 Plain v1	Steel 8.8, Plain
13	2	5972K199_Ball Bearing	Steel
14	1	YN80-25NAZ~80JB-GN10-25-200 v2	Steel
15	1	Coupling - 30 - 10 v1	Steel
16	4	Motor Standoff	Steel
17	4	Hexagon Socket Head Cap Screw ISO 4762 - M4 x 16 Steel 4.6 Plain v1	Steel 4.6, Plain

Dept.	Technical reference	Created by <b>Rahul Chary</b> 20-12-2024	Approved by	
general tolerance (+-0.2) applies to all dimensions on the drawing unless a specific tolerance is indicated for a particular feature.(ISO 2768-m)		Document type	Document status	
		Title <b>Claw Assembly</b>	DWG No.	
		Rev.	Date of issue	Sheet <b>1/12</b>





Dept.	Technical reference	Created by Rahul Chary      20-12-2024	Approved by		
		Document type	Document status		
		Title Top Plate	DWG No.		
			Rev.	Date of issue	Sheet 2/12







Dept.	Technical reference	Created by <b>Rahul Chary</b> 20-12-2024	Approved by		
		Document type	Document status		
		Title <b>Square Standoff</b>	DWG No.		
			Rev.	Date of issue	Sheet <b>4/12</b>




Dept.	Technical reference	Created by Rahul Chary     20-12-2024	Approved by		
		Document type	Document status		
		Title Bearing Block	DWG No.		
			Rev.	Date of issue	Sheet 5/12



Dept.	Technical reference	Created by <b>Rahul Chary</b> 20-12-2024	Approved by		
		Document type	Document status		
		Title <b>Motor Standoff</b>	DWG No.		
			Rev.	Date of issue	Sheet <b>6/12</b>


C-C (1:1)



Parts List			
Item	Qty	Part Name	Material
1	2	Bracket v10	Steel
2	2	Claw v8	Steel
3	2	Pivot Pin	Steel
4	4	Bush	Steel
5	4	Hexagon Socket Head Cap Screw ISO 4762 - M3 x 20 Steel 4.6 Plain v1	Steel 4.6, Plain
6	4	Hexagon Regular Nut ISO 4032 - M3 Steel 6 Plain v1	Steel 6, Plain
7	4	98541A113_External Retaining Ring	Steel
8	1	Cylinder	Steel



C

Dept.	Technical reference	Created by <b>Rahul Chary</b>	20-12-2024	Approved by
general tolerance (+-0.2) applies to all dimensions on the drawing unless a specific tolerance is indicated for a particular feature.(ISO 2768-m)		Document type	Document status	
		Title <b>box assembly</b>	DWG No.	
		Rev.	Date of issue	Sheet <b>7/12</b>






Dept.	Technical reference	Created by <b>Rahul Chary</b> 20-12-2024	Approved by		
		Document type	Document status		
		Title <b>Cylinder</b>	DWG No.		
			Rev.	Date of issue	Sheet <b>8/12</b>








Dept.	Technical reference	Created by <b>Rahul Chary</b> 20-12-2024	Approved by		
		Document type	Document status		
		Title <b>Pivot pin</b>	DWG No.		
			Rev.	Date of issue	Sheet <b>9/12</b>



Dept.	Technical reference	Created by <b>Rahul Chary</b> 20-12-2024	Approved by		
		Document type	Document status		
		Title <b>Bush</b>	DWG No.		
			Rev.	Date of issue	Sheet <b>10/12</b>



Dept.	Technical reference	Created by <b>Rahul Chary</b> 20-12-2024	Approved by		
		Document type	Document status		
		Title <b>Claw</b>	DWG No.		
			Rev.	Date of issue	Sheet <b>11/12</b>



Dept.	Technical reference	Created by <b>Rahul Chary</b> 20-12-2024	Approved by		
		Document type	Document status		
		Title <b>Bracket</b>	DWG No.		
			Rev.	Date of issue	Sheet <b>12/12</b>