Continuous-Time Costly Reversibility in Mean Field: A KS-Free Master-Equation Formulation, Derivations, and Computation

Self-contained derivation and implementation notes

September 7, 2025

Abstract

This paper derives and explains a continuous-time, mean-field (master-equation) formulation of Zhang's costly-reversibility model. The approach is *Krusell-Smith (KS)-free*: aggregation enters through a single, explicit price-externality term generated by inverse demand, while strategic interaction across firms is encoded via the Lions derivative in the master equation. We fix primitives and state minimal boundary and regularity conditions; we then present two computational routes: (i) a stationary HJB-FP fixed point, and (ii) direct collocation of the stationary master PDE. Both routes are implementable with standard, monotone PDE schemes or modern function approximation (e.g., kernel/DeepSets representations for measures).

A central message is that the mean-field structure clarifies aggregation: the only economy-wide wedge in the firm problem is the product of the firm's own output and the slope of inverse demand evaluated at aggregate output. Under isoelastic demand, this wedge reduces to a scalar multiple of the firm's output. This provides a clean decomposition between private marginal value of capital (through the Hamiltonian) and general-equilibrium feedback (through the price externality). We work conditional on the aggregate state x, which removes common-noise second-order measure terms in the stationary master equation; Appendix C briefly outlines how those terms arise in the full common-noise setting.

We provide compact verification diagnostics (Euler and distributional residuals), explicit boundary conditions at k=0 (reflecting), and growth/integrability conditions that guarantee all terms are finite. A small pseudo-JAX template illustrates how to evaluate the master-equation residual with an empirical measure. Throughout, we connect the construction to the canonical MFG literature for existence, uniqueness, and equivalence of the HJB–FP and master formulations.

Contents

E	Executive Summary / Cheat-Sheet				
1	Notation and Acronyms	3			
2	Primitives and Assumptions	3			
3	Mathematical Setup: State Space, Measures, and Differentiation on \mathcal{P} 3.1 State space and probability metrics				
4	Firm Problem and the Stationary HJB	6			

Ó	Kolmogorov–Forward (FP) Equation 5.1 Boundary and integrability	7 8			
3	Market Clearing and Price Mapping	8			
7	Master Equation (Stationary, Conditional on x)				
8 Boundary and Regularity Conditions					
9	Computation: Two KS-Free Routes 9.1 Route A: HJB-FP Fixed Point	9 9 10			
10	Verification and Diagnostics	10			
11	Economics: Aggregation, Irreversibility, Comparative Statics	11			
A	Appendix A: Full Derivations and Pairings A.1 Envelope/KKT and policy recovery	12 12			
В	Appendix B: Residual-Loss Template (for implementation)	13			
C	Appendix C: Common-Noise Master Equation (Reference Note)	13			
D	Appendix D: Tiny Pseudocode (Plain listings)	13			

Executive Summary / Cheat-Sheet (One Page)

Pedagogical Insight: Economic Intuition & Context

Primitives. Firms hold capital $k \ge 0$ and idiosyncratic productivity z. The aggregate state x shifts demand and marginal revenue. Technology is $q = e^{x+z}k^{\alpha}$ with $\alpha \in (0,1)$. Inverse demand is P(Y) with slope P'(Y) < 0, where $Y = \int e^{x+z}k^{\alpha} m(dk, dz)$. Capital follows $dk = (i - \delta k), dt$ with asymmetric, convex costs h(i, k). Dividends are $\pi = P(Y)e^{x+z}k^{\alpha} - i - h(i, k) - f$. Shocks evolve in z and x with generators L_z, L_x . Discounting uses r(x) (or constant ρ).

Core equations. Value V(k, z, x; m), master value U(k, z, x, m).

- Stationary HJB: $r(x)V = \max_i \{\pi + V_k(i \delta k) + L_zV + L_xV\}.$
- Kolmogorov–Forward (FP): $\partial_t m = -\partial_k [(i^* \delta k)m] + L_z^* m$. Stationary: $\partial_t m = 0$.
- Stationary Master Equation: own-firm HJB terms + population-transport integrals of δ_mU + explicit price externality

$$\int \delta_m \pi \, dm = e^{x+z} k^{\alpha} Y(m,x) P'(Y(m,x)).$$

Isoelastic simplification. For $P(Y) = Y^{-\eta}$, we have

$$Y P'(Y) = -\eta P(Y),$$

and therefore

$$\int \delta_m \pi \, dm = -\eta \, P(Y) \, e^{x+z} k^{\alpha}.$$

Two solution routes.

A. HJB-FP fixed point (robust):

- 0.1. Fix x (grid/invariant law). Guess m.
- 0.2. Compute Y, P(Y). Solve HJB $\Rightarrow i^*$.
- 0.3. Solve stationary FP for m'. Update $m \leftarrow m'$.

B. Direct master-PDE collocation (KS-free):

- 0.1. Parameterize U and $\delta_m U$ (DeepSets/kernel for measures).
- 0.2. Build (ME) residual on empirical m, including $e^{x+z}k^{\alpha}YP'(Y)$.
- 0.3. Penalize KKT/boundaries; recover i^* from the Hamiltonian; validate by Route A.

Diagnostics. Euler residuals for HJB, mass-balance for FP, and full ME residual. Use monotone stencils in k (upwinding) and conservative fluxes at k = 0.

1 Notation and Acronyms

Acronyms used in text: HJB, FP, ME, MFG, SDF, KKT, KS, RCE, TFP, CES, W2, FVM, SL.

2 Primitives and Assumptions

Assumption 2.1: Model specification; used verbatim

- (i) Firm states: $k \in \mathbb{R}_+$, $z \in \mathbb{R}$. Aggregate state: $x \in \mathbb{R}$. Population law: $m \in \mathcal{P}(\mathbb{R}_+ \times \mathbb{R})$.
- (ii) **Technology:** $q(k, z, x) = e^{x+z}k^{\alpha}, \ \alpha \in (0, 1).$
- (iii) **Product market:** P = P(Y) with $Y(m, x) = \int e^{x+z} k^{\alpha} m(dx, dz), P'(\cdot) < 0.$
- (iv) Capital law: $dk_t = (i_t \delta k_t), dt, i \in \mathbb{R}$.
- (v) **Irreversibility/adjustment:** h convex and asymmetric,

Symbol	Type	Meaning
\overline{k}	state	Capital (≥ 0); reflecting boundary at $k=0$
i	control	Net investment; $dk = (i - \delta k), dt$
z	state	Idiosyncratic productivity; diffusion with generator L_z
x	state	Aggregate (business-cycle) shock; generator L_x
m	measure	Cross-sectional law on $\mathbb{R}_+ \times \mathbb{R}$ for (k, z)
$\xi = (\kappa, \zeta)$	point	Generic element in support of m ("marginal firm")
q(k,z,x)	output	$e^{x+z}k^{\alpha}, \ \alpha \in (0,1)$
Y(m,x)	scalar	Aggregate quantity $\int e^{x+z} k^{\alpha} m(dx, dz)$
$P(\cdot)$	function	Inverse demand; $P' = P'(Y) < 0$
η	parameter	Demand elasticity for isoelastic $P(Y) = Y^{-\eta}$
α	parameter	Capital elasticity in production
δ	parameter	Depreciation rate
ϕ_{\pm}	parameters	Adjustment-cost curvatures for $i \geq 0$
h(i,k)	function	Irreversible adjustment cost (convex, asymmetric)
f	parameter	Fixed operating cost
σ_z,σ_x	parameters	Diffusion volatilities of z and x
μ_z, μ_x	functions	Drift coefficients in L_z, L_x
r(x)	function	Short rate (or constant ρ) under pricing measure
$\pi(\cdot)$	function	Dividends $P(Y)e^{x+z}k^{\alpha} - i - h(i,k) - f$
V(k, z, x; m)	function	Stationary value function (HJB)
U(k, z, x, m)	function	Master value function (ME)
$\delta _mU(\xi; k, z, x, m)$	function	Lions derivative wi.t. m in direction $\xi = (\kappa, \zeta)$
D_m	operator	Lions derivative operator (measure Fréchet derivative)
L_z, L_x	operators	Generators in z and x ; L_z^* is the adjoint of L_z
$i^*(\cdot)$	policy	Optimal net investment from HJB/KKT
$ar\iota(k)$	function	Lower bound on disinvestment (optional)
e_k, e_z	vectors	Canonical unit vectors in k and z directions
W, B	processes	Brownian motions for z and x (independent)
$b(\xi, x, m)$	vector	Drift at ξ : $(i^*(\xi, x, m) - \delta \kappa)e_k + \mu_z(\zeta)e_z$

Table 1: Notation used throughout.

$$h(i,k) = \begin{cases} \frac{\phi_{+}}{2} \frac{i^{2}}{k}, & i \geq 0, \\ \frac{\phi_{-}}{2} \frac{i^{2}}{k}, & i < 0, \ \phi_{-} > \phi_{+}. \end{cases}$$

- (vi) Dividends: $\pi(k, i, z, x, m) = P(Y(m, x)) e^{x+z} k^{\alpha} i h(i, k) f$.
- (vii) Shocks: $dz_t = \mu_z(z_t), dt + \sigma_z, dW_t, dx_t = \mu_x(x_t), dt + \sigma_x, dB_t$ (independent).
- (viii) **Discounting:** short rate r(x) (or constant ρ).
- (ix) **Generators:** for smooth u,

$$L_{zu} = \mu_z(z) u_z + \frac{1}{2} \sigma_z^2 u_{zz}, \qquad L_{xu} = \mu_x(x) u_x + \frac{1}{2} \sigma_x^2 u_{xx}.$$

Assumption 2.2: Minimal regularity/boundary

- (a) $h(\cdot, k)$ convex, lower semicontinuous; $k \mapsto h(i, k)$ measurable with $h(i, k) \ge 0$ and $h(i, k) \ge c i^2/k$ for some c > 0 on k > 0. The asymmetry $\phi_- > \phi_+$ holds.
- (b) P Lipschitz on compact sets with P' < 0; P(Y) and Y(m, x) finite for admissible m.
- (c) μ_z, μ_x locally Lipschitz; $\sigma_z, \sigma_x \geq 0$ constants.
- (d) Boundary at k = 0: reflecting; feasible controls satisfy $i^*(0,\cdot) \ge 0$; and $U_k(0,\cdot) \le 1$.
- (e) Growth: U(k, z, x, m) = O(k) as $k \to \infty$.
- (f) Integrability: m integrates k^{α} and 1/k wherever they appear.

Pedagogical Insight: Economic Intuition & Context

Economic reading. The convex asymmetry $\phi_- > \phi_+$ produces *investment bands*: small changes in the shadow value V_k around the frictionless cutoff 1 generate very different investment responses on the two sides of the kink. Aggregation operates through Y only, and the inverse-demand slope P'(Y) is the sole channel through which the cross-section affects an individual firm's HJB. The reflecting boundary at k=0 formalizes limited liability and the irreversibility of capital.

Connections to the Literature

Where this sits. Zhang (2005) emphasizes how costly reversibility shapes asset prices. The present mean-field formulation adds an equilibrium price mapping and a master PDE that makes the cross-sectional feedback explicit and computational. For master equations and Lions derivatives, see Lasry & Lions (2007), Cardaliaguet–Delarue–Lasry–Lions (2019), and Carmona & Delarue (2018).

3 Mathematical Setup: State Space, Measures, and Differentiation on \mathcal{P}

3.1 State space and probability metrics

We consider the state space $S \equiv \mathbb{R}_+ \times \mathbb{R}$ with generic element s = (k, z). The population law m is a Borel probability measure on S. For well-posedness of the measure terms in the master equation (ME), we tacitly restrict to the W_2 -finite set

$$\mathcal{P}_2(S) \equiv \left\{ m \in \mathcal{P}(S) : \int (\kappa^2 + \zeta^2) \, m(d\kappa, d\zeta) < \infty \right\}.$$

The quadratic Wasserstein distance W_2 metrizes weak convergence plus convergence of second moments. It is natural for diffusions and for the functional Itô calculus on \mathcal{P}_2 .

Definition 3.1: Lions derivative

Let $F: \mathcal{P}_2(S) \to \mathbb{R}$. The Lions derivative $D_mF(m): S \to \mathbb{R}^{d_s}$ (here $d_s = 2$) is defined by lifting: pick a probability space $(\Omega, \mathcal{F}, \mathbb{P})$ and a square-integrable random variable $X: \Omega \to S$

with law m. If there exists a Fréchet-derivative $D\tilde{F}(X)$ of the lifted map $\tilde{F}: L^2(\Omega; S) \to \mathbb{R}$, then D $mF(m)(\xi)$ is any measurable version that satisfies

$$D\tilde{F}(X) \cdot H = \mathbb{E}\left[\langle D_mF(m)(X), H \rangle\right]$$
 for all $H \in L^2(\Omega; S)$.

When we write $\delta_m U(\xi; k, z, x, m)$, we identify the derivative of $m \mapsto U(k, z, x, m)$ at point $\xi \in S$.

Lemma 3.1: Chain rule for composite functionals

Let $F(m) = G(\Phi(m))$ with $G : \mathbb{R} \to \mathbb{R}$ differentiable and $\Phi(m) = \int \varphi(\xi) m(d\xi)$ for some integrable $\varphi : S \to \mathbb{R}$. Then $D = mF(m)(\xi) = G'(\Phi(m)) \varphi(\xi)$.

Proof. The lift of Φ is $\tilde{\Phi}(X) = \mathbb{E}[\varphi(X)]$. The Gâteaux derivative is $\delta \tilde{\Phi}(X) \cdot H = \mathbb{E}[\varphi'(X) \cdot H]$ when φ is differentiable or, for integral functionals, φ itself plays the role of a density; composing with G gives the stated direction derivative.

Mathematical Insight: Rigor & Implications

Application to the price externality. With $\varphi(\xi) = e^{x+\zeta}\kappa^{\alpha}$ and G = P, Lemma 3.1 yields $D_m(P(\Phi(m)))(\xi) = P'(Y) e^{x+\zeta}\kappa^{\alpha}$. Multiplying by the *this-firm* factor $e^{x+z}k^{\alpha}$ produces the integrand of the last line in the ME.

3.2 Generators, domains, and adjoints

The generator L_z acts on $C_b^2(\mathbb{R})$ functions of z. The adjoint L_z^* acts on densities m(k,z) (when they exist) as

$$L_{\underline{z}}^* m = -\partial_z(\mu_z m) + \frac{1}{2}\sigma_z^2 \partial_{zz} m.$$

The transport in k is first-order; the adjoint contributes $-\partial_k[(i^* - \delta k)m]$. No diffusion in k implies a degenerate (hyperbolic) structure in that dimension; numerical schemes must upwind in k.

4 Firm Problem and the Stationary HJB

Let V(k, z, x; m) denote the value of a firm at (k, z) given aggregate (x, m). The stationary HJB is

$$r(x) V = \max_{i} \in \mathbb{R} \left\{ \pi(k, i, z, x, m) + V_k (i - \delta k) + L_z V + L_x V \right\}$$
 (HJB)

The interior first-order condition reads

$$0 = \partial_i \pi + V_k = -(1 + h_i(i, k)) + V_k \implies i^*(k, z, x, m) = h_i^{-1}(V_k - 1),$$

with complementarity if $i \ge -\bar{\iota}(k)$ is imposed.¹

¹A practical and economically natural choice is to encode a no-scrap constraint $i \ge -\delta k$, which ensures non-negativity of capital along admissible paths.

Proposition 4.1: Explicit policy under asymmetric quadratic cost

For $h(i,k) = \frac{\phi_+}{2} \frac{i^2}{k} \mathbf{1}_i \ge 0 + \frac{\phi_-}{2} \frac{i^2}{k} \mathbf{1}_i < 0$ with $\phi_- > \phi_+$, the optimal policy is

$$i^{*}(k, z, x, m) = \begin{cases} \frac{k}{\phi_{+}} (V_{k} - 1), & V_{k} \ge 1, \\ \frac{k}{\phi_{-}} (V_{k} - 1), & V_{k} < 1, \end{cases}$$

plus complementarity if a bound $i \ge -\bar{\iota}(k)$ applies.

Proof. On each half-line, $h_i(i, k) = \phi_{\pm} i/k$. The FOC $1 + h_i(i, k) = V_k$ gives $i = (k/\phi_{\pm})(V_k - 1)$. Strict convexity in i ensures a unique maximizer; the kink at i = 0 maps to $V_k = 1$. Lower bounds are handled by KKT complementarity.

Proposition 4.2: Convex Hamiltonian and well-posed policy map

Define the Hamiltonian

$$\mathcal{H}(k, z, x, m, p) \equiv \max_{i \in \mathbb{R}} \{ \pi(k, i, z, x, m) + p(i - \delta k) \}.$$

Then \mathcal{H} is convex in $p = V_k$. The optimizer $i^*(k, z, x, m; p)$ is single-valued, piecewise linear with slope k/ϕ_{\pm} , and globally Lipschitz on compact k-sets. Hence the feedback map $p \mapsto i^*(\cdot; p)$ is well-posed and stable to perturbations of p.

Ped	lagogic	cal Ins	sight:	Economi	c Intu	iition	& (Context	t

Intuition The firm compares marginal V_k to the frictionless

unit price of investment. If $V_k > 1$, invest, with slope controlled by ϕ_+ ; if $V_k < 1$, disinvest, with slope dampened by ϕ_- (costlier). The kink at

 $V_k = 1$ generates inaction bands. Mathematics The Hamiltonian is a convex conjugate of h (after

shifting by p-1). KKT conditions produce a piecewise-affine policy with a change in slope at p=1. Global well-posedness follows from coercivity of h in i and measurability in k.

5 Kolmogorov–Forward (FP) Equation

Given x and the policy i^* , the population law m_t on (k, z) satisfies

$$\partial_{\underline{t}} m = -\frac{\partial}{\partial k} \left(\left(i^{\star}(k, z, x, m) - \delta k \right) m \right) + L_{\underline{z}}^{*} m \tag{FP}$$

where L_z^* is the adjoint of L_z . In stationary equilibrium conditional on x: $\partial_t m = 0$.

5.1 Boundary and integrability

Reflecting at k=0 implies zero probability flux through the boundary: $\left[(i^*-\delta k)m\right]\big|_{k=0}=0$, and feasibility requires $i^*(0,\cdot)\geq 0$. Integrability of k^α and 1/k under m ensures the drift and the dividend terms are finite and the generator/action pairing is well-defined.

Mathematical Insight: Rigor & Implications

Degenerate transport in k. The k-direction is purely hyperbolic. Schemes must be *upwind* in k and *conservative* to maintain $\int m = 1$. A monotone FVM with Godunov fluxes provides stability and positivity. The lack of diffusion in k also means that corners in policy (from irreversibility) do not smooth out via second-order terms; numerical filters should not smear the kink.

6 Market Clearing and Price Mapping

Aggregate quantity and price are

$$Y(m,x) = \int e^{x+z} k^{\alpha} m(dx, dz), \qquad P = P(Y(m,x)), \quad P' < 0.$$

In the isoelastic case $P(Y) = Y^{-\eta}$ with $\eta > 0$,

$$Y P'(Y) = -\eta P(Y). \tag{6.1}$$

Pedagogical Insight: Economic Intuition & Context

Economic content. The aggregation wedge in firm incentives is a simple marginal-revenue term: the effect of another unit of firm k's output on the price times firm k's own output. Under isoelastic demand this becomes a proportional tax on revenue with rate η , varying over the business cycle through P(Y).

7 Master Equation (Stationary, Conditional on x)

Pedagogical Insight: Economic Intuition & Context

extbfCommon-noise remark. Because we work conditional on x, the measure m does not diffuse: the master equation omits second-order measure derivatives. Appendix C summarizes the additional terms that would arise if m were itself driven by common noise (e.g., through x_t).

8 Boundary and Regularity Conditions

Boundary at k = 0. Reflecting: the probability flux vanishes and feasible controls satisfy $i^* \ge 0$ at the boundary. A sufficient condition enforcing no instantaneous arbitrage is $U_k(0,\cdot) \le 1$ (marginal value of installed capital no higher than the unit purchase price).

Growth. From the coercivity of h in i and the linear drift in k, one obtains U(k, z, x, m) = O(k) as $k \to \infty$. This ensures finiteness of the HJB Hamiltonian and stabilizes numerical approximations.

Integrability. Admissible distributions m integrate k^{α} and 1/k where these appear (e.g., $\mathbb{E}_m[k^{\alpha}]$ in Y and i^2/k in adjustment costs). In practice one imposes a numerically compact domain in k with conservative outflow at the upper boundary.

Pedagogical Insight: Economic Intuition & Context

Economic translation. Reflecting k=0 prevents negative capital; growth bounds rule out explosive investment; integrability ensures dividends and costs are well-defined across firms. These are the minimal conditions that keep the economics clean and the PDEs well-posed.

9 Computation: Two KS-Free Routes

9.1 Route A: HJB-FP Fixed Point

Algorithm (stationary, conditional on x).

- **A.1 Outer loop over** x. Either fix x on a grid of business-cycle states or integrate final objects against the invariant law of x (solved from L_x^*).
- **A.2 Initialize** $m^{(0)}$. Choose a feasible stationary guess (e.g., log-normal in k with support bounded away from 0 and invariant z-marginal).
- **A.3 HJB step.** Given $m^{(n)}$, compute $Y^{(n)}$ and $P(Y^{(n)})$. Solve Equation (HJB) for $V^{(n)}$ using SL or policy iteration. Recover $i^{*,(n)}$ from Proposition 4.1.
- **A.4 FP step.** Given $i^{*,(n)}$, solve stationary Equation (FP) for $m^{(n+1)}$ using a conservative FVM with upwind flux in k and standard diffusion stencil in z.
- **A.5 Update.** Set $m^{(n+1)} \leftarrow (1-\theta)m^{(n)} + \theta \, \hat{m}^{(n+1)}$ with damping $\theta \in (0,1]$. Iterate until residuals (below) fall below tolerance.

Discretization details.

- Grid in k. Log grid $k_j = k_{\min} \exp(j\Delta)$ improves resolution near 0. Reflecting boundary at k_{\min} enforces $i^* \geq 0$.
- Upwinding. Flux $F_{j+1/2} = \max\{u_{j+1/2}, 0\}m_j + \min\{u_{j+1/2}, 0\}m_{j+1}$ with velocity $u = i^* \delta k$.
- Diffusion in z. Centered second differences with Neumann/absorbing at truncation $\pm z_{\text{max}}$.
- HJB solver. Policy iteration: guess i, solve linear system for V; update i by Proposition 4.1; repeat. Alternatively, SL schemes avoid CFL limits.

Diagnostics. In practice, log-residuals drop nearly linearly until policy stabilizes; distributional stability is checked by mass-conservation and small Wasserstein drift between iterations.

9.2 Route B: Direct Master-PDE Collocation

Representation of functions of measures

We parameterize $U_{\omega}(k, z, x, \cdot)$ and $\delta_{m}U_{\psi}(\xi; k, z, x, \cdot)$. A convenient architecture is a DeepSets form for empirical $m = \frac{1}{N} \sum_{n} \delta_{\xi^{n}}$:

$$\Phi_{\psi}(m) \approx \frac{1}{N} \sum_{n=1}^{N} \phi_{\psi}(\xi^{n}), \qquad \delta_{m}U_{\psi}(\xi; k, z, x, m) \approx g_{\psi}(\xi, k, z, x, \Phi_{\psi}(m)).$$

Symmetry in the atoms of m is built-in; universal approximation on permutation-invariant functions implies we can capture the needed dependence.

Residual construction. At each collocation tuple $(k, z, x; \{\xi^n\}_{n=1}^N)$, compute

$$\widehat{Y} = \frac{1}{N} \sum_{n=1}^{N} e^{x+\zeta^n} (\kappa^n)^{\alpha}$$
, and $\widehat{\mathcal{R}}_{\text{ME}}$ as in the loss template.

Add soft KKT penalties on $(U_{\omega})_k$ relative to the kink at 1, and boundary penalties at $k \approx 0$. Minimize the empirical mean of $\widehat{\mathcal{R}}^2_{\text{ME}}$ plus penalties via stochastic gradient methods. Validate by checking the Route-A residuals at the converged $(U_{\omega}, \delta_{-}mU_{\psi})$.

Mathematical Insight: Rigor & Implications

On identifiability. Because $\delta_m U$ appears only through $\partial_{\kappa} \delta_m U$, $\partial_{\zeta} \delta_m U$, $\partial_{\zeta}^2 \delta_m U$, adding constants or functions orthogonal to these derivatives leaves the stationary master equation invariant. Anchoring conditions (e.g., $\int \delta_m U$, dm = 0) fix the gauge.

10 Verification and Diagnostics

Residual norms. For collocation tuples (k, z, x, m):

$$\begin{split} \mathcal{R}_{\mathrm{HJB}} &\equiv r(x) \, V - \max_{i} \{\pi + V_{k} \, (i - \delta k) + L_{_} z V + L_{_} x V \}, \\ \mathcal{R}_{\mathrm{FP}} &\equiv -\partial_{k} \big[(i^{*} - \delta k), m \big] + L_{_} z^{*} m, \\ \mathcal{R}_{\mathrm{ME}} &\equiv r(x) \, U - \Big(\max_{i} \{\pi + U_{k} \, (i - \delta k) + L_{_} z U + L_{_} x U \} + \int \cdots, m(, \mathrm{d} \xi) + e^{x + z} k^{\alpha} \, Y \, P'(Y) \Big). \end{split}$$

Typical norms: L^2 over collocation points or weighted Sobolev norms. KKT and boundary penalties are added for feasibility; in Route A, measure W_2 drifts between iterations provide a sharp distributional diagnostic.

Stopping rules. Stop when $\|\mathcal{R}_{\text{ME}}\| < \varepsilon_{\text{ME}}$, $\|\mathcal{R}_{\text{HJB}}\| < \varepsilon_{\text{HJB}}$, $\|\mathcal{R}_{\text{FP}}\| < \varepsilon_{\text{FP}}$, and policy/distribution drifts fall below thresholds, e.g., sup $|i^{*,(n+1)} - i^{*,(n)}| < 10^{-5}$ and $W_2(m^{(n+1)}, m^{(n)}) < 10^{-4}$.

Sanity checks.

• No-price-limit case. If P is flat, the price externality vanishes. Route A and B should collapse to the same frictional-control model without cross effects.

Residual	Tight	Medium	Coarse
$arepsilon_{ ext{ME}} = arepsilon_{ ext{HJB}} = arepsilon_{ ext{FP}}$	$ \begin{array}{c} 10^{-5} \\ 10^{-7} \\ 10^{-7} \end{array} $	$ \begin{array}{r} 10^{-4} \\ 10^{-6} \\ 10^{-6} \end{array} $	$ \begin{array}{r} 10^{-3} \\ 10^{-5} \\ 10^{-5} \end{array} $

Table 2: Suggested tolerances (dimensionless; scale to data).




Figure 1: Placeholder: typical convergence of the master-equation residual.

- Symmetric costs. Setting $\phi_{-} = \phi_{+}$ removes the kink; i^{*} is linear in $V_{k} 1$ everywhere. FP becomes smoother; residuals drop faster.
- Elasticity sweep. Under isoelastic demand, η scales the externality linearly; recovered investment schedules should contract monotonically in η .

11 Economics: Aggregation, Irreversibility, Comparative Statics

Aggregation. Aggregation enters *only* via the term $e^{x+z}k^{\alpha}YP'(Y)$ in the stationary master equation (ME). Under isoelastic demand, this is $-\eta P(Y)e^{x+z}k^{\alpha}$, which acts as a proportional reduction in marginal revenue. The mean-field externality is thus *complete* and *transparent*.

Irreversibility. The asymmetry $\phi_- > \phi_+$ creates a kink in the Hamiltonian and investment bands: for V_k just below 1 the disinvestment response is muted relative to the investment response for V_k just above 1. At the distributional level, this slows the left-tail motion in k, thickening the mass near low capital.

Comparative statics.

- Larger η (steeper demand) amplifies the negative externality, reducing investment and shifting mass in m toward lower k.
- Bigger $\phi_- \phi_+$ widens irreversibility bands and slows capital reallocation, increasing dispersion in k conditional on z.
- Higher σ_z spreads the cross-section in z, raising Y volatility and, through P'(Y), modulating the externality term over the business cycle.

- Higher σ_x (through L_x) deepens precautionary effects via r(x) and the HJB drift terms, with ambiguous effects on average investment depending on curvature.
- A countercyclical r(x) strengthens the value premium mechanism à la costly reversibility by raising discount rates in recessions precisely when P'(Y) is most negative.

A Appendix A: Full Derivations and Pairings

A.1 Envelope/KKT and policy recovery

From (HJB), define $p = V_k$. The Hamiltonian $\mathcal{H}(k, z, x, m, p) = \max_i \{\pi + p(i - \delta k)\}$ is the convex conjugate of h shifted by p - 1. The envelope condition $V_k = \partial_p \mathcal{H}$ combined with the FOC for i produces the piecewise-affine policy in Proposition 4.1. The kink at p = 1 corresponds to i = 0. KKT adds the complementary slackness $\lambda \cdot (i + \overline{\iota}(k)) = 0$ when a lower bound is present.

A.2 Adjoint pairing for FP

Let φ be a smooth test function. Then

$$\frac{\mathrm{d}}{\mathrm{d}t} \int \varphi \, \mathrm{d}m_t = \int \varphi_k(i^* - \delta k) \, \mathrm{d}m_t + \int L_z \varphi \, \mathrm{d}m_t = \int \varphi \, \mathrm{d}\left(-\partial_k[(i^* - \delta k)m_t] + L_z^* m_t\right).$$

Stationarity imposes (FP) with $\partial_t m = 0$. Reflecting at k = 0 eliminates the boundary integral.

A.3 Deriving the master equation

Consider a flow $t \mapsto (K_t, Z_t)$ for the tagged firm following control i_t and a flow of measures $t \mapsto m_t$ solving (FP) under the feedback $i^*(\cdot, m_t)$. By functional Itô's lemma for $U(K_t, Z_t, x, m_t)$,

$$\begin{aligned} \operatorname{d} U &= U_k \operatorname{d} K_t + U_z \operatorname{d} Z_t + \frac{1}{2} U_{zz} \sigma_z^2 \operatorname{d} t \\ &+ \left(\partial_t U \big|_m \right) \operatorname{d} t, \\ \partial_t U \big|_m &= \int \left[\left(i^*(\xi, x, m) - \delta \kappa \right) \partial_\kappa \delta_{-} m U + \mu_z(\zeta) \partial_\zeta \delta_{-} m U + \frac{1}{2} \sigma_z^2 \partial_{\zeta\zeta}^2 \delta_{-} m U \right] m(\operatorname{d} \xi) \\ &+ \int \delta_m \pi(\xi; k, z, x, m) m(\operatorname{d} \xi). \end{aligned}$$

where the last line uses the chain rule in Lemma 3.1. Taking expectations under the pricing measure with short rate r(x) and imposing stationarity produces the stationary master equation (ME).

A.4 Externality term in detail

Write $\pi(k,i,z,x,m) = \Psi(Y(m,x)) \chi(k,z,x) - i - h(i,k) - f$ with $\Psi = P$ and $\chi = e^{x+z}k^{\alpha}$. Then

$$D m\pi(m)(\xi) = \Psi'(Y) \chi(k, z, x) \chi(\kappa, \zeta, x),$$

and integration wr.t. m yields $\chi(k,z,x) \Psi'(Y) Y(m,x)$.

B Appendix B: Residual-Loss Template (for implementation)

For a collocation tuple (k, z, x), an empirical measure $m = \frac{1}{N} \sum_{n=1}^{N} \delta_{\xi^n}$, and parameterized $U_{\omega}, \delta_{-}mU_{\psi}$, define

$$\begin{split} \widehat{Y} &\equiv \frac{1}{N} \sum_{m=1}^{N} -n = 1^{N} e^{x+\zeta^{n}} (\kappa^{n})^{\alpha}, \\ \widehat{\mathcal{R}}_{\text{ME}} &\equiv r(x) \, U_{\omega} \\ &- \max_{i} \left\{ \pi + (U_{\omega})_{k} \left(i - \delta k \right) + L_{z} U_{\omega} + L_{z} U_{\omega} \right\} \\ &- \frac{1}{N} \sum_{n=1}^{N} \left[\left(i^{*} (\xi^{n}, x, m) - \delta \kappa^{n} \right) \partial_{\kappa} \delta_{\underline{m}} U_{\psi} (\xi^{n}) + \mu_{z} (\zeta^{n}) \, \partial_{\zeta} \delta_{\underline{m}} U_{\psi} (\xi^{n}) + \frac{1}{2} \sigma_{z}^{2} \, \partial_{\zeta\zeta}^{2} \delta_{\underline{m}} U_{\psi} (\xi^{n}) \right] \\ &- e^{x+z} k^{\alpha} \, \widehat{Y} \, P'(\widehat{Y}). \end{split}$$

Add soft KKT penalties (one-sided around $(U_{\omega})_k = 1$) and boundary regularizers (reflecting k = 0, growth at k_{max}). Minimize

$$\mathcal{L} = \mathbb{E}\left[\widehat{\mathcal{R}}_{\mathrm{ME}}^{2}\right] + \lambda_{\mathrm{KKT}} \mathcal{P}_{\mathrm{KKT}} + \lambda_{\mathrm{bdry}} \mathcal{P}_{\mathrm{bdry}}.$$

Anchoring $\int \delta_m U$, dm = 0 removes the gauge freedom in $\delta_m U$.

C Appendix C: Common-Noise Master Equation (Reference Note)

When the population law m_t itself diffuses under common noise (say through an exogenous x_t or an aggregate Brownian component shared by firms), the functional Itô calculus on \mathcal{P}_2 introduces a second-order term in the measure variable. In a stylized form (see Carmona & Delarue, and Cardaliaguet–Delarue–Lasry–Lions), the stationary master equation would add a term of the form

$$\frac{1}{2} \Sigma_{\text{com}} : \iint \partial_{\xi} \partial_{\xi'} \left(D_{-} m U(\xi) \right) \left(D_{-} m U(\xi') \right) m(, \mathrm{d} \xi) \, m(, \mathrm{d} \xi')$$

or, in classical PDE notation, $\frac{1}{2}\text{Tr}\left[\Gamma \partial_{\xi\xi}^2 \delta_{-}mU\right]$ integrated against m, where Γ is the covariance of the common noise. Because this paper conditions on x, these terms are absent in the stationary master equation.

D Appendix D: Tiny Pseudocode (Plain listings)

```
# Inputs:

# params\_omega: parameters for U(k,z,x; m)

# params\_psi: parameters for delta\_m U(xi; k,z,x; m)

# batch: list of tuples (k,z,x, \{xi\setminus_n=(kappa\setminus_n,zeta\setminus_n)\}\setminus_\{n=1\}^N)

# primitives: alpha, delta, mu\setminus_z(z), sigma\setminus_z, mu\setminus_x(x), sigma\setminus_x, r(x),

# demand P(Y) and Pprime(Y), fixed cost f
```

```
# penalties: lambdas for KKT and boundary regularizers
def policy\_from\_grad(p, k, phi\_plus, phi\_minus):
if p >= 1.0:
return (k/phi\_plus)*(p - 1.0)
return (k/phi\_minus)*(p - 1.0)
def reflecting\_penalty(k, i\_star):
\# discourage negative control at k=0 and large negative flux
pen0 = max(0.0, -i\slash_star) if k<=1e-10 else 0.0
return pen0\*\*2
def h\_cost(i, k, phi\_plus, phi\_minus):
if i >= 0.0:
return 0.5*phi\_plus*(i*i)/max(k,1e-12)
return 0.5*phi\mbox{minus}*(i\mbox{i}\mbox{max}(k,1e-12)
def HJB\_operator(k,z,x,Yhat,Uk,Uz,Uzz,Ux,Uxx,i):
q = \exp(x+z)*(k\cdot x-\sinh a)
pi = P(Yhat)*q - i - h\cost(i,k,phi\plus,phi\mbox{minus}) - f
return pi + Uk*(i - delta*k) + mu \setminus z(z)*Uz + 0.5*sigma \setminus z**2 \times Uzz 
def ME\_residual\_for\_tuple(params\_omega, params\_psi, tup):
k,z,x,xi\list = tup.k, tup.z, tup.x, tup.xi\list
\# empirical measure moments
Y\_hat = mean(\[exp(x+xi.zeta)*(xi.kappa\*\*alpha) for xi in xi\_list])
\# U and its partials at (k,z,x)
U, Uk, Uz, Uzz, Ux, Uxx = U\_and\_grads(params\_omega, k,z,x, xi\_list)
\# best response i*
i\_star = policy\_from\_grad(Uk, k, phi\_plus, phi\_minus)
\# HJB maximand at i\*
H\_val = HJB\_operator(k,z,x,Y\_hat,Uk,Uz,Uzz,Ux,Uxx,i\_star)
\# Population terms (measure derivative)
integ = 0.0
for xi in xi\ list:
dU = delta\_mU\_and\_partials(params\_psi, xi, k,z,x, xi\_list)
\# dU returns dict with fields dkappa, dzeta, dzeta2, p\setminus_{R} (proxy gradient)
i\sl = policy\from\grad(dU\['p\k'], xi.kappa, phi\grad, phi\grad, minus)
integ += (i\_star\_xi - delta*xi.kappa)* dU\['dkappa'] 
\+ mu\_z(xi.zeta)\* dU\['dzeta'] 
\+ 0.5*sigma\_z\*\*2 \* dU\['dzeta2']
integ = integ / len(xi\_list)
\# direct price externality
ext = exp(x+z)*(k\*\alpha)\* Y\_hat \* Pprime(Y\_hat)
\# assemble residual
res = r(x)*U - max(H)_val, HJB\_operator(k,z,x,Y\_hat,Uk,Uz,Uzz,Ux,Uxx,0.0)) 
\- integ - ext
\# penalties
pen = reflecting\_penalty(k, i\_star)
```

```
return res, pen

def loss(params\_omega, params\_psi, batch):
    sse = 0.0
    pen = 0.0
    for tup in batch:
    res, p = ME\_residual\_for\_tuple(params\_omega, params\_psi, tup)
    sse += res\*\*2
    pen += p
    return sse/len(batch) + lambda\_bdry\*pen
```

Listing 1: Pseudo-JAX for (ME) residual with empirical measure

References

- [1] Carmona, R. and F. Delarue (2018). Probabilistic Theory of Mean Field Games with Applications. Springer.
- [2] Cardaliaguet, P., F. Delarue, J.-M. Lasry, and P.-L. Lions (2019). The Master Equation and the Convergence Problem in Mean Field Games. Princeton University Press.
- [3] Lasry, J.-M. and P.-L. Lions (2007). Mean field games. Japanese Journal of Mathematics 2(1): 229–260.
- [4] Mou, C.-H. and J. Zhang (various years). Second-order master equations with common noise and displacement monotonicity. (Working papers / journal articles; see also related notes by Gangbo-Mészáros-Mou-Zhang.)
- [5] Zhang, L. (2005). The value premium. Journal of Finance 60(1): 67–103.