OPEN-SOURCE SECURITY FOR INJECTIVE

MATA

Eyes on Injective.

Monitoring Agent for Threat Analysis. An open AI security agent that watches the chain and protects users and AI agents before they sign.



Adzim Ab Aziz · TALEtech, Malaysia · Open source (Apache-2.0)

WHY NOW

The stakes on Injective are rising.

AI agents are arriving

Injective's MCP server, Agent SDK and ERC-8004 registries let AI agents hold funds and sign on their own.

Institutions are arriving

The INJC ETF went live on Nasdaq on Nov 5 and stakes most of its INJ with validators.

Attacks are getting social

In October, $6.3B left Binance after a fake job interview. AI agents can be tricked the same way.

> More value and more autonomy mean security has to be visible to everyone, not only a few.

WHERE MATA FITS

A public layer beside existing protection.

CORE MONITORING	Hypernative	Protects Injective’s core. Seen by the Injective team.
COMPLIANCE	Elliptic	Screens wallets. Seen by exchanges.
OPEN SECURITY LAYER	MATA	Watches native modules, protects users and AI agents. Seen by everyone.

MATA complements these tools. It does not replace them.

WHAT MATA IS

Watch the chain. Protect the user.

Layer 1: Watch

“Is something going wrong on Injective right now?”

Watches insurance funds, settlements, validators and stolen-fund movement, and shows it on a public dashboard.

Layer 2: Protect

“Is it safe for me to sign this?”


Before a user, dApp or AI agent pays, MATA answers ALLOW, WARN or BLOCK, using what Layer 1 learned.



The two halves of the MATA shield are these two layers, with the eye where they meet.

HOW IT WORKS

One engine, many windows.



Rules decide quickly and predictably. AI only explains.

IN ACTION

An AI agent gets tricked. MATA says no.

1 A hidden message tells the agent to send all funds to 0xBAD...

2 Before signing, the agent calls mata_check.

3 MATA knows the address is linked to an attack. **BLOCK.** The money never leaves.

```
// the agent asks before it signs
mata_check({ address: "0xBAD…" })

// MATA replies
{
  verdict: "BLOCK",
  reasons: [
    "counterparty flagged:
     linked to a known attack"
  ]
}
```

This check already runs in the MATA repo as working, tested code.

WHO IT SERVES

Everyone on Injective gets something.

Community

A free public dashboard of chain health and incidents.

Validators

An alert within seconds when they are jailed or slashed.

dApp teams

One-line safety checks and private alerts for their markets.

AI agents

ALLOW, WARN or BLOCK before every payment.

Core team

An open layer beside Hypernative, plus private bug reports.

The new part: today, nobody on Injective protects AI agents before they sign.

WHAT MAKES MATA DIFFERENT

Familiar pieces, a new combination.

Open and public

Anyone can see the alerts and read the code.

Reads native modules

Exchange, insurance fund, oracle and staking, not only EVM.

Built for AI agents

A check agents call through MCP before they sign.

Tied to ERC-8004

Agent trust scores recorded on-chain, so reputation follows the agent.

Monitoring, pre-sign checks and agent identity exist separately elsewhere. MATA brings them together for Injective.

WHAT MATA BRINGS TO INJECTIVE

A complement, not a competitor.

Fills a public gap

An open, independent monitoring layer, at no cost to the core team.

Makes the AI story safe

Injective built MCP and ERC-8004 for agents. MATA protects those agents before they sign.

Supports the ETF story

Open, independent validator monitoring builds confidence for every INJ holder.

Opens doors in Malaysia

Local links to Malaysia’s digital-asset and cyber-security community.

> Open security builds trust for the whole ecosystem.

HOW WE WORK

Built responsibly, from day one.

Signals, never exploits	Replays use on-chain signals, synthetic data or a local fork. No exploit code.
Private disclosure first	Anything unpatched goes to the Injective team privately, before anything is public.
No keys, no custody	MATA never signs or holds funds. It only advises.
Open source	Apache-2.0. Anyone can audit how MATA decides.
Works alongside	Built to complement Hypernative and existing tools, never to replace them.

A security project has to earn trust before it asks for it.

DEMO DAY, DECEMBER 9

Four minutes, four moments.

1

The chain, live

The dashboard streams Injective activity as it happens.

2

An incident, replayed

MATA raises the alert from on-chain signals within seconds.

3

An agent, saved

A tricked AI agent asks MATA first, and the payment is blocked.

4

Trust, on-chain

The agent's safety record is written to ERC-8004.

> Every replay is agreed with the core team before it is shown in public.

ROADMAP

From prototype to public good.

NOW

Working prototype

mata_check runs today, with 10 passing tests.

DEC 1 TO 8

Hacker House

Live chain feed, detectors and the dashboard.

DEC 9

Demo Day

Both layers shown working end to end.

2027

Public on mainnet

A free dashboard for the whole community.

LATER

Teams and partners

Private alerts for dApp teams and wallets.

Free to watch, paid to protect. The public dashboard stays free. Teams that want private alerts and high-volume checks pay for them.

THE BUILDER

Built by someone who ships.

Adzim Ab Aziz

Founder and builder, TALEtech (Malaysia, MD Status)

- A non-custodial multi-chain wallet with USDC payments
- An SME business platform with AI receipt scanning
- A MyDigital ID identity gateway secured with mTLS

What we would value

From the Injective team

- Guidance on streaming native module data
- Feedback on which threats to detect first
- A private channel for security disclosures
- Insight into ERC-8004 validation plans

MATA is my first Injective build, and I intend to keep building here.



MATA

MONITORING AGENT FOR THREAT ANALYSIS

Watch the chain. Protect the user.

github.com/BabahAjimm/mata · matalabs.xyz (planned)