

HEALTHCARE PERFORMANCE METRICS REPORT




Prepared by: Tran Quoc Dat Nguyen

Gmail: dtatnguyen04@gmail.com

Introduction

This health report provides an in-depth analysis of key metrics related to daily physical activity, energy expenditure, and overall well-being. The data collected includes a variety of factors such as step count, energy consumption, sleep patterns, and physical performance indicators like walking speed, distance, and heart rate. Additionally, we explore the influence of headphone audio exposure on daily activity and its potential impact on health.




Summary:

The goal of this report is to provide actionable insights into patterns of physical activity and lifestyle choices, enabling a better understanding of how daily behaviors contribute to overall health. By analyzing this data over time, we aim to identify trends, offer recommendations for improvement, and support healthier decision-making.

Data Analysis and Explanation

Active Energy Corresponding to Step Count


The data shows a peak in activity in December, likely due to the holiday season, and a low point in August, potentially related to summer weather or vacations. While step count dominates overall, "Sum of Average Active Energy" exhibits relative fluctuations, suggesting changes in activity intensity throughout the year.



Walking/ Running Distance Analysis


We grew engagement significantly across all platforms this year compared to last year.

Sum of Average of Walking and Running Distance [km] by Month by Date




The chart illustrates my average walking and running distance in kilometers across each month of the year. A clear downward trend is evident, with September marking my most active month and August showcasing the lowest average distance. This seasonal pattern suggests that my activity levels are significantly influenced by weather conditions. The sharp decline from September to December likely reflects the onset of colder weather, while the sustained low throughout the summer months could be attributed to the heat or increased leisure time.

Step Count Comparison to Walking Speed




This chart illustrates monthly trends in step count and walking speed. While both metrics reach their lowest point in August, they exhibit distinct peaks at other times of the year. Step count peaks in October and February, while walking speed peaks in February and May. The discrepancies between these peaks suggest variations in the type and intensity of activity throughout the year, possibly influenced by seasonal factors.

Walking Speed Correlation To Walk Step Length



This scatter plot clearly demonstrates a strong positive correlation between walking speed and step length. The data points cluster tightly around the trend line, indicating a consistent and predictable relationship where increased speed corresponds to increased step length. This relationship is maintained across the five days of data.

Headphone Audio Exposure Analysis



This line graph illustrates monthly trends in headphone audio exposure. A sharp increase occurs from January to February, followed by a relatively consistent period until April. A mid-year dip is observed in May and June, followed by a peak in August. A sharp decline then occurs into the fall, reaching the lowest point in November, with a slight increase in December. These fluctuations suggest seasonal influences on headphone usage.

Conclusion

The charts reveal several interesting trends:

1. Activity levels exhibit clear seasonal variations, with higher activity in the fall and winter and lower activity in the spring and summer. This suggests that seasonal factors significantly influence

activity patterns.

2. Headphone audio exposure also shows a seasonal pattern, with increased usage in summer and a significant drop in the fall. This suggests that summer activities or routines may involve more headphone use.
3. The strong correlation between walking speed and step length indicates consistent walking mechanics.

Recommendations

1. To maintain activity levels throughout the year, consider exploring indoor activities during colder months and finding ways to stay active during the summer heat.
2. Monitor Headphone Usage: Be mindful of headphone usage duration and volume, especially during periods of increased usage. Consider using noise-canceling headphones to reduce ambient noise levels.
3. Explore Walking Variations: To increase activity variety, explore different walking routines, such as incorporating speed intervals or varying terrain.