

1.

SQL Statement:

```
SELECT COUNT(*) FROM Customers  
WHERE Country = 'Germany';
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

| COUNT(*) |
|----------|
|----------|

| |
|----|
| 11 |
|----|

2.

SQL Statement:

```
SELECT COUNT(*) FROM Customers  
WHERE CustomerName LIKE '%e';
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

| COUNT(*) |
|----------|
|----------|

| |
|----|
| 14 |
|----|

3.

SQL Statement:

```
INSERT INTO Customers
(CustomerName,ContactName,Address,City,PostalCode,Country)
VALUES ('Babekov-QA','Dima','Pechatnikov 1-50','NSK','630057','Russia');
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

You have made changes to the database. Rows affected: 1

SQL Statement:

```
SELECT * FROM Customers
WHERE City = 'NSK';
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

| CustomerID | CustomerName | ContactName | Address | City | PostalCode | Country |
|------------|--------------|-------------|------------------|------|------------|---------|
| 92 | Babekov-QA | Dima | Pechatnikov 1-50 | NSK | 630057 | Russia |

4.

SQL Statement:

```
UPDATE Customers
SET ContactName = 'Dmitriy'
WHERE CustomerName = 'Babekov-QA';
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

You have made changes to the database. Rows affected: 1

SQL Statement:

```
SELECT * FROM Customers
WHERE CustomerName='Babekov-QA';
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

| CustomerID | CustomerName | ContactName | Address | City | PostalCode | Country |
|------------|--------------|-------------|------------------|------|------------|---------|
| 92 | Babekov-QA | Dmitriy | Pechatnikov 1-50 | NSK | 630057 | Russia |

5.

SQL Statement:

```
DELETE FROM Customers  
WHERE City='Nantes';
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

You have made changes to the database. Rows affected: 2

SQL Statement:

```
SELECT * FROM Customers  
WHERE City='Nantes';
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

No result.

6.

SQL Statement:

```
SELECT Orders.OrderID FROM Orders INNER JOIN Employees  
ON Orders.EmployeeID=Employees.EmployeeID  
WHERE Employees.FirstName='Steven'
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 11

| OrderID |
|---------|
| 10248 |
| 10254 |
| 10269 |
| 10297 |
| 10320 |
| 10333 |
| 10358 |
| 10359 |
| 10372 |
| 10378 |
| 10397 |