IRTES
sciences & ingénierie

Institut de Recherche sur les Transports, l'Énergie et la Société

Documentation of the IRTES Theme for Beamer
Macros provided by the theme

Stéphane Galland

Outline

Introduction

- This document explain the LaTeX macros that are provided by the IRTES theme for beamer.
- To use the IRTES theme for beamer, you must:
  1. Install the files of the IRTES theme inside your LaTeX distribution.
  2. Create a document, which uses the document class:
     `irtesbeamer`

Major Features

- Apply the official style for the IRTES institute.
- Add a title slide (with label `titleslide` for `\hyperlink`) as the first slide.
- Add a final slide at the end of the presentation to avoid "black" screen at the end of the presentation.

Class Options (1/2)

The document class `irtesbeamer` supports the following options:

- `english`: the slides are written in English (this is the default).
- `french`: the slides are written in French.
- `nocover`: do not add a slide for the title and the "thanks".
- `thanksslide`: add a slide with the word "Thanks" at the end (this is the default).
- `questionslide`: add a slide with the word "Question" at the end.
- `repeattitleslide`: add the title slide at the end.
- `textnumberstyle`: the frame numbers are output as text. ▸ See example
- `circlenumberstyle`: the frame numbers are output in a circle. ▸ See example
- `sectioncirclenumberstyle`: the frame numbers are output in a circle. ▸ See example

Class Options (2/2)

- `partcirclenumberstyle`: similar to `circlenumberstyle` except that the indicator is reset at the start of each part.
- `partsectioncirclenumberstyle`: similar to `sectioncirclenumberstyle` except that the indicator is reset at the start of each part.
- `eventintitlebar`: on the title slide, the event's name should be put in the title bar.
- `eventbelowauthors`: on the title slide, the event's name should be put below the authors.
- All the options accepted by Beamer.

Title and Subtitle

Title

Use the macro: `\title{title of the document}`

Subitle

Use the macro: `\subtitle{subtitle of the document}`

Authors

- Authors are defined with the macro:
  \author[short]{long}
  - the long list of authors is displayed on the front page. You should separate the names with the macro \and.
  - the short list of authors is displayed inside the foot line of the slides. You must not separate the names with the macro \and.
- Alternatively, you could define the authors with the macros:
  \addauthor[short]{long}
  \addauthor*[short]{long}
  - Add **one** author to the list of the authors.
  - The "starred" version applies some visual indicators to the name. It may be used to indicate the name of the talker for example.

Event Name

Definition of the event name

- You could specify the name of the event for which the slides are written:
  `\event[short]{full}`
- the `full` name is displayed on the front page.
- the `short` name is displayed inside the foot line of the slides.

Insert the event name in your slides

- You could insert the full name of the event with:
  `\inserteventname`
- You could insert the short name of the event with:
  `\insertshorteventname`

Institute Name

- You could change the name of the institute with:
  `\institute[short]{full}`
- the `full` name is displayed on the front page.
- the `short` name is displayed inside the foot line of the slides.
- The default full name is:
  Université de Technologie de Belfort-Montbéliard, 90010 Belfort cedex, France - `http://irtes.utbm.fr`
- The default short name is: IRTES.

Institute URL

- You could change the URL of the institute with: `\instituteurl{url}`
- The default url is: `http://irtes.utbm.fr`
- To insert the institute's URL, you could use the macro: `\insertinstituteurl`

Partner Logo

- You could add on all slides the logo of your partner:
  \partnerlogo[options]{filename}
- The IRTES theme has enough space for only one logo with a width of 2cm.
- The filename is the name of the picture.
- This figure is declared with \pgfdeclareimage with the key "IRTESpartnerlogo".
- The options are passed to \pgfdeclareimage. The default option is width=2cm.

Part Sectioning

- The IRTES theme provides a specific implementation of the
  \part macro:
  \part[options]title
  \part*[options]title
- Options may be:
  - a string value that is the "short" title of the part that is
    appearing in the table of contents.
  - the pair title=text to define the "short" title.
  - the pair author=text to define the author of the part.
- The stared version of \part does not add the part in the
  table of contents.

Table of Contents

- The IRTES theme provides a convenient macro to insert a table of contents:
  `\tableofcontentsslide[options]`
- It is equivalent to:
  `\begin{frame}[c]`
  `\frametitle{\translate{Outline}}`
  `\tableofcontents[options]`
  `\end{frame}`
- The option `onlyparts` permits to display the list of the parts, only.

Picture Slide

The IRTES theme provides a macr othat permits to display a picture on the entire slide:

- `\figureslide[width=XXX,height=YYY]{Title of the slide}{file}`
- Example: `\figureslide{XyZ}{irteslogo}`

A Conclusion Slide

- The IRTES theme automatically adds a slide at the end of the presentation to avoid "black" screen.
- The default text on this slide is: "Thank you for your attention...".
- An other text that is available is: "Questions...".
- The class options `thanksslide` and `questionslide` permits to select one of these possibilities.
- The macro `\finalslidetext{text}` may be used to set the text by hand.
- This slide has the label `finalslide` for `\hyperlink`.

Appendix

- The IRTES theme supports the appendix.
- To create the appendix, you must:
    1. put the macro \appendix in your TeX file; or
    2. put the macro \bibliography in your TeX file.
- All the slides put after the creation of the appendix by one of these methods are assumed to be part of the appendix.
- The slides in the appendix are not considered in the total number of slides for the core part of the document (see \inserttotalcoreframenumber).
- The slide numbers in the appendix are roman (not arabic), and the numbers are reset.

Bibliography

- You are able to include a bibliography in your slides with the two standard LATEX macros:
  `\bibliographystyle{style}`
  `\bibliography{filename}`
- The default style is `apalike`.
- When the macro `\bibliography` is used, the appendix section is started if it was not already done.
- The bibliography slides are always at the end of the document. Even if you put slides after the `\bibliography` macro.
- The first slide of the bibliography has the label `bibliographyslide` for `\hyperlink`.

Library

- You are able to include a list of books in your presentation with the macro:
  `\libraryslide[subtitle or comment]{picture}`
  `{title}{authors}{How published}{ISBN}`
- The macro create a slide for a book.

Colors

The IRTES theme defines the following colors:

- `IRTESblue` : Example
- `IRTESmagenta` : Example
- `IRTESlightblue` : Example
- `IRTESdarkgray` : Example

IRTES
sciences & ingénierie

Alert Boxes

The IRTES theme defines the a box for alerts:

- `\alertbox<frame_spec>{this is an alert text}`

<div style="background:pink;border-radius:8px;padding:1em;text-align:center;color:#c71585;">this is an alert text</div>

- `\alertbox*<frame_spec>{this is an alert text}`

<div style="background:#e8f0f8;border-radius:8px;padding:1em;text-align:center;color:#2a6db5;">this is an alert text</div>

- Note that `<frame_spec>` is optional. It permits to specify the Beamer frame in which the box is displayed.

Enhanced Description

The IRTES theme provides an enhanced definition of the `description` environment.

```
\begin{description}
\item text1
\item[Item Name] text2
\item<frame_spec> text1
\item<frame_spec>[Item Name] text2
\end{description}
```

- text1
- Item Name: text2
-
- Item Name: text2

Enhanced Description

The IRTES theme provides an enhanced definition of the `description` environment.

```
\begin{description}
\item text1
\item[Item Name] text2
\item<frame_spec> text1
\item<frame_spec>[Item Name] text2
\end{description}
```

- text1
- Item Name: text2
- text1
- Item Name: text2

Enhanced Enumeration(1/2)

The IRTES theme provides an enhanced definition of the
enumerate environment.

```
\begin{enumerate}[counter format]
\item text1
\item[Item Name] text2
\item<frame_spec> text1
\item<frame_spec>[Item Name] text2
\end{enumerate}
```

1. text1
2. Item Name: text2
3.
4. Item Name: text2

IRTES
sciences & ingénierie

Enhanced Enumeration(1/2)

The IRTES theme provides an enhanced definition of the enumerate environment.

```
\begin{enumerate}[counter format]
\item text1
\item[Item Name] text2
\item<frame_spec> text1
\item<frame_spec>[Item Name] text2
\end{enumerate}
```

1. text1
2. Item Name: text2
3. text1
4. Item Name: text2

Enhanced Enumeration(2/2)

Below, the optional parameter `counter format` is set to "a)":

a) text1
b) Item Name: text2
c) text1
d) Item Name: text2

Enhanced Enumeration(2/2)

Below, the optional parameter `counter format` is set to `"a)"`:

a) text1
b) Item Name: text2
c) text1
d) Item Name: text2

Text Size

In addition to the standard Beamer macros for selected the text side (\TINY, \Tiny, \tiny, \footnotesize, \scriptisize, \small, \normalsize, \large, \Large, \huge, \Huge), the IRTEs theme enables the following macros:

- \smaller : to decrease the size of the text, and
- \larger : to increase the size of the text.

Underlining

- The IRTES theme redefines the macro `\underline` to move the line closer to the text.
- Before: <u>Example</u>
- After: <u>Example</u>

Additional Symbols

- The IRTES theme (re)defines the macros for several symbols

From IRTES theme		From TₑX	
\copyright	©	\copyright	Ⓒ
\trademark	™	\texttrademark	™
\regmark	®	\textregistered	Ⓡ

Exponents and Indices

- The IRTES theme (re)defines the macros to put text in exponent or in indice.
- The macros `\textup` and `\textdown` try to add a space after the text, when it is allowed by the typographic rules (it uses the macro `\xspace`).

From IRTES theme		From TeX	
`\textup`	ABC^{ABC}D	`\textsuperscript`	ABC^{ABC}D
`\textsubscript`	ABC$_{ABC}$D	-	-
`\textdown`	ABC$_{ABC}$D	-	-

Footnotes

- The IRTES theme provides two versions of the footnote macro:
    - `\footnote{text}` shows a footnote with a number, and
    - `\footnote*{text}` shows a footnote without a number.
- Additionnally, a footnote with bibliography citation may be added:
    - `\footcite{keys}` shows the given citations in a footnote.

Side Notes

- The IRTES theme provides a macro to put a text on the side of the frame
  \sidenode{text}
- Example: \sidenote{text on the side}

text on the side

Localized Quotes

- The IRTES theme provides macros to output localized quotes:

  - English: `\ukquotetext`
    Example: "*text*"
  - French: `\frquotetext`
    Example: « text »
  - Latin: `\latquotetext`
    Example: *text*

- The following macros are used by the quote macros:
  - `\textgravedbl` : ``
  - `\textacutedbl` : ˝
  - `\guillemotleft` : «
  - `\guillemotright` : »

Frame Number

- The total number of slides in the core part of the presentation could be obtained with:
  `\inserttotalcoreframenumber`

- The following macro provides the progression in the slides:
  - `\insertframenumbering[type number]`
  - The `type number` is the identifier of the progress bar to be used:

Type number	Output	Explanation
0		Show the current frame and its position in the total number of frames.
1	32/38	Show the current frame and the total number of frames.
2		Same as the type 0 with a progression bar for the current section.

IRTES
sciences & ingénierie

Multimedia Link

- The IRTES theme provides a convenient macro to include links to multimedia resources.
- `\videolink[options]{resource_path}{img_path}`
  - Display a picture with a link button. When the user click on the picture, the resource is run (viewed).
  - `options` are the options to pass to the `\includegraphics` (width...)
  - `resource_path` is the path to the multimedia resource.
  - `img_path` is the path to the picture to display in the slide.

Link to a Slide from an Picture

- The IRTES theme provides a convenient macro to create links to other slides with a picture in the link.
- `\picturegoto[options]{label}{img_path}`
    - Display a picture with a link button. When the user click on the picture, the slide with the given label is displayed.
    - `options` are the options to pass to the `\includegraphics` (width...)
    - `label` is the label of the target slide.
    - `img_path` is the path to the picture to display in the slide.

Zooming on a TeX Box (1/2)

- Beamer provides the macro `\framezoom` to zoom on a part of a frame. But, it create a new slide and it is difficult to return to the original slide with a single click.
- The IRTES theme provides a new macro for zooming on click.
- `\zoombox[options]{box content}`
  - Display the content of the box. When clicked, display the box content after fitting it to the entire screen. When clicked again, the original slide is restore.
  - `options` are:
    1. `border=XXpt`: specify the size of the border lines around the box.
    2. `left=XXpt`: specify the size of the left margin.
    3. `right=XXpt`: specify the size of the right margin.
    4. `top=XXpt`: specify the size of the top margin.
    5. `bottom=XXpt`: specify the size of the bottom margin.
    6. `margin=XXpt`: specify the size of all of the margins.

> **Caution**
>
> The macro `\zoombox` is working in viewers that are supporting JavaScript (Acrobat Reader...)

ZOOMING EXAMPLE

Adjusting a Box

- The IRTES style provides the macro `\adjustbox` to add margins to a box.
- `\adjustbox[options]{box content}`
- The options are:
  - `left=XXpt` is the size of the left margin.
  - `right=XXpt` is the size of the right margin.
  - `top=XXpt` is the size of the top margin.
  - `bottom=XXpt` is the size of the bottom margin.
  - `size=XXpt` is the size of all of the margins.

Put at absolute position

- If you want to pout something at an absolute position in your frame, you could use:
  `\putat(x,y){something}`
- Example:
  `\putat(0,-150){\color{red}{TESTING}}`

TESTING