


Home Work 1

Ping 20.0.0.2



```
C:\WINDOWS\system32\cmd.exe
(C) Copyright 1985-2001 Microsoft Corp.



C:\Documents and Settings\user>route print

Interface List
0x1 ..... MS TCP Loopback interface
0x2 ..50 cf cb 01 aa 00 ..... Intel(R) PRO/1000 MT Network Connection - Packet Scheduler Miniport

Active Routes:
    Network  Destination      Netmask          Gateway           Interface        Metric
    0.0.0.0           0.0.0.0          0.0.0.0          10.0.0.1          10.0.0.10         10
    10.0.0.0          255.0.0.0        10.0.0.10        10.0.0.10         10.0.0.10         10
    10.0.0.10         255.255.255.255  127.0.0.1        127.0.0.1         127.0.0.1         1
    10.255.255.255    255.255.255.255  10.0.0.10        10.0.0.10         10.0.0.10         10
    127.0.0.0         255.0.0.0        127.0.0.1        127.0.0.1         127.0.0.1         1
    224.0.0.0         240.0.0.0        10.0.0.10        10.0.0.10         10.0.0.10         10
    255.255.255.255  255.255.255.255  10.0.0.10        10.0.0.10         10.0.0.10         1
Default Gateway: 10.0.0.1

Persistent Routes:
None

C:\Documents and Settings\user>
```



```
R2#
R2#
R2#sh ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
        D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
        N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
        E1 - OSPF external type 1, E2 - OSPF external type 2
        i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
        ia - IS-IS inter area, * - candidate default, U - per-user static route
        o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
        a - application route
        + - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

    20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C       20.0.0.0/8 is directly connected, Ethernet0/0
L       20.0.0.2/32 is directly connected, Ethernet0/0
    30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C       30.0.0.0/8 is directly connected, Ethernet0/1
L       30.0.0.1/32 is directly connected, Ethernet0/1
R2#
```

```
R3#
R3#
*Aug 22 14:06:32.533: %SYS-5-CONFIG_I: Configured from console by console
R3#
R3#sh ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
        D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
        N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
        E1 - OSPF external type 1, E2 - OSPF external type 2
        i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
        ia - IS-IS inter area, * - candidate default, U - per-user static route
        o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
        a - application route
        + - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

    30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C       30.0.0.0/8 is directly connected, Ethernet0/1
L       30.0.0.2/32 is directly connected, Ethernet0/1
    40.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C       40.0.0.0/8 is directly connected, Ethernet0/0
L       40.0.0.1/32 is directly connected, Ethernet0/0
R3#
```

