

This plugin allows you to include PHP in your content items.

Keep in mind: allowing to include PHP-Code can be a security problem when you not do it in restricted way. Use for the scripts a directory nobody can upload files and if you have a bunch of authors restrict execution to some articles.

This plugin allows to add PHP-Code to articles or modules. The PHP-script-files should be located under the Joomla! root-directory and you should disable the "Print" and "Email to a friend" links.

Execution can be restricted to articles and/or modules. For articles you can also configure for which articles the script should be executed. Further more you can set the base directory and the relativ path to the file will then be calculated on this base.

Usage:

```
{babioonaddphp file=rel_path_to_the_file_with_filename}
```

Example:

Joomla installation directory: /var/www/joomla

PHP-Files are in: /var/www/joomla/myphpfiles

Filename: my_file.php

```
{babioonaddphp file=myphpfiles/my_file.php}
```

Plugin Configuration

 **Plugins: Content - BabioonAddPHP**

Plugin

Configuration for Articles

Configuration for Modules

Content - BabioonAddPHP

content / babioonaddphp

Allows parsing a php script within an article or a custom HTML module

Usage: {babioonaddphp file=myfiledir/myfile.php}


with:

- * myfiledir is a path relative to the Joomla-Root or the directory set below
- * myfile.php is a php-file within the directory myfiledir

Search-Tag

Folder for Scripts

You have to create a folder within the Joomla-Root-Directory, all normal Joomla-Directories are excluded from the list.

 Plugins: Content - BaboonAddPHP

Save

Save & Close

Close

Plugin

Configuration for Articles

Configuration for Modules

Event for running

☐ Do not run

☒ OnContentPrepare

☐ OnContentBeforeDisplay

Access Rule

☒ deny

☐ allow

Article list

Event for running

Do not run disables executing for articles at all. Both events work in the same way the difference is that **OnContentPrepare** is executed a bit sooner then **onContentBeforeDisplay**.

Access Rule


If you chose **deny** then the listed articles are excluded from the execution of the script and for **allow** the execution only runs on these articles.


Article List

Comma separated list of article ids like 23,45,66



Plugins: Content - BabioonAddPHP

 Save

 Save & Close

 Close

Plugin

Configuration for Articles

Configuration for Modules

Run on Modules

☐ No

☒ Yes