



SHIVA TEST HOUSE

(Serving since 1988)

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MOEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. STH/TR/22-23/7067		Dt: 17.03.2023		Your Work Order No. 8917		Dt: 17.01.2021	
[a] Name and address of the Customer			Chief General Manager M/s Harinagar Sugar Mills P.O.: Harinagar W. CHAMPARAN – 845 103				
[b] Details of Sample			Untreated Effluent sample				
[c] Sample Collected by			SHIVA TEST HOUSE on 05.03.23				
[d] Sampling Location			From SRS Inlet				
[e] Method of Sampling			IS 3025, APHA				
[f] Sampling Environmental Condition			Temp. (°C)	28	Humidity (%)	69	
[g] No. & Type of Container			Plastic Bottle				
[h] Sample Quantity			2 Litres				
[i] Sample Code			E-7067				
[j] Sample Condition on Receipt			Fit for Analysis				
[k] Items required to be tested			As per contract				
[l] Whether any specific Method of Test has been suggested by the party			No				
[m] Date of receiving the sample in Laboratory			06.03.23				
[n] Analysis Start Date / Analysis Completion Date			06.03.23 / 07.03.23				
Sl. No.	Parameters	Unit	Method of Test	Limit as per E (P) Rules Schedule VI	Result		
1.	Sulphate as SO ₄	mg/l	IS 3025 (Part-24)	Not Specified	1104.0		



SHIBESHWAR PRASAD
Digitally signed by SHIBESHWAR PRASAD
Date: 2023.03.17
11:36:12 +05'30'

Verified by :
Technical Manager

Shreyasee Prasad
Digitally signed by Shreyasee Prasad
Date: 2023.03.17
11:56:34 +05'30'
Authorized Signatory
Quality Manager

-- END OF TEST REPORT --

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.

Contact us : 122-C, Aastha, Road No. 5A, Patliputra Colony, Patna – 800 013 (Bihar)

Mob.: +918676886249 ; +919431047908

Email : sthpatna1@yahoo.co.in ; info@shivatest.com

Website : www.shivatest.com ; www.shivatesthouse.com





SHIVA TEST HOUSE

(Serving since 1988)

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MOEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. STH/TR/22-23/7068		Dt: 17.03.2023		Your Work Order No. 8917		Dt: 17.01.2021	
[a]	Name and address of the Customer			Chief General Manager M/s Harinagar Sugar Mills P.O.: Harinagar W. CHAMPARAN – 845 103			
[b]	Details of Sample			Treated Effluent sample			
[c]	Sample Collected by			SHIVA TEST HOUSE on 05.03.23			
[d]	Sampling Location			From SRS Outlet			
[e]	Method of Sampling			IS 3025, APHA			
[f]	Sampling Environmental Condition			Temp. (°C)	28	Humidity (%)	69
[g]	No. & Type of Container			Plastic Bottle			
[h]	Sample Quantity			2 Litres			
[i]	Sample Code			E-7068			
[j]	Sample Condition on Receipt			Fit for Analysis			
[k]	Items required to be tested			As per contract			
[l]	Whether any specific Method of Test has been suggested by the party			No			
[m]	Date of receiving the sample in Laboratory			06.03.23			
[n]	Analysis Start Date / Analysis Completion Date			06.03.23 / 07.03.23			
Sl. No.	Parameters	Unit	Method of Test	Limit as per E (P) Rules Schedule VI	Result		
1.	Sulphate as SO ₄	mg/l	IS 3025 (Part-24)	Not Specified	51.6		



SHIBESHWAR PRASAD
Digitally signed by SHIBESHWAR PRASAD
Date: 2023.03.17 11:36:29 +05'30'

Verified by :
Technical Manager

Shreyasee Prasad
Digitally signed by Shreyasee Prasad
Date: 2023.03.17 11:56:49 +05'30'
Authorized Signatory
Quality Manager

-- END OF TEST REPORT --

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.

Contact us : 122-C, Aastha, Road No. 5A, Patliputra Colony, Patna – 800 013 (Bihar)

Mob.: +918676886249 ; +919431047908

Email : sthpatna1@yahoo.co.in ; info@shivatesthouse.com

Website : www.shivatest.com ; www.shivatesthouse.com





SHIVA TEST HOUSE

(Serving since 1988)

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MoEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. STH/TR/22-23/6286		Dt: 22.02.2023		Your Work Order No. 8917		Dt : 17.01.2021	
[a] Name and address of the Customer				Chief General Manager M/s Harinagar Sugar Mills P.O.: Harinagar W. CHAMPARAN – 845 103			
[b] Details of Sample				Untreated Effluent sample			
[c] Sample Collected by				SHIVA TEST HOUSE on 11.02.23			
[d] Sampling Location				From SRS Inlet			
[e] Method of Sampling				IS 3025, APHA			
[f] Sampling Environmental Condition				Temp. (°C)	24	Humidity (%)	68
[g] No. & Type of Container				Plastic Bottle			
[h] Sample Quantity				2 Litres			
[i] Sample Code				E-6286			
[j] Sample Condition on Receipt				Fit for Analysis			
[k] Items required to be tested				As per contract			
[l] Whether any specific Method of Test has been suggested by the party				No			
[m] Date of receiving the sample in Laboratory				13.02.23			
[n] Analysis Start Date / Analysis Completion Date				13.02.23 / 14.02.23			
Sl. No.	Parameters	Unit	Method of Test		Limit as per E (P) Rules Schedule VI		Result
1.	Sulphate as SO ₄	mg/l	IS 3025 (Part-24)		Not Specified		1044.0



SHIBESHWAR PRASAD
Digitally signed by SHIBESHWAR PRASAD
Date: 2023.02.22
11:28:00 +05'30'

Verified by :
Technical Manager

Shreyasee Prasad
Digitally signed by Shreyasee Prasad
Date: 2023.02.22
11:56:03 +05'30'

Authorized Signatory
Quality Manager

— END OF TEST REPORT —

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.

Contact us : 122-C, Aastha, Road No. 5A, Patliputra Colony, Patna – 800 013 (Bihar)
Mob. : +918676886249 ; +919431047908 Email : sthpatal1@yahoo.co.in ; info@shivatest.com
Website : www.shivatest.com ; www.shivatesthouse.com





SHIVA TEST HOUSE

(Serving since 1988)

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MoEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. STH/TR/22-23/6287	Dt: 22.02.2023	Your Work Order No. 8917	Dt: 17.01.2021		
[a] Name and address of the Customer	Chief General Manager M/s Harinagar Sugar Mills P.O.: Harinagar W. CHAMPARAN – 845 103				
[b] Details of Sample	Treated Effluent sample				
[c] Sample Collected by	SHIVA TEST HOUSE on 11.02.23				
[d] Sampling Location	From SRS Outlet				
[e] Method of Sampling	IS 3025, APHA				
[f] Sampling Environmental Condition	Temp. (°C)	24	Humidity (%) 68		
[g] No. & Type of Container	Plastic Bottle				
[h] Sample Quantity	2 Litres				
[i] Sample Code	E-6287				
[j] Sample Condition on Receipt	Fit for Analysis				
[k] Items required to be tested	As per contract				
[l] Whether any specific Method of Test has been suggested by the party	No				
[m] Date of receiving the sample in Laboratory	13.02.23				
[n] Analysis Start Date / Analysis Completion Date	13.02.23 / 14.02.23				
Sl. No.	Parameters	Unit	Method of Test	Limit as per E (P) Rules Schedule VI	Result
1.	Sulphate as SO ₄	mg/l	IS 3025 (Part-24)	Not Specified	48.8



SHIBESHWAR PRASAD

Digitally signed by
SHIBESHWAR PRASAD
Date: 2023.02.22
11:28:14 +05'30'

Verified by :
Technical Manager

Shreyasee Prasad

Digitally signed by
Shreyasee Prasad
Date: 2023.02.22
11:56:20 +05'30'
Authorized Signatory
Quality Manager

– END OF TEST REPORT –

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.

Contact us : 122-C, Aastha, Road No. 5A, Patliputra Colony, Patna – 800 013 (Bihar)

Mob.: +918676886249 ; +919431047908

Email : shipatna@yahoo.co.in ; info@shivatest.com

Website : www.shivatest.com ; www.shivatesthouse.com





SHIVA TEST HOUSE

(Serving since 1988)

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MoEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. <i>STH/TR/22-23/5501</i>		Dt: <i>21.01.2023</i>		Your Work Order No. 8917		Dt : <i>17.01.2021</i>	
[a] Name and address of the Customer				Chief General Manager M/s Harinagar Sugar Mills P.O.: Harinagar W. CHAMPARAN – 845 103			
[b] Details of Sample				Untreated Effluent sample			
[c] Sample Collected by				SHIVA TEST HOUSE on 15.01.23			
[d] Sampling Location				From SRS Inlet			
[e] Method of Sampling				IS 3025, APHA			
[f] Sampling Environmental Condition				Temp. (°C)	17	Humidity (%)	70
[g] No. & Type of Container				Plastic Bottle			
[h] Sample Quantity				2 Litres			
[i] Sample Code				E-5501			
[j] Sample Condition on Receipt				Fit for Analysis			
[k] Items required to be tested				As per contract			
[l] Whether any specific Method of Test has been suggested by the party				No			
[m] Date of receiving the sample in Laboratory				16.01.23			
[n] Analysis Start Date / Analysis Completion Date				16.01.23 / 18.01.23			
Sl. No.	Parameters	Unit	Method of Test		Limit as per E (P) Rules Schedule VI		Result
1.	Sulphate as SO ₄	mg/l	IS 3025 (Part-24)		Not Specified		970.0

SHIBESHWAR PRASAD

Digitally signed by
SHIBESHWAR PRASAD
Date: 2023.01.21
11:28:09 +05'30'

Verified by :
Technical Manager



Shreyasee Prasad

Digitally signed by
Shreyasee Prasad
Date: 2023.01.21
11:32:45 +05'30'
Authorized Signatory
Quality Manager

– END OF TEST REPORT –

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.

Contact us : 122-C, Aastha, Road No. 5A, Patliputra Colony, Patna – 800 013 (Bihar)
Mob.: +918676886249 ; +919431047908 Email : sthpटना1@yahoo.com ; info@shivatest.com
Website : www.shivatest.com ; www.shivatesthouse.com





SHIVA TEST HOUSE

(Serving since 1988)

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MoEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. STH/TR/22-23/5502	Dt: 21.01.2023	Your Work Order No. 8917	Dt: 17.01.2021		
[a] Name and address of the Customer	Chief General Manager M/s Harinagar Sugar Mills P.O.: Harinagar W. CHAMPARAN – 845 103				
[b] Details of Sample	<i>Treated Effluent sample</i>				
[c] Sample Collected by	SHIVA TEST HOUSE on 15.01.23				
[d] Sampling Location	<i>From SRS Outlet</i>				
[e] Method of Sampling	IS 3025, APHA				
[f] Sampling Environmental Condition	Temp. (°C)	17	Humidity (%) 70		
[g] No. & Type of Container	Plastic Bottle				
[h] Sample Quantity	2 Litres				
[i] Sample Code	E-5502				
[j] Sample Condition on Receipt	Fit for Analysis				
[k] Items required to be tested	As per contract				
[l] Whether any specific Method of Test has been suggested by the party	No				
[m] Date of receiving the sample in Laboratory	16.01.23				
[n] Analysis Start Date / Analysis Completion Date	16.01.23 / 18.01.23				
Sl. No.	Parameters	Unit	Method of Test	Limit as per E (P) Rules Schedule VI	Result
1.	Sulphate as SO ₄	mg/l	IS 3025 (Part-24)	Not Specified	53.2

SHIBESHWAR PRASAD
 Digitally signed by SHIBESHWAR PRASAD
 Date: 2023.01.21 11:28:27 +05'30'

Verified by :
 Technical Manager



Shreyasee Prasad
 Digitally signed by Shreyasee Prasad
 Date: 2023.01.21 11:33:02 +05'30'

Authorized Signatory
 Quality Manager

– END OF TEST REPORT –

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.

Contact us : 122-C, Aastha, Road No. 5A, Patliputra Colony, Patna – 800 013 (Bihar)
 Mob.: +918676886249 ; +919431047908 Email : sthpatna1@yahoo.co.in ; info@shivatest.com
 Website : www.shivatest.com ; www.shivatesthouse.com





SHIVA TEST HOUSE

(Serving since 1988)



TC-10582

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MoEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. <i>STH/TR/22-23/4983</i>		Dt: <i>06.01.2023</i>		Your Work Order No. <i>8917</i>		Dt: <i>17.01.2021</i>		
[a]	Name and address of the Customer			Chief General Manager M/s Harinagar Sugar Mills P.O.: Harinagar W. CHAMPARAN – 845 103				
[b]	Details of Sample			Untreated Effluent sample				
[c]	Sample Collected by			SHIVA TEST HOUSE on 25.12.22				
[d]	Sampling Location			From SRS Inlet				
[e]	Method of Sampling			IS 3025, APHA				
[f]	Sampling Environmental Condition			Temp. (°C)	19	Humidity (%)	64	
[g]	No. & Type of Container			Plastic Bottle				
[h]	Sample Quantity			2 Litres				
[i]	Sample Code			E-4983				
[j]	Sample Condition on Receipt			Fit for Analysis				
[k]	Items required to be tested			As per contract				
[l]	Whether any specific Method of Test has been suggested by the party			No				
[m]	Date of receiving the sample in Laboratory			26.12.22				
[n]	Analysis Start Date / Analysis Completion Date			26.12.22 / 27.12.22				
Sl. No.	Parameters	Unit	Method of Test		Limit as per Rules Schedule VI		E (P)	Result
1.	Sulphate as SO ₄	mg/l	IS 3025 (Part-24)		Not Specified			602.0

SHIBESHWAR PRASAD
Digitally signed by SHIBESHWAR PRASAD
Date: 2023.01.06
14:23:09 +05'30'

Verified by :
Technical Manager

Shreyasee Prasad
Digitally signed by Shreyasee Prasad
Date: 2023.01.06
14:26:54 +05'30'
Authorized Signatory
Quality Manager

– END OF TEST REPORT –

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.

Contact us : 122-C, Aastha, Road No. 5A, Patliputra Colony, Patna – 800 013 (Bihar)

Mob.: +918676886249 ; +919431047908

Email : sthpainal@yahoo.co.in ; info@shivatest.com

Website : www.shivatest.com ; www.shivatesthouse.com





SHIVA TEST HOUSE

(Serving since 1988)



TC-10582

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MoEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. STH/TR/22-23/4984		Dt: 06.01.2023		Your Work Order No. 8917		Dt: 17.01.2021	
[a]	Name and address of the Customer			Chief General Manager M/s Harinagar Sugar Mills P.O.: Harinagar W. CHAMPARAN – 845 103			
[b]	Details of Sample			<i>Treated Effluent sample</i>			
[c]	Sample Collected by			SHIVA TEST HOUSE on 25.12.22			
[d]	Sampling Location			From SRS Outlet			
[e]	Method of Sampling			IS 3025, APHA			
[f]	Sampling Environmental Condition			Temp. (°C)	19	Humidity (%)	64
[g]	No. & Type of Container			Plastic Bottle			
[h]	Sample Quantity			2 Litres			
[i]	Sample Code			E-4984			
[j]	Sample Condition on Receipt			Fit for Analysis			
[k]	Items required to be tested			As per contract			
[l]	Whether any specific Method of Test has been suggested by the party			No			
[m]	Date of receiving the sample in Laboratory			26.12.22			
[n]	Analysis Start Date / Analysis Completion Date			26.12.22 / 27.12.22			
Sl. No.	Parameters	Unit	Method of Test		Limit as per E (P) Rules Schedule VI		Result
1.	Sulphate as SO ₄	mg/l	IS 3025 (Part-24)		Not Specified		48.8

SHIBESHWAR PRASAD

Digitally signed by
SHIBESHWAR PRASAD
Date: 2023.01.06
14:23:22 +05'30'

Verified by :
Technical Manager

Shreyasee Prasad

Digitally signed by
Shreyasee Prasad
Date: 2023.01.06
14:27:13 +05'30'

Authorized Signatory
Quality Manager

– END OF TEST REPORT –

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.

Contact us : 122-C, Aastha, Road No. 5A, Patliputra Colony, Patna – 800 013 (Bihar)

Mob.: +918676886249 ; +919431047908

Email : shpatnal@yahoo.co.in ; info@shivatest.com

Website : www.shivatest.com ; www.shivatesthouse.com



Page 1 of 1





SHIVA TEST HOUSE

(Serving since 1988)

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MoEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. <i>STH/TR/22-23/4092</i>		Dt: <i>08.12.2022</i>		Your Work Order No. <i>8917</i>		Dt: <i>17.01.2021</i>	
[a] Name and address of the Customer				Chief General Manager M/s Harinagar Sugar Mills P.O.: Harinagar W. CHAMPARAN – 845 103			
[b] Details of Sample				Untreated Effluent sample			
[c] Sample Collected by				SHIVA TEST HOUSE on 20.11.22			
[d] Sampling Location				SRS Inlet			
[e] Method of Sampling				IS 3025, APHA			
[f] Sampling Environmental Condition				Temp. (°C)	28	Humidity (%)	69
[g] No. & Type of Container				Plastic Bottle			
[h] Sample Quantity				2 Litres			
[i] Sample Code				E-4092			
[j] Sample Condition on Receipt				Fit for Analysis			
[k] Items required to be tested				As per contract			
[l] Whether any specific Method of Test has been suggested by the party				No			
[m] Date of receiving the sample in Laboratory				21.11.22			
[n] Analysis Start Date / Analysis Completion Date				21.11.22 / 23.11.22			
Sl. No.	Parameters	Unit	Method of Test		Limit as per E (P) Rules Schedule VI		Result
1.	Sulphate as SO ₄	mg/l	IS 3025 (Part-24)		Not Specified		428.4

SHIBESHWAR PRASAD
Digitally signed by SHIBESHWAR PRASAD
Date: 2022.12.17
11:12:11 +05'30'

Verified by :
Technical Manager

Shreyasee Prasad
Digitally signed by Shreyasee Prasad
Date: 2022.12.17
11:19:29 +05'30'
Authorized Signatory
Quality Manager

-- END OF TEST REPORT --

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.

Contact us : 122-C, Aastha, Road No. 5A, Patliputra Colony, Patna – 800 013 (Bihar)

Mob.: +918676886249 ; +919431047908

Email : sthpatna1@yahoo.co.in ; info@shivatest.com

Website : www.shivatest.com ; www.shivatesthouse.com





SHIVA TEST HOUSE

(Serving since 1988)

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MoEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. <i>STH/TR/22-23/4093</i>		Dt: <i>08.12.2022</i>		Your Work Order No. <i>8917</i>		Dt: <i>17.01.2021</i>	
[a] Name and address of the Customer			Chief General Manager M/s Harinagar Sugar Mills P.O.: Harinagar W. CHAMPARAN – 845 103				
[b] Details of Sample			Treated Effluent sample				
[c] Sample Collected by			SHIVA TEST HOUSE on 20.11.22				
[d] Sampling Location			SRS Outlet				
[e] Method of Sampling			IS 3025, APHA				
[f] Sampling Environmental Condition			Temp. (°C)	28	Humidity (%)	69	
[g] No. & Type of Container			Plastic Bottle				
[h] Sample Quantity			2 Litres				
[i] Sample Code			E-4093				
[j] Sample Condition on Receipt			Fit for Analysis				
[k] Items required to be tested			As per contract				
[l] Whether any specific Method of Test has been suggested by the party			No				
[m] Date of receiving the sample in Laboratory			21.11.22				
[n] Analysis Start Date / Analysis Completion Date			21.11.22 / 23.11.22				
Sl. No.	Parameters	Unit	Method of Test		Limit as per E (P) Rules Schedule VI		Result
1.	Sulphate as SO ₄	mg/l	IS 3025 (Part-24)		Not Specified		29.4

SHIBESHWAR PRASAD
Digitally signed by SHIBESHWAR PRASAD
Date: 2022.12.17
11:12:25 +05'30'

Verified by :
Technical Manager

Shreyasee Prasad
Digitally signed by Shreyasee Prasad
Date: 2022.12.17
11:19:47 +05'30'
Authorized Signatory
Quality Manager

– END OF TEST REPORT –

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.

Contact us : 122-C, Aastha, Road No. 5A, Patliputra Colony, Patna – 800 013 (Bihar)

Mob.: +918676886249 ; +919431047908

Email : shibpatna1@yahoo.co.in ; info@shivatest.com

Website : www.shivatest.com ; www.shivatesthouse.com

