Homework #6

(Due date: 02 November 2023)

Objective:

Learn to use if/else and switch statements to do decision making,

then combine with for and while loops to perform some operations.

6.1

A circular prime is a prime number that remains prime as each leftmost digit (most significant digit), in turn, is moved to the right hand side. For instance, the number 19937 is a circular prime, since all numbers in the sequence 19937, 99371, 93719, 37199 and 71993 are prime numbers.

Write a program let the user input a range [i, j], computes the number of circular primes in that range. All integers will be less than 200,000 and greater or equal to 10. You can assume that in any pair i is lesser or equal than j.

input:

10 10

10 1000

10 200000

Output:

```
Please input a range[i, j]: 10 10
No Circular Primes.

Please input a range[i, j]: 10 1000
21 Circular Primes.

Please input a range[i, j]: 10 200000
41 Circular Primes.
```

6.2

Write a program let the user input a pair of integers (m,n), determine whether m is the power of n.

Input:

00

02

2 2

162

243 9

2433

Output:

```
Please input a pair of integers (m,n): 0 0
Wrong input, input again!

Please input a pair of integers (m,n): 0 2
0 is not the power of any number, input again.

Please input a pair of integers (m,n): 2 2
2 is the power of 2.

Please input a pair of integers (m,n): 16 2
16 is the power of 2.

Please input a pair of integers (m,n): 243 9
243 is not the power of 9.

Please input a pair of integers (m,n): 243 3
243 is the power of 3.
```

Please note:: users of visual studio add the following code to your program's beginning

2 #pragma warning(disable:4996)

繳交格式及規定:

程式重點地方請加註解,給分也會酌量參考註解。

請繳交 .c 檔即可。

c 檔的檔名一律統一,以學號為檔名壓縮成一個以學號為名的壓縮檔上傳,

上傳請一律繳交壓縮檔。

Example:

若學號為 B123456789, 則.c/.cpp 檔名為 B123456789.c,

而壓縮檔名為 B123456789.rar。

繳交期限 2023.11.02 (四) 09:00 分之前,逾期一律不收,

無輸入輸出及逾期者一律以 0 分計算。

作業請上傳中山網路大學 網大上傳方式:

1. 點選要繳交的作業,選擇「進行作業」。



2. 依照流程上傳檔案。

