



**CHEMICAL & HAZARDOUS WASTE MANAGEMENT SECTION**  
**COMPLIANCE INSPECTION REPORT FOR HAZARDOUS WASTE GENERATORS**

Report Control Number: **HWG-43** T.O. : **TABLE MONITORING**  
Date of Inspection: **02/07/2022**

**1. GENERAL INFORMATION**

|                                |   |  |
|--------------------------------|---|--|
| Name of Establishment:         | <b>GLOBE CELL SITE-BALANGIGA</b>              |  |
| Address:                       | <b>06 Poblacion, Balangiga, Eastern Samar</b> | Geo Coordinates: <b>11.106956 125.400758</b> |
| Nature of Business:            |   |  |
| PSIC Code: <b>64210</b>        | Product: <b>TELECOMMUNICATIONS</b>            | Year Established:                            |
| Operating Hours/day: <b>24</b> | Operating days/week: <b>7</b>                 | Operating days/year: <b>365</b>              |

|                        |  |   |
|------------------------|--|---|
| Product Lines          | Production Rate as declared in the ECC<br>(unit/day) | Actual Production Rate (Unit / day)   |
|                        |  |   |
|                        |  |   |
| Name of Managing Head: | <b>ELIZABETH S. TOLENTINO</b>                        |   |
| Name of PCO:           | <b>ENGR. IJEROME F. OPTINA</b>                       |   |
| PCO Accreditation:     | <b>2016-RVIII-0036</b>                               | Date of Effectivity: <b>04/6/2016</b>                                       |
| Phone Fax:             | <b>09276992646</b>                                   | Email add:<br><b>globepermitting1552@gmail.com/estolentino@globe.com.ph</b> |

**2. PURPOSE OF INSPECTION**

|  |                               |                |
|--|-------------------------------|----------------|
| Verify accuracy of information submitted by the establishment pertaining to new permit applications, renewals, or modification |                               |                |
| PMPIN Application  | <b>New</b>                    | <b>Renewal</b> |
| Hazardous Waste ID Registration  |                               |                |
| hazardous Waste Transporter Registration   |                               |                |
| Hazardous Waste TSD Registration   |                               |                |
| Permit to Operate Air Pollution Control Installation   |                               |                |
| Discharge Permit   |                               |                |
| Others   |                               |                |
| Determine compliance status with environmental regulations, permit conditions, and other requirements                          |                               |                |
| Investigate community complaints   |                               |                |
| Check status of voluntary commitment   |                               |                |
| Industrial EcoWatch  |                               |                |
| Philippine Environmental Partnership Program (PEPP)  |                               |                |
| Pollution Adjudication Board (PAB)   |                               |                |
| / Others : Healthcare Waste Compliance Monitoring  |                               |                |
| Name of Contact Person   | <b>ENGR. JEROME F. OPTINA</b> |                |
| Position / Designation   | <b>PCO</b>                    |                |

**3. COMPLIANCE STATUS**

**3.1 DENR permits/Licenses/Clearances**

| Environmental Law | Permits      |                    | Date of Issue | Expiry Date |
|-------------------|--------------|--------------------|---------------|-------------|
| PD 1586           | ECC 1        | ECC-08-040722-0135 | 02/07/2004    |             |
|                   | ECC 2        |                    |               |             |
|                   | ECC 3        |                    |               |             |
| RA 6969           | DENR ID      | GR-R8-26-00033     | 01/08/2017    |             |
|                   | PCL Cert.    |                    |               |             |
|                   | CCO Registry |                    |               |             |
|                   | PTT          |                    |               |             |
| RA 8749           | PO No.       | POA-18-A-0826-0010 | 01/07/2018    | 01/07/2023  |
| RA 9003           | ECC SLF      |                    |               |             |
| RA 9275           | DP No.       |                    |               |             |



| I. GENERAL HAZWASTE GENERATOR INFORMATION*                                |   |                |               |       |   |
|---|---|----------------|---------------|-------|---|
| Hazwaste Generator ID:  | GR-R8-26-00033  | Date of Issue: | AUG. 01, 2017 |       |   |
| Types of Hazardous Wastes Generated based on the Generator's Registration |   |                |               |       |   |
| Waste Generating Process  | Type of Hazardous Waste   | Quantity       | Unit          |       |   |
| I101  | USED OIL  | 0.00019        | ton           |       |   |
|   |   |                |               |       |   |
| * To be accomplished prior to site inspection                             |   |                |               |       |   |
| Legal Reference<br>Revised DAO 2013-22                                    | Compliance Requirement  | Compliant?     |               |       | Remarks   |
|   |   | Y              | N             | N/A   |   |
| II. REGISTRATION / PERMIT REQUIREMENTS                                    |   |                |               |       |   |
| Chapter 3.3   | Is the establishment registered with EMB-DENR as a Hazardous Waste Generator?   | √              |               |       |   |
|   | Has the establishment paid the Application fee?   |                |               | √     |   |
|   | DENR ID No. : ____  | √              |               |       |   |
|   | Category: Large ____ Small ____ / ____  |                |               |       |   |
| Chapter 3.3(a)  | Has the establishment designated a Pollution Control Officer (PCO)?   |                |               |       |   |
|   | Name of PCO: <u>JEROME F. OPTINA</u>  | √              |               |       |   |
|   | PCO Accreditation No.: <u>2016-RVIII-0036</u>   |                | √             |       | Issued on April 6, 2016                                       |
| Chapter 3.3(b)  | Is the establishment registered online?   |                | √             |       |   |
| Chapter 3.3(c)  | Does the establishment have a permit to construct or operate hazardous waste TSD premise? (If yes, accomplish Compliance Inspection Checklist for TSD facilities)         |                |               | √     |   |
|   | Has the establishment submitted the Hazardous Waste Management Module of the SMR?   | √              |               |       | 1st Q-4/5/21; 2nd Q-7/5/21; 3rd Q-10/14/21; and 4th Q-1/15/22 |
| Chapter 3.3(c)  | Has the establishment submitted the Hazardous Waste Generators Quarterly Report Form? (Quarterly for Large, Annual for Small)   |                |               | √     |   |
| III. HAZARDOUS WASTE MANAGEMENT (Chapter 3.5)                             |   |                |               |       |   |
| Chapter 3.3 (d)   | Does the establishment comply with the Hazardous Waste Storage and Transport Requirements?  |                | √             |       | No schedule for transport yet                                 |
| Chapter 3.3 (f)   | Does the establishment comply with the Hazardous Waste Storage Transport Manifest System?   |                | √             |       |   |
| Chapter 3.3 (h)   | Does the establishment communicate the hazards posed by improper handling, storage, transpoer and use of hazardous wastes <sup>1</sup> and their containers to employees? |                | √             |       |   |
| III-A. Storage Requirements   |   |                |               |       |   |
| Chapter 6.1.1   | Are the establishment's storage facilities:   |                |               | N / A |   |
| Chapter 6.1.1 (a)   | Accesible in cases of emergency and for purposes of inspection and monitoring?  |                |               | √     |   |
| Chapter 6.1.1 (b)   | Enclosed but adequately entilated?  |                |               | √     |   |
| Chapter 6.1.1(c)  | Equipped with floors that are impermeable to liquids and resistant to attack by cemicals not slippery, and constructed to retain spillages?                               |                |               | √     |   |



|                                      |   |  |  |       |  |
|--------------------------------------|---|--|--|-------|--|
| Chapter 6.1.1(c)                     | Equipped with floors that are impermeable to liquids and resistant to attack by chemicals not slippery, and constructed to retain spillages?  |  |  | √     |  |
| Chapter 6.1.1 (d)                    | Properly secured and not easily accessed by unauthorized persons?   |  |  | √     |  |
| Chapter 6.1.1 (e)                    | Equipped with proper waste segregation according to chemical properties and waste type?   |  |  | √     |  |
| Chapter 6.1.1 (f)                    | Proper drum handling and storage:   |  |  | N / A |  |
|                                      | Are drums in upright position and stacked not more than two drums high?   |  |  | √     |  |
|                                      | Are drums placed on pallets that allow passage of water and circulation of air?   |  |  | √     |  |
|                                      | Are drums leak free?  |  |  | √     |  |
|                                      | Are filled drums not stored on their side?  |  |  | √     |  |
|                                      | Are drums stored horizontally on racks provided with support for the entire length of the drum?   |  |  | √     |  |
|                                      | Are drums that are stored with materials that permeate polyethylene provided with adequate ventilation?   |  |  | √     |  |
|                                      | Are adequate safety precautions observed at all times when handling filled drums?   |  |  | √     |  |
| Chapter 6.1.1 (g)                    | Is the establishment equipped with full emergency response equipment?   |  |  | √     |  |
| Chapter 6.1.2                        | Does the establishment maintain maximum number of year for accumulation / storage of hazardous waste? (Not more than 1 year for large generators, and three years for small generators) |  |  | √     |  |
| <b>III-B. Packaging Requirements</b> |   |  |  |       |  |
| Chapter 6.1.3                        | Does the establishment use appropriate types of containers for each types of containers for each type of wastes?  |  |  | √     |  |
|                                      | Does the establishment use polyethylene drums for acids and bases?  |  |  | √     |  |
|                                      | Does the establishment use metal drums for flammable, solvents and paints?  |  |  | √     |  |
|                                      | Does the establishment use fiber drums for granular materials?  |  |  | √     |  |
| Chapter 6.4                          | Does the establishment follow proper packaging requirements?  |  |  | √     |  |
| Chapter 6.4.1                        | Are vessels, containers, tanks and containment buildings used for storage of hazardous wastes:  |  |  | √     |  |
| Chapter 6.4.1 (a)                    | In good condition without leaks or damage?  |  |  | √     |  |
| Chapter 6.4.1 (b)                    | Made from materials suitable for the characteristics of the wastes to be stored?  |  |  | √     |  |
| Chapter 6.4.1 (c)                    | Equipped with a strong lid or cap to prevent spillage during transport?   |  |  | √     |  |
| Chapter 6.4.1                        | Does the establishment follow and implement proper packaging procedures?  |  |  | √     |  |
| <b>III-C. Labelling Requirements</b> |   |  |  |       |  |
| Chapter 6.2.1 (a)                    | Are the labels within the required minimum size (20cm x 30cm) or readable five (5) meters from the vehicle?   |  |  | √     |  |



|  |   |   |  |   |  |
|--|---|---|--|---|--|
| Chapter 6.2.1 (b)                                      | Are the colors of the label (yellow for background and black for letters) conspicuously marked in paint or other permanent form of marking?               |   |  | √ |  |
| Chapter 6.2.1 ©  | Are the materials of the labels scratch proof and resistant to tampering and weathering?  |   |  | √ |  |
| Chapter 6.2.2  | Are the labels attached to the side of the vessel to the side of the vessel, container, or tank?  |   |  | √ |  |
| Chapter 6.2.1 (e)                                      | Are the labels accompanied by a placard corresponding to the characteristics of wastes contained in the vessel, container, tank, or containment building? |   |  | √ |  |
| Chapter 6.3.1 (a)                                      | Are placards within the minimum size (25cm x 25cm) for vessels, containers, and tanks or readable from five (5) meters afar?                              |   |  | √ |  |
| Chapter 6.3.1 (b)                                      | Are placards for waste transporting vehicles, readable from 10 meters?  |   |  | √ |  |
| Chapter 6.3.1 (c)                                      | Are the placards square and rotated 45 degrees to form a diamond?   |   |  | √ |  |
| Chapter 6.3.1 (d)                                      | Do the placards have a parallel line on each of the four sides drawn to form an inner diamond 95% of the outer diamond?                                   |   |  | √ |  |
| Chapter 6.3.1 (e)                                      | Do the colors of the placard follow the colors specified according to the class of hazardous waste?   |   |  | √ |  |
| Chapter 6.3.2  | Are the placards attached to the side of the vessel, container, or tank?  |   |  | √ |  |
| <b>III-D. Waste Transport / Treatment Requirements</b> |   |   |  |   |  |
| Chapter 3.5(3)   | Does the establishment ensure that transporters and treaters hired are duly accredited by DENR?   |   |  | √ |  |
| Chapter 3.5(4)   | Does the establishment comply with online hazardous waste manifest system in transporting hazardous waste for offsite treatment, storage, and disposal?   |   |  | √ |  |
| Chapter 3.5(5)   | Does the establishment ensure that treatment / disposal is completed?   |   |  | √ |  |
| <b>IV. EMERGENCY CONTINGENCY REQUIREMENTS</b>          |   |   |  |   |  |
| Chapter 3.3(g) / Chapter 8                             | Has the establishment submitted an Emergency Contingency Plan to EMB?   | √ |  |   |  |
|  | Does the Emergency Contingency Plan include:  | √ |  |   |  |
| Chapter 8.2.1  | Emergency Response Organizational Structure (including member of the organization and their responsibilities)?  | √ |  |   |  |
| Chapter 8.2.2  | List of potential emergency scenarios?  | √ |  |   |  |
| Chapter 8.2.3  | Specific procedure for responding to spills or chemical releases?   | √ |  |   |  |
| Chapter 8.2.4  | Schedule and conduct of drills?   | √ |  |   |  |
| Chapter 8.3  | Training on Emergency Response Organizations  | √ |  |   |  |
| Chapter 8.4  | Does the establishment have records of all response activities?   | √ |  |   |  |



|                |   |   |   |       |  |
|----------------|---|---|---|-------|--|
|                | Does the establishment submit Incident Reports to DENR?   |   | √ |       |  |
| Chapter 8.5    | Does the establishment update the Contingency Program based on changes in process operations, use of new chemicals and / or generation of new hazardous waste, change in emergency response organizational structure, actual release of chemicals, and / or significant change in response procedure? | √ |   |       |  |
| Chapter 3.5(2) | Does the establishment have a Spill Response Plan that includes:  |   |   | N / A |  |
|                | Immediate reporting to EMB-DENR?  |   | √ |       |  |
|                | Securing / containing of the affected area?   |   | √ |       |  |
|                | Cleaning up of spilled or leaked hazardous waste?   |   | √ |       |  |

V. PERSONEL TRAINING REQUIREMENTS

|              |  |   |   |       |                           |
|--------------|--|---|---|-------|---------------------------|
| Chapter 9    | Does the establishment train staff and personnel on:   |   |   | N / A |                           |
| Chapter 9(a) | Hazardous Waste Management?  | √ |   |       |                           |
| Chapter 9(b) | Contingency Plan?  |   | √ |       |                           |
| Chapter 9(c) | Compliance Monitoring Procedures?  | √ |   |       |                           |
| Chapter 7.1  | Does the establishment use a manifest form from the EMB Regional Office having jurisdiction over it?   |   | √ |       | NO TRANSPORT ACTIVITY YET |
|              | Does the establishment complete in duplicate required portions for waste generators?   |   | √ |       |                           |
|              | Does the establishment give a copy of the Spill Response Plan and the 2nd to 6th copies of the manifest to the recognized waste transporter?   |   | √ |       |                           |
|              | Does the establishment retain and store 1st copy of the manifest 24 months from the date of receipt of the copy of the manifest by the Regional Office having jurisdiction over the location of the waste generator? |   | √ |       |                           |
|              | Does the generator confirm the designated water treater's acceptance of the hazardous waste by receiving the 4th copy of the manifest from the designated waste treater?   |   | √ |       |                           |


VI. HAZARDOUS WASTE MANIFEST SYSTEM

|             |   |  |  |   |  |
|-------------|---|--|--|---|--|
| Chapter 7.1 | Does the generator confirm the designated waste treater's completion of recycling, reprocessing, treatment or disposal of the hazardous waste by receiving a certificaton of completion issued by the designated water treater with a photocopy of the 6th copy of the manifest attached? |  |  | √ |  |
|             | Hazardous Waste Record (Online)   |  |  | √ |  |
|             | Has the generator paid the corresponding fees upon receipt of notification via email (get copy of OR)?  |  |  | √ |  |
|             | Does the generator have the copy of Notice of Acceptance from the EMB-RO notifying the approval of their application?   |  |  | √ |  |




|  |
|--|
| <b>Other Observations:</b>   |
| > Compliance monitoring is conducted through desk/table monitoring.<br>> The facility is a three-legged self-supporting tower of Smart Telecommunications, Inc. provided with cabin equipment room;<br>> With DENR ID Registration GR-R8-26-00033 issued on 8/1/2017 as hazardous waste generator;<br>> As per EMB online system, SMR has been submitted for this site on 4/05/21, 7/05/2021,10/14/2021, and 01/15/2022, respectively. |
| <b>Remarks and Recommendations:</b>  |
| > To update DENR -ID Registration as Hazardous Waste Generator through EMB online system..<br>> To apply for renewal of Pollution Control Officer Accreditation.<br>> For strict compliance to RA 6969 and other environmental laws.   |
| <b>List of Documents Reviewed:</b>   |
| PTO  |


Prepared By:

  
**JOSEPHINE L. FUENTES**  
Senior EMS/OIC-PEMU Eastern Samar


Recommending Approval:

  
**ENGR. LIZA A. TAN**  
Engineer III/Chief, CHWMS

Approved By:

  
**FOR. MANUEL J. SACEDA, JR.**  
OIC-Chief, EMED

Noted By:

  
**ENGR. REYNALDO B. BARRA**  
OIC-Regional Director