



Republic of the Philippines
Department of Environmental and Natural Resources
ENVIRONMENTAL MANAGEMENT BUREAU
Region VIII
DENR Compound, Jones Street, Barangay 2, Tacloban City
Tel No: (053) 832-10-88

Date: Jun 16, 2021

Permit No.: DP-R08-21-03544
Renewal

WASTEWATER DISCHARGE PERMIT

Pursuant to Section 14, Article 2, of the RA 9275 otherwise known as the "Philippine Clean Water Act of 2004", this permit is hereby granted to **Metro Hiper Maasin** with office address at Espina Blvd., Tagnipa (Pob.), City Of Maasin (Capital), Southern Leyte for its establishment:

Metro Hiper Maasin	Espina Blvd. Tagnipa (Pob.) CITY OF MAASIN
TIN No. 226-527-915	(Capital)

To discharge **Commercial Wastewater** into the **Receiving Water Body** subject to the following conditions:

1. The discharge volume of the wastewater generated shall not exceed **42.54** m3/day after treatment at the **Wastewater Treatment Facility (WTF)** and shall comply with the following standard

Parameter	Standard	Parameter	Standard
BOD	100 mg/L	Phosphate	1 mg/L
Fecal Coliform	400 MPN/100 mL	Oil and Grease	5 mg/L
Ammonia	0.5 mg/L	Surfactants	15 mg/L
Nitrate	14 mg/L		

** Reference for effluent parameters: DAO 2016-08; PSIC Code - 681*

2. Institute measures on the operation of your **Wastewater Treatment Facility (WTF)** so as to have effluent conforming with the prescribed standard.
3. The maximum wastewater generation of **19.0** m3/day shall be from the washing/cleaning activities.
4. The maximum wastewater generation of **18.0** m3/day shall be from the domestic wastes.
5. The maximum wastewater generation of **5.54** m3/day shall be from the other activities.
6. Submit **Self-Monitoring Report (SMR)** based on the following schedule:(Online submission at <https://client.emb.gov.ph/smr>)

Quarter	Coverage	Submission	Quarter	Coverage	Submission
First	Jan-Mar	1-15 Apr.	Third	Jul-Sep.	1-15 Oct.
Second	Apr-Jun.	1-15 Jul.	Fourth	Oct-Dec.	1-15 Jan.

7. Include effluent analysis on the above parameters, conducted by Third Party Laboratory duly recognized by EMB, at least **two (2) months** prior to the expiration of this permit.
8. Submit **BOD** analysis of the abstracted water or source of your water supply. (e.g. deep well water, tap water, water distributed by peddlers, etc.) at least **two (2) months** prior to the expiration of this permit.
9. Provide accessible sampling port at the effluent side of your **WTF** at all times.
10. Channel your wastewater generation into your **Wastewater Treatment Facility**.
11. Submit **Certificate of PCO Accreditation** within **six (6) months** from the date of issuance of this permit.
12. Allow the entry of our duly authorized representative(s) to conduct inspection within your premises.
13. This permit, together with the corresponding Official Receipts of Payment, shall be adequately framed and posted in a conspicuous place at the plant/establishment.
14. This permit shall be renewed not less than **thirty (30) days** prior to its expiration.




This is a computer generated certificate. To verify the authenticity of this file, kindly scan the generated QR Code using your QR Code scanner/reader or visit the OPMS website for details.

This permit is valid up to Apr 16, 2022, unless revoked or suspended by this Office in writing.

Non-compliance with the above conditions and/or any pertinent provisions of RA 9275 otherwise known as "Philippine Clean Water Act of 2004", a corresponding penalty in the amount of P10,000-P200,000 per violation shall be imposed.

Recommended by:

Approved by:


Maribel B. Munsayac
Chief, Clearance and Permitting Division


Letecia R. Maceda
Regional Director

Permit Fee	: Php 2500.00	O.R. No. : 4739737, 4739443	Date : June 9, 2021
Water Discharge Fee	: Php 1475.07	O.R. No. : 4739737, 4739443	Date : June 9, 2021
Filing Fee	: Php 55.00	O.R. No. : 4738303, 4736231	Date : June 9, 2021
PD1856	: Php 10.00	O.R. No. : 4738303, 4736231	Date : June 9, 2021
Documentary Stamp Tax	: Php 30.00	O.R. No. : 4738303, 4736231	Date : June 9, 2021



This is a computer generated certificate. To verify the authenticity of this file, kindly scan the generated QR Code using your QR Code scanner/reader or visit the OPMS website for details.