



Republic of the Philippines  
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES  
**ENVIRONMENTAL MANAGEMENT BUREAU**

Regional Office VIII  
Cathedral Compound, Barangay Luntad  
Palo, Leyte

ENVIRONMENTAL MANAGEMENT BUREAU

RELEASED BY: *[Signature]*

DATE: *April 25, 2016*

TIME: *12:10 PM*

Registration Certificate Number : CCOr-Cn-R8-2016-00001  
Importation Clearance Number : CCO-R8-CN-2016-00001

Importer/User/Distributor Copy

## CCO IMPORTATION CLEARANCE

Pursuant to Republic Act 6969 (Toxic Chemical and Hazardous and Nuclear Waste Control Act) and implemented by DENR Administrative Order 1992-29 (Implementing Rules and Regulation of RA 6969) and DENR Administrative Order 1997-39 (CCO for Cyanide and Cyanide Compound)

### PHILIPPINE ASSOCIATED SMELTING AND REFINING CORPORATION (PASAR) LIDE, Isabel, Leyte

is hereby granted clearance for the importation of

**Potassium hexacyanoferrate (III)**  
CAS # 13746-66-2

**Potassium hexacyanoferrate (II) trihydrate**  
CAS # 14459-95-1

with a volume of

**Potassium hexacyanoferrate (III)**  
Volume : 1.60 kg

**Potassium hexacyanoferrate (II) trihydrate**  
Volume : 2.05 kg

subject to the following

#### TERMS AND CONDITIONS

1. The company shall comply with the proper storage, handling, labelling, transport and disposal requirements in accordance with the Material Safety Data Sheet and provisions of RA 6969 and DAO 1997-39.
2. The company shall comply with other applicable environmental policies and procedures under RA 9275 (Clean Water Act), RA 8749 (Clean Air Act), RA 9003 (Ecological Solid Waste Management Act) and PD 1586 (Environmental Impact Statement System).
3. The company shall be held liable in cases of injury or damage to public health and the environment and shall properly compensate the affected parties and/or restore damaged areas resulting from misuse, mishandling, transport accident and improper disposal of **Potassium hexacyanoferrate (III)** and **Potassium hexacyanoferrate (II) trihydrate**.
4. **Potassium hexacyanoferrate (III)** and **Potassium hexacyanoferrate (II) trihydrate** shall be imported and **used/distributed** only to registered users. Under no circumstances shall **Potassium hexacyanoferrate (III)** and **Potassium hexacyanoferrate (II) trihydrate** be used for application not included in the allowable use under Sec. 7 of DAO 1997-39.

Issued on April 18, 2016.

*[Signature]*  
**LETECIA R. MACEDA**  
Regional Director

Permit Fee:

OR No.9777141

Amount:

Php 1,465.00

Date:

April 15, 2016

Documentary Stamp:

OR No.9776253

Amount:

Php 15.00

Date:

April 15, 2016

DENR – EMB RVIII – CPD – CHWMS  
**DISPOSITION FORM**

Subject : **IMPORTATION CLEARANCE FOR CYANIDE COMPOUNDS**

Type of Application : New ☒ Renewal ☐

Name of Establishment : PASAR CORPORATION

Storage Facility Address : LIDE, Isabel, Leyte

Product Name : 222mv ORP Meter Standard Buffer Solution containing

Chemical Name / CAS # : Potassium hexacyanoferrate (III)/CAS# 13746-66-2 and  
Potassium hexacyanoferrate (II) trihydrate/CAS# 14459-95-1

Requested Quantity : 500 kg

FOR : Chief – Chemical and Hazardous Waste Management Section (CHWMS)


FROM : Engineer II – CHWMS

DATE : April 18, 2016

The customer had submitted the requirements for this particular application last March 21, 2016. After screening, it was found out that submission is still lacking with CCO Registration Certificate for Cyanide and Cyanide Compounds and Certificate of Liabilities which was submitted last March 23 and April 5, 2016, respectively. The customer paid the required fee of ₱ 1480.00 last April 15, 2016.

As per MSDS, the product having a quantity of 500 kg contains 0.32% of Potassium hexacyanoferrate (III) ( $K_3Fe(CN)_6$ ) and 0.41% of Potassium hexacyanoferrate (II) trihydrate ( $K_4Fe(CN)_6 \cdot 3H_2O$ ). Percentage is by weight. The product is a buffer solution to be used for calibration of ORP Instrument at Vulcanization Reactor in New WANP.

Since the regulated quantity is within the allowable import as stated in CCO Registration Certificate, the customer's request can be granted.


  
VENUS C. VERRA

FOR : Chief – Clearances & Permitting Division (CPD)

FROM : Chief – Chemical and Hazardous Waste Management Section (CHWMS)

DATE : \_\_\_\_\_

I concur with the recommendation.


  
JOSEPHINE B. GRAVOSO

FOR : Regional Director

FROM : Chief – Clearances and Permitting Division (CPD)

DATE : \_\_\_\_\_

Recommending approval of Importation Clearance for Cyanide compounds in 222mv ORP Meter Standard Buffer Solution.


  
ENGR. REYNALDO B. BARRA

FOR : Records Section

FROM : Regional Director

DATE : \_\_\_\_\_

Approved Importation Clearance for Cyanide compounds for release.

  
LETECIA R. MACEDA



Google

Gmail

COMPOSE

Inbox

Starred

Sent Mail

Drafts

More

Venus

Abdon Brit  
Your Good afternoon Sa l

in: sent

Click here to enable desktop notifications for Gmail. [Learn more](#) [Hide](#)

Move to Inbox

More

IC application for 222mv ORP Buffer Solution

Inbox x

People (2)

Maricel M. Repolido

Hi ven, See attach for your advance copy. Best regards, Maricel LEGAL DISCLA...

Mar 28

Maricel M. Repolido

Add to circles



Venus Verra <embtr6phlpcbtracker@gmail.com>

to Maricel

Mar 28

Mar 28

Show details

Hi Cel,

Please be noted of the ff. requirements for Importation Clearance under CCO:

- Duly accomplished Application Form for Cyanide, Mercury and Asbestos by the concerned Importers, Manufacturers and Distributors.
- Registration Certificate for Cyanide, Mercury and Asbestos
- Bill of Lading or Airway Lading
- Copy of results of air monitoring data at the workplace for manufacturing operation for Asbestos only.
- Certification of liabilities of parties to compensate for damage to life and properties in case of emergencies and accidents. (as attachment to the form.)
- Bureau of Fisheries and Aquatic Resources Endorsement for Cyanide Importer only
- Bureau of Mines and Geosciences Endorsement for Mercury Importer only
- Copy of ECC, Mayor's Permit, SEC/DTI Registration,
- MSDS

Processing Fee = Php 700 / chemical.

You are still lacking with letter b, c, e, and f.

Best regards,

VENUS C. VERRA

Engineer II

Environmental Management Bureau (EMB) - RVIII

Cathedral Compound, Brgy. Luntad, Palo, Leyte