

Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU

DENR Compound, Jones St. Tacloban City, Philippines

NOTICE OF VIOLATION

03 May 2021

DENR-PAB Case No. 08-000039-21-W

11:32am

ENVIRONMENTAL

OATE:_

BAYBAY DOCTORS' HOSPITAL

C.M. Recto corner De Deciembre St., Baybay City, Leyte RELEASED

Thru: SATURNINO B. CABAL, MD, DPSS

Managing Head

SEAN RYAN MARK C. CABAL

Pollution Control Officer

Dear Sir/Madame:

This notice is being served upon you for alleged violation of <u>RA 9275</u> otherwise known as the **Philippine Clean Water Act of 2004** based on the compliance inspection for healthcare waste generators conducted by the Environmental Monitoring & Enforcement Division - Chemical and Hazardous Waste Management Section (EMED-CHWMS) of this Office last **06 March 2021**.

ACTS CONSTITUTING THE VIOLATION

Finding/s	Prohibited Act/s			
Operating a facility that discharges regulated water pollutants without a valid/expired wastewater Permit, since 22 June 2018.	Violation of Paragraph (c), Section 27 of R.A 9275, in relation to Section 28 thereof and in relation further to Pollution Adjudication Board Resolution No. 01 Series of 2019.			

Pursuant to Pollution Adjudication Board Resolution No. 02, Series of 2020, otherwise known as the Interim Guidelines of the Pollution Adjudication Board during the Public Health Emergency due to COVID-19, you are hereby required to explain in writing, duly subscribed before a Notary Public, within fifteen (15) days from receipt hereof, your defense/position to the alleged violation which is punishable by a fine of Nineteen Thousand Five Hundred Pesos (P19,500.00) for every year of violation of the above cited prohibited act and to show cause why no Order should be issued against you, directing immediate cessation of the project operation.

Please submit a hard copy of your written explanation to this Office, as well as an electronic copy of the same to embra@emb.gov.ph, copy furnished legalunitembra@gmail.com, to expedite the submission.

Please be informed that failure to submit the position paper on or before the period prescribed above shall mean a waiver of your right to contest the findings of the report and present evidence on your defense and the case may be decided based on evidence on record.

Please be guided accordingly.

Very truly yours

LETECIA R. MACEDA
Regional Director

FM-ORD-16

00

10-01-17



DP No.

RA 9275

Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII

DI NR & Compound Brev. 2. Jones Extension, Tacioban Cus



CHEMICAL AND HAZARDOUS WASTE MANAGEMENT SECTION COMPLIANCE INSPECTION REPORT FOR HEALTHCARE WASTE GENERATORS

Report Control Nu	mber:	HCW-50 TO No: EMBR8-2021-005053						
Date of Inspection:	March 6, 2021	1						
1. GENERAL INFO								
Name of Establishn	nent:	BAYBAY DOCTORS HOSPITAL						
Address:		30 De Deciembre St., Zone 18, Baybay City, Geo Coordin			10.6715N, 124	.8055E		
Nature of Business		Leyte Health Care Service						
PSIC Code:	or or promised			Year Established: 2005				
Operating Hours/d	av. 8	Operating days/week: 4		Teal Established, 2003				
Operating Hours, or	07. 0	Toperating days, week.						
Prod	uct Lines	Production Rate as declared	in the ECC	Actual Production Rate (Unit / day)				
	N/A	N/A		N/A				
Name of Managing	Head:	SATURNINO B. CABAL, MD, DP	220					
Name of PCO:								
PCO Accreditation:				Date of Effectivity: July 3, 2017-July 3, 2020				
Accidentation:		2017-RVIII-0050		was at whitelital at east tail at east				
Phone Fax:		0929-431-0747		Email: baybaydoctorshospital@gmail.com				
applicat PMPIN A Hazardo hazardo Hazardo Permit t Discharg Others Determin Investig Check st Industria	ccuracy of informatic ions, renewals, or mo Application ius Waste ID Registar us Waste Transporte ius Waste TSD Regista io Operate Air Pollution ge Permit e compliance status with atte community comp tatus of voluntary comp at EcoWatch in Environmental Par in Adjudication Board	tion r Registration ration on Control Installation environmental regulations, permit conditaints nmitment tnership Program (PEPP)		New	Rene	wal		
Name of Contact P	erson	Sean Ryan Mark C. Cabal	Sean Ryan Mark C. Cabal					
Position / Designat	tion	PCO						
3. COMPLIANCE 3.1 DENR permit	STATUS :s/Licenses/Clearance	15						
Environmental La	aw We	Permits	Date of	of Issue	Exp	ry Date		
PD 1586	ECC 1	ECC-OL-R08-2019-0159	Septembe	er 16, 2019		N/A		
	ECC 2							
	ECC 3							
RA 6969	DENR ID	M-GR-R8-37-00389	October	19, 2018		N/A		
	PCL Cert.							
	CCO Registry							
	PTT							
RA 8749	PO No.	POA-2019-B-0837-0058	February	21, 2019	Februa	ry 21, 2024		
DA 0000	ECC SIE							

For renewal

N/A

N/A

3		Pretreatment of Hazardous Waste Practiced? Methods of Pretreatment					Yes	_
	Chemical di		Πt					
a) b)	Autoclave	siniection		/	_ Yes		No	
		2477			Yes	/_	No	
0)	Delay to decay Dilution & Dispersion			Yes	/	No		
d)		ispersion		_	Yes	/	No	
e) f)	Ozone Others (Spe	cify)			- Yes	/_	- No	
5	Storage Fa	cilities					_	-
a)	Storage Roo				922		West .	
b)	Storage Pit	2111			- Yes Yes		No No	
6	On-site coll	ection and t	transport system					
a)	Push cart				Yes	/	No	
b)	Mobile colle	ction bins			Yes	1	No	
C)	Others (spec	cify)		Hand ca	rry			-
7		requency pe	er day					
a)	In-house			once	a day			
b)	Off-site			N/A				==:
8	Number of	collection p	oints (on-site)			1		_
9	Disposal Sy	stems						*1
a)	Septic Tank			/	Yes		No	
b)	Incineration				Yes	/	No	
c)	Burying			S-DCIDE	Yes	/	No	
d)	Composting				Yes	/	No	
e)	Open Burnir	ng			Yes		No	
10	Health care	waste colle	ction and disposal outs	side instit	utions:			
Colle	ection & Disposal ou	tside the hosp	pital premise/compound	Choose w	here these	wastes ar	e disposed by	collector
		YES	NO	4		8.8	4.044	****
Private Co	ontractor							
Municipa	l/City Collection	/				1		
Networki /institutio	ing with other hospital		f.					
7 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	by scavengers sindividual		1					
Legen	d:	** Si	cineration anitary Landfill pen Dumping urying					

PHOTO DOCUMENTATION







