



Republic of the Philippines
Department of Environmental and Natural Resources
ENVIRONMENTAL MANAGEMENT BUREAU
Region VIII
DENR Compound, Jones Street, Barangay 2, Tacloban City
Tel No: (053) 832-1088 / (053) 832-2319
embr8_records@emb.gov.ph

Date: Mar 18, 2022

Permit No.: DP-R08-22-02166

Renewal

WASTEWATER DISCHARGE PERMIT

Pursuant to Section 14, Article 2, of the RA 9275 otherwise known as the "Philippine Clean Water Act of 2004", this permit is hereby granted to **Dj Concrete Solutions, Inc.** with office address at Maharlika Highway, Barangay 95 (Caibaan), Tacloban City (Capital), Leyte for its establishment:

Dj Concrete Solutions, Inc.	Maharlika Highway Barangay 95 (Caibaan)
TIN No. 008-579-509-000	TACLOBAN CITY (Capital)

To discharge **Industrial Wastewater** subject to the following conditions:

1. The discharge rate of the effluent shall not exceed **2.5 m3/day** after treatment at the **Wastewater Treatment Facility (WTF) - Settling Pond** and shall comply with the following standard:

Parameter	Standard
TSS	100 mg/L

** Reference for effluent parameters: DAO 2016-08; PSIC Code - 239*

2. Institute measures on the operation of your **WTF - Settling Pond** so as to have effluent conforming with the prescribed standard.
3. The maximum wastewater generation of **1.0 m3/day** shall be from the process wastewater.
4. The maximum wastewater generation of **1.0 m3/day** shall be from the washing/cleaning activities.
5. The maximum wastewater generation of **0.5 m3/day** shall be from the domestic wastes.
6. The maximum water consumption of **7.5 m3/day** shall be used as the product component
7. Submit **Self-Monitoring Report (SMR)** based on the following schedule: (Online submission at <http://client.emb.gov.ph/smr>)

Quarter	Coverage	Submission	Quarter	Coverage	Submission
First	Jan-Mar	1-15 Apr.	Third	Jul-Sep.	1-15 Oct.
Second	Apr-Jun.	1-15 Jul.	Fourth	Oct-Dec.	1-15 Jan.

8. Include effluent analysis on **TSS** parameter conducted by EMB 8 Laboratory, at least **two (2) months** prior to the expiration of this permit.
9. Submit **TSS** analysis of the abstracted water or source of your water supply (e.g. deep well water, tap water, water distributed by peddlers, etc.) conducted by EMB 8 Laboratory, at least **two (2) months** prior to the expiration.
10. Provide accessible sampling port at the effluent side of your **WTF - Settling Pond** at all times.
11. Channel your wastewater generation (process and washing/cleaning) into your **WTF - Settling Pond**.
12. Channel your domestic wastewater generation into your **WTF - Septic Tank**.
13. Submit Certificate of Desludging/Siphoning of the **Septic Tank** and treatment of the same by an accredited service provider.
14. Renew the Certificate of PCO Accreditation not later than **March 6, 2023**.
15. Allow the entry of our duly authorized representative(s) to conduct inspection within your premises.
16. This permit, together with the corresponding Official Receipts of Payment, shall be adequately framed and posted in a conspicuous place at the plant/establishment.
17. This permit shall be renewed not less than **thirty (30) days** prior to its expiration.




This is a computer generated certificate. To verify the authenticity of this file, kindly scan the generated QR Code using your QR Code scanner/reader or visit the OPMS website for details.

This permit is valid up to Nov 18, 2022, unless revoked or suspended by this Office in writing.

Non-compliance with the above conditions and/or any pertinent provisions of RA 9275 otherwise known as "Philippine Clean Water Act of 2004", a corresponding penalty in the amount of P10,000-P200,000 per violation shall be imposed.

Recommended by:

Approved by:


ENGR. HENNENCY G. HAYAG
OIC-Chief, Clearance and Permitting Division


ENGR. REYNALDO B. BARRA
OIC-Regional Director

Permit Fee	: Php 2000.00	O.R. No. : 1948029/ 4739806	Date : March 8, 2022
Water Discharge Fee	: Php 128.70	O.R. No. : 1948029/ 4739806	Date : March 8, 2022
Filing Fee	: Php 55.00	O.R. No. : 1948029/ 1946203/ 1944645	Date : March 8, 2022
PD1856	: Php 10.00	O.R. No. : 1948029/ 1946203/ 1944645	Date : March 8, 2022
Documentary Stamp Tax	: Php 30.00	O.R. No. : 1948029/ 1946203/ 1944645	Date : March 8, 2022



This is a computer generated certificate. To verify the authenticity of this file, kindly scan the generated QR Code using your QR Code scanner/reader or visit the OPMS website for details.