



Republic of the Philippines  
Department of Environment and Natural Resources  
**ENVIRONMENTAL MANAGEMENT  
BUREAU**

Regional Office No. VIII  
DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



**CHEMICAL & HAZARDOUS WASTE MANAGEMENT SECTION  
COMPLIANCE INSPECTION REPORT FOR HAZARDOUS WASTE GENERATORS**

Report Control Number: **HWG-260**  
Date of Inspection: **September 17, 2021 (Table Monitoring)**

**1. GENERAL INFORMATION**

Name of Establishment:	<b>Globe Telecom, Inc.</b>	
Address:	Brgy. Upper Villa Jacinta, Macrohon, Southern Leyte	Geo Coordinates: 10.07681° N, 124.94257° E
Nature of Business:	Cellsite	
PSIC Code: 6120	Product:	Year Established: 2004
Operating Hours/day: 24	Operating days/week: 7	Operating days/year: 365

Product Lines	Production Rate as declared in the ECC (unit/day)	Actual Production Rate (Unit / day)
<b>Name of Managing Head:</b>	<b>Elizabeth S. Tolentino</b>	
Name of PCO:	<b>Demosthenes B. Pangilinan II</b>	
PCO Accreditation:	2017-RVIII-0074	Date of Effectivity: 9/27/2017-2020
Phone Fax:	0917-688-8011	Email: globepermitting1552@gmail.com

**2. PURPOSE OF INSPECTION**

Verify accuracy of information submitted by the establishment pertaining to new permit applications, renewals, or modification	New	Renewal
PMPIN Application		
Hazardous Waste ID Registration		
hazardous Waste Transporter Registration		
Hazardous Waste TSD Registration		
Permit to Operate Air Pollution Control Installation		
Discharge Permit		
Others		
/ Determine compliance status with environmental regulations, permit conditions, and other requirements		
Investigate community complaints		
Check status of voluntary commitment		
Industrial EcoWatch		
Philippine Environmental Partnership Program (PEPP)		
Pollution Adjudication Board (PAB)		
Others		
Name of Contact Person	<b>Sherwin Jugueta</b>	
Position / Designation	Area Coordinator	

**3. COMPLIANCE STATUS**

**3.1 DENR permits/Licenses/Clearances**

Environmental Law	Permits		Date of Issue	Expiry Date
PD 1586	ECC 1	CNC-R08-1110-0013	10/10/2011	
	ECC 2			
	ECC 3			
RA 6969	DENR ID	None		
	PCL Cert.			
	CCO Registry			
	PTT			
RA 8749	PO No.	17-POA-G-0864-0278	07/05/2017	07/05/2022
RA 9003	ECC SLF			
RA 9275	DP No.			

## I. GENERAL HAZWASTE GENERATOR INFORMATION\*

\* To be accomplished prior to site inspection

Legal Reference Revised DAO 2013-22	Compliance Requirement	Compliant?			Remarks
		Y	N	N/A	
<b>II. REGISTRATION / PERMIT REQUIREMENTS</b>					
Chapter 3.3	Is the establishment registered with EMB-DENR as a Hazardous Waste Generator?		✓		
	Has the establishment paid the Application fee?		✓		
	DENR ID No. :				
	Category: Large <input type="checkbox"/> Small <input checked="" type="checkbox"/>				
Chapter 3.3(a)	Has the establishment designated a Pollution Control Officer (PCO)?		✓		
	Name of PCO: Demosthenes B. Pangilinan II				
	PCO Accreditation No.: <u>2017-RVIII-0074</u>				
Chapter 3.3(b)	Is the establishment registered online?		✓		
Chapter 3.3(c)	Does the establishment have a permit to construct or operate hazardous waste TSD premise? (If yes, accomplish Compliance Inspection Checklist for TSD facilities)			✓	
	Has the establishment submitted the Hazardous Waste Management Module of the SMR?		✓		
Chapter 3.3(c)	Has the establishment submitted the Hazardous Waste Generators Quarterly Report Form? (Quarterly for Large, Annual for Small)		✓		

### III. HAZARDOUS WASTE MANAGEMENT (Chapter 3.5)

Chapter 3.3 (d)	Does the establishment comply with the Hazardous Waste Storage and Transport Requirements?		✓		
Chapter 3.3 (f)	Does the establishment comply with the Hazardous Waste Storage Transport Manifest System?		✓		
Chapter 3.3 (h)	Does the establishment communicate the hazards posed by improper handling, storage, transpoer and use of hazardous wastes and their containers to employees?		✓		

### III-A. Storage Requirements

Chapter 6.1.1	Are the establishment's storage facilities:		N / A	
Chapter 6.1.1 (a)	Accessible in cases of emergency and for purposes of inspection and monitoring?		✓	Hazardous Wastes generated are transported to Hilongos for storage
Chapter 6.1.1 (b)	Enclosed but adequately ventilated?		✓	
Chapter 6.1.1(c)	Equipped with floors that are impermeable to liquids and resistant to attack by chemicals not slippery, and constructed to retain spillages?		✓	
Chapter 6.1.1 (d)	Properly secured and not easily accessed by unauthorized persons?		✓	
Chapter 6.1.1 (e)	Equipped with proper waste segregation according to chemical properties and waste type?		✓	
Chapter 6.1.1 (f)	Proper drum handling and storage:		N / A	
	Are drums in upright position and stacked not more than two drums high?		✓	
	Are drums placed on pallets that allow passage of water and circulation of air?		✓	
	Are drums leak free?		✓	
	Are filled drums not stored on their side?		✓	
	Are drums stored horizontally on racks provided with support for the entire length of the drum?		✓	
	Are drums that are stored with materials that permeate polyethylene provided with adequate ventilation?		✓	
	Are adequate safety precautions observed at all times when handling filled drums?		✓	
Chapter 6.1.1 (g)	Is the establishment equipped with full emergency response equipment?		✓	
Chapter 6.1.2	Does the establishment maintain maximum number of years for accumulation / storage of hazardous waste? (Not more than 1 year for large generators, and three years for small generators)		✓	

### III-B. Packaging Requirements

Chapter 6.1.3	Does the establishment use appropriate types of containers for each types of containers for each type of wastes?		✓	
	Does the establishment use polyethylene drums for acids and bases?		✓	
	Does the establishment use metal drums for flammable, solvents and paints?		✓	
	Does the establishment use fiber drums for granular materials?		✓	
Chapter 6.4	Does the establishment follow proper packaging requirements?		✓	
Chapter 6.4.1	Are vessels, containers, tanks and containment buildings used for storage of hazardous wastes:		N / A	
Chapter 6.4.1 (a)	In good condition without leaks or damage?		✓	
Chapter 6.4.1 (b)	Made from materials suitable for the characteristics of the wastes to be stored?		✓	
Chapter 6.4.1 (c)	Equipped with a strong lid or cap to prevent spillage during transport?		✓	
Chapter 6.4.1	Does the establishment follow and implement proper packaging procedures?		✓	

### III-C. Labelling Requirements

Chapter 6.2.1 (a)	Are the labels within the required minimum size (20cm x 30cm) or readable five (5) meters from the vehicle?			✓	
Chapter 6.2.1 (b)	Are the colors of the label (yellow for background and black for letters) conspicuously marked in paint or other permanent form of marking?			✓	
Chapter 6.2.1 ©	Are the materials of the labels scratch proof and resistant to tampering and weathering?			✓	
Chapter 6.2.2	Are the labels attached to the side of the vessel to the side of the vessel, container, or tank?			✓	
Chapter 6.2.1 (e)	Are the labels accompanied by a placard corresponding to the characteristics of wastes contained in the vessel, container, tank, or containment building?			✓	
Chapter 6.3.1 (a)	Are placards within the minimum size (25cm x 25cm) for vessels, containers, and tanks or readable from five (5) meters afar?			✓	
Chapter 6.3.1 (b)	Are placards for waste transporting vehicles, readable from 10 meters?			✓	
Chapter 6.3.1 (c)	Are the placards square and rotated 45 degrees to form a diamond?			✓	
Chapter 6.3.1 (d)	Do the placards have a parallel line on each of the four sides drawn to form an inner diamond 95% of the outer diamond?			✓	
Chapter 6.3.1 (e)	Do the colors of the placard follow the colors specified according to the class of hazardous waste?			✓	
Chapter 6.3.2	Are the placards attached to the side of the vessel, container, or tank?			✓	

### III-D. Waste Transport / Treatment Requirements

Chapter 3.5(3)	Does the establishment ensure that transporters and treaters hired are duly accredited by DENR?		✓	
Chapter 3.5(4)	Does the establishment comply with online hazardous waste manifest system in transporting hazardous waste for offsite treatment, storage, and disposal?		✓	
Chapter 3.5(5)	Does the establishment ensure that treatment / disposal is completed?		✓	

### IV. EMERGENCY CONTINGENCY REQUIREMENTS

Chapter 3.3(g) / Chapter 8	Has the establishment submitted an Emergency Contingency Plan to EMB?		✓	
	Does the Emergency Contingency Plan include:			
Chapter 8.2.1	Emergency Response Organizational Structure (including member of the organization and their responsibilities)?		✓	
Chapter 8.2.2	List of potential emergency scenarios?		✓	
Chapter 8.2.3	Specific procedure for responding to spills or chemical releases?		✓	
Chapter 8.2.4	Schedule and conduct of drills?		✓	
Chapter 8.3	Training on Emergency Response Organizations		✓	

Chapter 8.4	Does the establishment have records of all response activities?		✓	
	Does the establishment submit Incident Reports to DENR?		✓	
Chapter 8.5	Does the establishment update the Contingency Program based on changes in process operations, use of new chemicals and / or generation of new hazardous waste, change in emergency response organizational structure, actual release of chemicals, and / or significant change in response procedure?		✓	
Chapter 3.5(2)	Does the establishment have a Spill Response Plan that includes:		N / A	
	Immediate reporting to EMB-DENR?		✓	
	Securing / containing of the affected area?		✓	
	Cleaning up of spilled or leaked hazardous waste?		✓	

## V. PERSONEL TRAINING REQUIREMENTS

Chapter 9	Does the establishment train staff and personnel on:		✓	N / A
Chapter 9(a)	Hazardous Waste Management?		✓	
Chapter 9(b)	Contingency Plan?		✓	
Chapter 9(c)	Compliance Monitoring Procedures?		✓	
Chapter 7.1	Does the establishment use a manifest form from the EMB Regional Office having jurisdiction over it?		✓	
	Does the establishment complete in duplicate required portions for waste generators?		✓	
	Does the establishment give a copy of the Spill Response Plan and the 2nd to 6th copies of the manifest to the recognized waste transporter?		✓	
	Does the establishment retain and store 1st copy of the manifest 24 months from the date of receipt of the copy of the manifest by the Regional Office having jurisdiction over the location of the waste generator?		✓	
	Does the generator confirm the designated water treater's acceptance of the hazardous waste by receiving the 4th copy of the manifest from the designated waste treater?		✓	

## VI. HAZARDOUS WASTE MANIFEST SYSTEM

Chapter 7.1	Does the generator confirm the designated waste treater's completion of recycling, reprocessing, treatment or disposal of the hazardous waste by receiving a certificate of completion issued by the designated water treater with a photocopy of the 6th copy of the manifest attached?		✓	
	Hazardous Waste Record (Online)		✓	
	Has the generator paid the corresponding fees upon receipt of notification via email (get copy of OR)?		✓	
	Does the generator have the copy of Notice of Acceptance from the EMB-RO notifying the approval of their application?		✓	

**Other Observations:**

- No hazardous materials observed within the premises of the establishment. Hazardous materials classified under I101, D406 & D07 are collected by maintenance crew during routinary repairs/maintenance conducted by GLOBE's accredited third party-contractor and stored in Hilongos for storage
- The cellsite uses 12 kW Powercity Generator Set. Already not required to secure PTO as per EMB MC 2020-17.

**Remarks and Recommendations:**


- Sustained and periodic monitoring is hereby recommended thus to ensure environmental compliance and public safety measures.
- To secure DENR ID as Hazardous Waste Generator online through [hwms.emb.gov.ph/login](http://hwms.emb.gov.ph/login)
- Renewal of Accreditation as Pollution Control Officer

**List of Documents Reviewed:**

Submitted by:

  
Engr. ZEUS BRYAN B. LORETO  
EMS II

Reviewed:

  
For. ALEJANDROQUE G. MACATIGUE  
Head, PEMU Southern Leyte

Recommending Approval:

  
Engr. LIZA A. TAN  
OIC-Chief, CHWMS 

Approved By:

  
For. MANUEL J. SACEDA, Jr.  
OIC-Chief, EMED

Noted By:

  
Engr. REYNALDO B. BARRA  
OIC-Regional Director



5

0

FM-EMED-39

10-01-2017