



Republic of the Philippines  
Department of Environmental and Natural Resources  
**ENVIRONMENTAL MANAGEMENT BUREAU**  
**Region VIII**  
DENR Compound, Jones Street, Barangay 2, Tacloban City  
Tel No: (053) 832-10-88

Date: Dec 23, 2021

Permit No.: DP-R08-21-08478  
**Renewal**

**WASTEWATER DISCHARGE PERMIT**

Pursuant to Section 14, Article 2, of the RA 9275 otherwise known as the "Philippine Clean Water Act of 2004", this permit is hereby granted to **Kickstart Food Corporation** with office address at Rizal St., Central 1 (Pob.), Palompon, Leyte for its establishment:

<b>Jollibee Palompon</b>	Rizal St. Central 1 (Pob.) PALOMPON
TIN No. 009-702-025-005	

To discharge **Commercial Wastewater** to **Camotes Sea (Class SC)** subject to the following conditions:

1. The discharge rate of the effluent shall not exceed **3.33** m3/day after treatment at the **Wastewater Treatment Facility (WTF)** and shall comply with the following standard

Parameter	Standard	Parameter	Standard
BOD	100 mg/L	Surfactants	15 mg/L
TSS	100 mg/L	Oil and Grease	10 mg/L

*\* Reference for effluent parameters: DAO 2016-08; PSIC Code - 56*

2. Institute measures on the operation of your **WTF** so as to have effluent conforming with the prescribed standard.
3. The maximum wastewater generation of **1.33** m3/day shall be from washing/cleaning activities
4. The maximum wastewater generation of **1.0** m3/day shall be from domestic wastes.
5. The maximum wastewater generation of **1.0** m3/day shall be from the other activities (i.e. gardening & etc.).
6. Submit **Self-Monitoring Report (SMR)** based on the following schedule: (Online submission at <https://client.emb.gov.ph/smr>)

Quarter	Coverage	Submission	Quarter	Coverage	Submission
First	Jan-Mar	1-15 Apr.	Third	Jul-Sep.	1-15 Oct.
Second	Apr-Jun.	1-15 Jul.	Fourth	Oct-Dec.	1-15 Jan.

7. Include effluent analysis on **TSS** and **BOD** parameters conducted by EMB 8 Laboratory, at least **two (2) months** prior to the expiration of this permit
8. Include effluent analysis on **Surfactants** and **Oil & Grease** parameters conducted by Third Party Laboratory duly recognized by EMB, at least **two (2) months** prior to the expiration of this permit.
9. Submit **TSS** and **BOD** analysis of the abstracted water or source of your water supply (e.g. deep well water, tap water, water distributed by peddlers, etc.) conducted by EMB 8 Laboratory, at least **two (2) months** prior to the expiration.
10. Provide accessible sampling port at the effluent side of your **WTF** at all times.
11. Renew the **Certificate of PCO Accreditation** not later than **November 6, 2022**.
12. Allow the entry of our duly authorized representative(s) to conduct inspection within your premises.
13. This permit, together with the corresponding Official Receipts of Payment, shall be adequately framed and posted in a conspicuous place at the plant/establishment.
14. This permit shall be renewed not less than **thirty (30) days** prior to its expiration.

**This permit is valid up to Nov 23, 2022, unless revoked or suspended by this Office in writing.**




This is a computer generated certificate. To verify the authenticity of this file, kindly scan the generated QR Code using your QR Code scanner/reader or visit the OPMS website for details.

Non-compliance with the above conditions and/or any pertinent provisions of RA 9275 otherwise known as "Philippine Clean Water Act of 2004", a corresponding penalty in the amount of P10,000-P200,000 per violation shall be imposed.

Recommended by:

Approved by:

  
**ENGR. HENNENCY G. HAYAG**  
OIC-Chief, Clearance and Permitting Division

  
**ENGR. REYNALDO B. BARRA**  
OIC-Regional Director

Permit Fee	: Php 2000.00	O.R. No. : 4739687,4739779	Date : Dec. 7, 2021
Water Discharge Fee	: Php 182.32	O.R. No. : 4739687,4739779	Date : Dec. 7, 2021
Filing Fee	: Php 55.00	O.R. No. : 4739687, 4736690, 4736552	Date : Oct. 28, 2021
PD1856	: Php 10.00	O.R. No. : 4739687, 4736690, 4736552	Date : Oct. 28, 2021
Documentary Stamp Tax	: Php 30.00	O.R. No. : 4739687, 4736690, 4736552	Date : Oct. 28, 2021



This is a computer generated certificate. To verify the authenticity of this file, kindly scan the generated QR Code using your QR Code scanner/reader or visit the OPMS website for details.